

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME							
CENTRE NUMBER		CANDIDATE NUMBER					
MATHEMATICS 0581/4							
Paper 4 (Extende	ed)	October/November 2010					
		:	2 hours 30 minutes				
Candidates answer on the Question Paper.							
Additional Materials: Electronic calculator Mathematical tables (optional)		Geometrical instruments Tracing paper (optional)					
READ THESE IN	ISTRUCTIONS FIRST						

Write your Centre number, candidate number and name on all the work you hand in.Write in dark blue or black pen.You may use a pencil for any diagrams or graphs.Do not use staples, paper clips, highlighters, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

If working is needed for any question it must be shown below that question.

Electronic calculators should be used.

If the degree of accuracy is not specified in the question, and if the answer is not exact, give the answer to three significant figures. Give answers in degrees to one decimal place. For π use either your calculator value or 3.142.

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question. The total of the marks for this paper is 130.


This document consists of 16 printed pages.




UNIVERSITY of CAMBRIDGE International Examinations

[Turn over

WWW_XTREMEPAPERS_NET



WWW.XTREMEPAPERS.NET



IKEME

х



A farmer makes a rectangular enclosure for his animals.

He uses a wall for one side and a total of 72 metres of fencing for the other three sides.

Wall

Enclosure

The enclosure has width x metres and area A square metres.

(a) Show that $A = 72x - 2x^2$.

Answer (a)

(b) Factorise completely $72x - 2x^2$.

Answer(b) [2]

(c) Complete the table for $A = 72x - 2x^2$.

x	0	5	10	15	20	25	30	35
A	0	310	520			550	360	

[3]


(d) Draw the graph of $A = 72x - 2x^2$ for $0 \le x \le 35$ on the grid opposite.

0581/41/O/N/10

[2]

For Examiner's


Use



NET

NWW XTREMEPHP





An **open** water storage tank is in the shape of a cylinder on top of a cone. The radius of both the cylinder and the cone is 1.5 m. The height of the cylinder is 4 m and the height of the cone is 2 m.

(a) Calculate the total surface area of the outside of the tank. [The curved surface area, A, of a cone with radius r and slant height l is $A = \pi r l$.]

Answer(a) m^2 [6]

- (b) The tank is completely full of water.
 - (i) Calculate the volume of water in the tank and show that it rounds to 33 m³, correct to the nearest whole number.


[The volume, V, of a cone with radius r and height h is $V = \frac{1}{3}\pi r^2 h$.]

Answer(b)(i)

[4]

0581/41/O/N/10

NWW_XTREMEPAPE



WWW_XTREMEPAPERS_NET

- Cumulative frequency 0 10 50 95 115 145 180 200 (a) Draw a cumulative frequency diagram to show the information in the table. 200 160 120 Cumulative frequency 80 40 0 140 160 170 190 130 150 180 Height (h cm) [4] (b) Use your diagram to find (i) the median, Answer(b)(i) [1] cm (ii) the upper quartile, Answer(b)(ii) [1] cm (iii) the interquartile range. Answer(b)(iii) [1] cm One of the 200 students is chosen at random. (c) (i) Use the table to find the probability that the height of this student is greater than 170 cm. Give your answer as a fraction.
- 5

≤140

≤130

Height (h cm)

The cumulative frequency table shows the distribution of heights, h centimetres, of 200 students.

8

≤150

≤160

≤165

≤170

≤180

≤190

[1]

.....

For Examiner's Use

0581/41/O/N/10

NWW_XTREMEPAPERS_NET

Answer(c)(i)

© UCLES 2010

(ii) One of the 200 students is chosen at random and then a second student is chosen at random from the remaining students.

For Examiner's Use

[2]


Calculate the probability that one has a height greater than 170 cm and the other has a height of 140 cm or less. Give your answer as a fraction.

Answer(c)(ii) [3]

(d) (i) Complete this frequency table which shows the distribution of the heights of the 200 students.

Height (<i>h</i> cm)	130< <i>h</i> ≤140	140< <i>h</i> ≤150	150< <i>h</i> ≤160	160< <i>h</i> ≤165	165< <i>h</i> ≤170	170< <i>h</i> ≤180	180< <i>h</i> ≤190
Frequency	10	40	45	20			

(ii) Complete this histogram to show the distribution of the heights of the 200 students.



© UCLES 2010

0581/41/O/N/10

[Turn over

NWW XTREMEPAPERS NET

R

Q

С

The diagram shows a toy boat. AC = 16.5 cm, AB = 19.5 cm and PR = 11 cm. Triangles *ABC* and *PQR* are **similar**.

19.5 cm

B

(i) Calculate PQ.

(ii) Calculate BC.

6

(a)

Answer(a)(i) PQ = cm [2]

Answer(a)(ii) BC = cm [3]

For


Examiner's Use

(iii) Calculate angle ABC.


Answer(a)(iii) Angle ABC =[2]

0581/41/O/N/10

NWW XTREMEPAPERS NET



VWW_XTREMEPH




(a)

0581/41/O/N/10

NWW_XTREMEPAP

For Examiner's Use



N_XTREMEPH

8	(a)		$\mathbf{f}(x) = 2x - 1 \qquad \qquad \mathbf{g}(x)$	$x) = x^2$	For Examin	
		Wo	rk out		Use	
		(i)	f(2),	Answer(a)(i)	[1]	
		(ii)	g(-2),	Answer(a)(ii)	[1]	
		(iii)	ff(x) in its simplest form,			
		(iv)	$f^{-1}(x)$, the inverse of $f(x)$,	Answer(a)(iii) $ff(x) =$	[2]	
		(v)	x when $gf(x) = 4$.	Answer(a)(iv) $f^{-1}(x) =$	[2]	
	(b)	y is Fin	inversely proportional to <i>x</i> a	y(v) x = or $x =and y = 8 when x = 2.$	[4]	
			an equation connecting y and	nd <i>x</i> ,		
		(ii)	y when $x = \frac{1}{2}$.	<i>Answer(b)</i> (i)	[2]	
				Answer(b)(ii) $y =$	[1]	

0581/41/O/N/10

WWW.XTREMEPAPERS.NET

(a)	The	he first five terms P_1 , P_2 , P_3 , P_4 and P_5 of a sequence are given below.						
		1	$= 1 = P_1$		Examiner's Use			
		1 + 2	$= 3 = P_2$					
		1 + 2 + 3	$= 6 = P_3$					
		1 + 2 + 3 + 4	$= 10 = P_4$					
		1 + 2 + 3 + 4 + 5	$= 15 = P_5$					
	(i)	Write down the next te	erm, P_6 , in the sequence 1, 3, 6, 10, 15					
			Answer(a)(i)	[1]				
	(ii)	The formula for the <i>n</i> th	n term of this sequence is					
			$\mathbf{P}_n = \frac{1}{2}n(n+1).$					
		Show this formula is true when $n = 6$.						
		Answer (a)(ii)						
				[1]				
	(iii)	Use the formula to find	$1 P_{50}$, the 50th term of this sequence.	[1]				
			Answer(a)(iii)	[1]				
	(iv)	Use your answer to pa	rt (iii) to find 3 + 6 + 9 + 12 + 15 + + 150.					
			Answer(a)(iv)	[1]				
	(v)	Find 1 + 2 + 3 + 4 + 5	++ 150.					
			Answer(a)(v)	[1]				
	(vi)	Use your answers to p are not multiples of 3.	arts (iv) and (v) to find the sum of the numbers less than 150 w	hich				
			Answer(a)(vi)	[1]				
		Тһ	is question continues on the next page.	L*J				
		10	Arrenton continues on the next hufer					

0581/41/O/N/10

WWW.XTREMEPAPERS.NET

- (b) The first five terms, S_1 , S_2 , S_3 , S_4 and S_5 of a different sequence are given below.
 - $(1 \times 1) = 1 = S_1$ $(1 \times 2) + (2 \times 1) = 4 = S_2$ $(1 \times 3) + (2 \times 2) + (3 \times 1) = 10 = S_3$ $(1 \times 4) + (2 \times 3) + (3 \times 2) + (4 \times 1) = 20 = S_4$ $(1 \times 5) + (2 \times 4) + (3 \times 3) + (4 \times 2) + (5 \times 1) = 35 = S_5$
 - (i) Work out the next term, S_6 , in the sequence 1, 4, 10, 20, 35...

Answer(b)(i) [2]

(ii) The formula for the *n*th term of this sequence is

$$S_n = \frac{1}{6}n(n+1)(n+2).$$

Show this formula is true for n = 6.

Answer(b)(ii)

(iii) Find $(1 \times 20) + (2 \times 19) + (3 \times 18) \dots + (20 \times 1)$.

Answer(b)(iii) [1]

(c) Show that $S_6 - S_5 = P_6$, where P_6 is your answer to part (a)(i).

Answer(c)

(d) Show by algebra that
$$S_n - S_{n-1} = P_n$$
. $[P_n = \frac{1}{2}n(n+1)]$
Answer(d)

[3]

[1]

[1]

For Examiner's Use

© UCLES 2010

0581/41/O/N/10

WWW_XTREMEPHPERS_NET

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.