

### UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

	CANDIDATE NAME		
	CENTRE NUMBER	CANDIDATE NUMBER	
* 6 3	MATHEMATICS		0581/31
6 7	Paper 3 (Core)		May/June 2011
7 7 8	Candidates answ	2 hours	
4 5 0 *	Additional Materia	als: Electronic calculator Geometrical instruments Mathematical tables (optional) Tracing paper (optional)	

### READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.Write in dark blue or black pen.You may use a pencil for any diagrams or graphs.Do not use staples, paper clips, highlighters, glue or correction fluid.DO NOT WRITE IN ANY BARCODES.

Answer all questions.

If working is needed for any question it must be shown below that question.

Electronic calculators should be used.

If the degree of accuracy is not specified in the question, and if the answer is not exact, give the answer to three significant figures. Give answers in degrees to one decimal place. For  $\pi$ , use either your calculator value or 3.142.

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question. The total of the marks for this paper is 104.

This document consists of 16 printed pages.



[Turn over


1

0581/31/M/J/11

# www.XtremePapers.net

(a) Mr Clark changes \$500 into euros (€) when the exchange rate is €1 = \$1,4593.       Calculate how much he receives.         Give your answer correct to 2 decimal places.       [2]         (b) Tickets for an amusement park cost €62 for an adult and €52 for a child.       [2]         (b) Tickets for an amusement park cost €62 for an adult and €52 for a child.       [3]         (c) Mr Clark sees a notice:       [3]         (c) Mr Clark sees a notice:       [3]         (c) Mr Clark sees a notice:       [3]         (a) Work out €200 as a percentage of your answer to part (b).       [4]	Mr	Mr and Mrs Clark and their three children live in the USA and take a holiday in Europe.				
Give your answer correct to 2 decimal places. <i>Answer(a)</i> € [2] (b) Tickets for an amusement park cost 662 for an adult and 652 for a child. Work out the cost for Mr and Mrs Clark and their three children to visit the park. <i>Answer(b)</i> € [3] (c) Mr Clark sees a notice: SPECIAL OFFER! Family ticket €200 Work out €200 as a percentage of your answer to part (b).	(a)	(a) Mr Clark changes \$500 into euros ( $\in$ ) when the exchange rate is $\in 1 = $ \$1.4593.				
<ul> <li>(b) Tickets for an amusement park cost €62 for an adult and €52 for a child. Work out the cost for Mr and Mrs Clark and their three children to visit the park.</li> <li><i>Answer(b)</i> € [3]</li> <li>(c) Mr Clark sees a notice:</li> <li>SPECIAL OFFER! Family ticket €200</li> <li>Work out €200 as a percentage of your answer to part (b).</li> </ul>						
<ul> <li>(b) Tickets for an amusement park cost €62 for an adult and €52 for a child. Work out the cost for Mr and Mrs Clark and their three children to visit the park.</li> <li><i>Answer(b)</i> € [3]</li> <li>(c) Mr Clark sees a notice:</li> <li>SPECIAL OFFER! Family ticket €200</li> <li>Work out €200 as a percentage of your answer to part (b).</li> </ul>						
<ul> <li>(b) Tickets for an amusement park cost €62 for an adult and €52 for a child. Work out the cost for Mr and Mrs Clark and their three children to visit the park.</li> <li><i>Answer(b)</i> € [3]</li> <li>(c) Mr Clark sees a notice:</li> <li>SPECIAL OFFER! Family ticket €200</li> <li>Work out €200 as a percentage of your answer to part (b).</li> </ul>						
Work out the cost for Mr and Mrs Clark and their three children to visit the park.       [3]         (c) Mr Clark sees a notice:       [3]         SPECIAL OFFER!       Family ticket €200         Work out €200 as a percentage of your answer to part (b).       Work out €200 as a percentage of your answer to part (b).		$Answer(a) \in $ [2]				
(c) Mr Clark sees a notice: SPECIAL OFFER! Family ticket €200 Work out €200 as a percentage of your answer to part (b).	(b)	Tickets for an amusement park cost €62 for an adult and €52 for a child.				
(c) Mr Clark sees a notice: SPECIAL OFFER! Family ticket €200 Work out €200 as a percentage of your answer to part (b).		Work out the cost for Mr and Mrs Clark and their three children to visit the park.				
(c) Mr Clark sees a notice: SPECIAL OFFER! Family ticket €200 Work out €200 as a percentage of your answer to part (b).						
(c) Mr Clark sees a notice: SPECIAL OFFER! Family ticket €200 Work out €200 as a percentage of your answer to part (b).						
(c) Mr Clark sees a notice: SPECIAL OFFER! Family ticket €200 Work out €200 as a percentage of your answer to part (b).						
(c) Mr Clark sees a notice: SPECIAL OFFER! Family ticket €200 Work out €200 as a percentage of your answer to part (b).						
SPECIAL OFFER! Family ticket €200 Work out €200 as a percentage of your answer to part (b).		Answer(b) $\in$ [3]				
Family ticket €200 Work out €200 as a percentage of your answer to part (b).	(c)	Mr Clark sees a notice:				
Family ticket €200 Work out €200 as a percentage of your answer to part (b).		SPECIAL OFFER!				
Answer(c) % [1]		Work out $\in 200$ as a percentage of your answer to <b>part (b)</b> .				
Answer(c) % [1]						
Answer(c) % [1]						
Answer(c) % [1]						
Answer(c) % [1]						
		Answer(c) $\%$ [1]				


(d)	Mrs Clark buys 6 postcards at €0.98 each. She pays with a €10 note.	For Examiner's Use
	Calculate how much change she will receive.	
	$Answer(d) \in $ [2]	
(e)	Children under a height of 130 cm are not allowed on one of the rides in the park. Helen Clark is 50 inches tall.	
	Use 1 inch = $2.54$ cm to show that she will not be allowed on this ride.	
	Answer(e)	
	[1]	




3	(a)	Find the value of (i) x when $m = 2$ and $k = -4$ ,	x = 3m - k	For Examiner's Use
		(ii) $m$ when $x = 19$ and $k = 5$ .	<i>Answer(a)</i> (i)[2]	
	(b)	Expand the brackets.	Answer(a)(ii) [3] $g(7f-g^2)$	
	(c)	Factorise completely.	g(j) - g) <i>Answer(b)</i> [2] $18h^2 - 12hj$	
	(d)	Make <i>m</i> the subject of the form	<i>Answer(c)</i> [2]	
	(e)	Solve the equation.	Answer(d) m = [2] p + 3 = 3(p - 5)	
			Answer(e) p = [3]	

6

0581/31/M/J/11



[Turn over



(b) The table shows some values of the function $y = x^2 - 2$ .							For Examiner's			
	x	-3	-2	-1	0	1	2	3		Use
	У	7		-1		-1		7		
(i) Complete the table. [2]										
(ii) On the grid, draw the graph of $y = x^2 - 2$ for $-3 \le x \le 3$ . [4]										
(iii) Use your graph to solve the equation $x^2 - 2 = 0$ .										
$Answer(b)(iii) x = \dots \text{ or } x = \dots [2]$ (c) Write down the co-ordinates of the points where your graph meets the line <i>AB</i> . $Answer(c)(\dots, \dots, \dots) \text{ and } (\dots, \dots, \dots) [2]$										

9

(b

0581/31/M/J/11


103 112 125 132 144 159 161 **(a)** For Examiner's UseFrom the list above, write down (i) a square number, Answer(a)(i) [1] (ii) a cube number, Answer(a)(ii) [1] (iii) a prime number, Answer(a)(iii) [1] (iv) an odd number which is a multiple of 3. Answer(a)(iv) [1] (b) Write 88 as a product of prime numbers. Answer(b) [2] (c) Find the highest common factor of 72 and 96. Answer(c) [2] (d) Find the lowest common multiple of 15 and 20. Answer(d) [2]

10

6

0581/31/M/J/11





For

Examiner's Use

8 30 students took a vocabulary test. The marks they scored are shown below.

7	8	5	8	3	2
6	6	3	3	6	2
7	1	5	10	2	6
6	5	8	1	2	7
3	1	5	3	10	3

(a) Complete the frequency table below.

The first five frequencies have been completed for you. You may use the tally column to help you.

Mark	Tally	Frequency
1		3
2		4
3		6
4		0
5		4
6		
7		
8		
9		
10		

[3]

For

Examiner's Use

0581/31/M/J/11

(b) (i) Find the range. For Examiner's UseAnswer(b)(i) [1] (ii) Write down the mode. Answer(b)(ii) [1] (iii) Find the median. Answer(b)(iii) [2] (iv) Calculate the mean. Answer(b)(iv) [3] (c) A student is chosen at random. Find the probability that the student scored (i) 1 mark, Answer(c)(i) [1] (ii) 4 marks, Answer(c)(ii) [1] (iii) fewer than 6 marks. Answer(c)(iii) [1]

13

0581/31/M/J/11

9 (a) In the space below, construct the triangle ABC with AB = 10 cm and AC = 12 cm. Leave in your construction arcs. The line BC is already drawn.

For Examiner's Use

[2]

С

# www.XtremePapers.net

0581/31/M/J/11


В

(b)	Me	asure angle $ABC$ . Answer(b) Angle $ABC =$ [1]	For Examiner's Use
(c)	(i)	Using a straight edge and compasses only, and leaving in your construction arcs, construct the perpendicular bisector of <i>BC</i> . [2]	
	(ii)	This bisector cuts AC at P.	
		Mark the position of $P$ on the diagram and measure $AP$ .	
		$Answer(c)(ii) AP = \qquad cm [1]$	
(d)	Cor	nstruct the locus of all the points inside the triangle which are 5 cm from A. [1]	
(e)	Sha	ade the region inside the triangle which is	
		• nearer to B than to C	
		• less than 5 cm from A. [2]	

www.XtremePapers.net

[Turn over

### 15



Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

© UCLES 2011

0581/31/M/J/11