CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

MARK SCHEME for the May/June 2013 series

0581 MATHEMATICS

0581/42

Paper 4 (Extended), maximum raw mark 130

MMM. Hiremepapers.com

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2013 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.



Page 2	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2013	0581	42

Abbreviations

cao	correct answer only
cso	correct solution only
dep	dependent
ft	follow through after error
isw	ignore subsequent working
oe	or equivalent
SC	Special Case
WWW	without wrong working
art	anything rounding to

soi seen or implied

Qu	Answers	Mark	Part Marks
1 (a) (i)	$\frac{6}{5+6+3} \times 560 [= 240]$	2	Accept 'of' used instead of × M1 for $560 \div (5 + 6 + 3)$
(ii)	120	1	
(b)	90	2	M1 for $\frac{3}{8} \times 240$ oe
(c) (i)	96120 final answer	2	M1 for <i>their</i> (<i>a</i>)(ii) × 75 + (560 - <i>their</i> (<i>a</i>)(ii)) × 198 oe
(ii)	187.5[0] final answer	3	M2 for $\frac{198}{1+0.056}$ oe
(d)	184[.2]	3	or M1 for $(100 + 5.6)[\%] = 198$ oe seen M2 for $\frac{36 \times 0.75 - 9.5}{9.5} \times 100$ oe
(e)	69.4 and 69[.0] cao	3	or M1 for $\frac{36 \times 0.75}{9.5} \times 100$ or $36 \times 0.75 - 9.5$ [17.5] used implied by answer 84.2 or SC1 for final answer 284[.2] SC2 for one correct or both correct but reversed M1 for two of 10.85, 10.95, 23.65 or 23.75 seen or 2(23.7 + 10.9) + 4(0.05) or 2(23.7 + 10.9) - 4(0.05)

	Page 3	Mark	Scheme	Syllabus Pape	er	
		IGCSE – N	lay/June	2013 0581 42		
2	(a) (i)	Translation, $\begin{pmatrix} -5\\ 8 \end{pmatrix}$ oe	1,1	Brackets needed for vector Not (-5, 8), (-5 8)		
	(ii)	correct trapezium at (2, 2) (4, 3) (4, 5) (2, 5)	2	SC1 for reflection in $x = -1$ or vertices only		
	(iii)	correct trapezium at (4, 2) (5, 4) (7, 4) (7, 2)	3	M2 for 4 correct vertices on grid or in working or M1 for $\begin{pmatrix} 0 & -1 \\ 1 & 0 \end{pmatrix} \begin{pmatrix} 2 & 2 & 4 & 4 \\ -4 & -7 & -7 & -5 \end{pmatrix}$		
				or SC1 for 3 vertices correct or complete shape correct orientation but wrong position	in	
	(b) (i)	Shear	1			
		<i>x</i> -axis (oe) invariant	1			
		2	1			
	(ii)	rectangle at (-3, 2) (1, 2) (1, 8) (-3, 8)	2	SC1 for all vertices only or correct orientation and size, wrong position		
3	(a)	0, 2, 0, -3	3	B2 for 3 correct or B1 for 2 correct		
	(b)	Correct curve	B4	B3FT for 8 points B2FT for 7 or 6 points B1FT for 5 or 4 points		
	(c)	y = -1 indicated	B 1	e.g. Could be mark[s] on curve isw other lines if not clearly used		
		x = 1.3 to 1.4 and 4.1 to 4.2	B 1	isw other lines if not clearly used		
	(d) (i)	line drawn from (0, 2) to touch curve	M1	No daylight at point of contact If short, must cross at $(0, 2)$ within $\frac{1}{2}$ small squa when extended	re	
		(2.5 to 2.75, 3 to 3.4)	A1			
	(ii)	rise/run e.g. (their $y - 2$)/their x	M1	dep on attempt at a tangent from (0, 2) in (d)(i) a uses scales correctly Can be implied from answer– check on tangent f their rise for a run of 1 (¹ / ₂ small square)		
		0.4 to 0.48	A1	ww2 dep on attempt at a tangent from $(0, 2)$ in (0)	d)(i)	

	Page 4		Mark Scheme		
		IGCSE – May/Jur	ne 2013	0581 42	
4	(a)	227 or 226.95 to 227.01	2	M1 for $\pi \times 8.5^2$	
	(b)	5.35	1		
	(c)	39.0[0] to 39.0[1]	2	M1 for sin [<i>MOB</i>] = $\frac{their \ b}{8.5}$ oe	
				Dep on their $b < 8.5$	
	(d)	30.2 or 30.3 or 30.24 to 30.27	3	M2 for $\frac{360-4\times39}{360}\times2\times\pi\times8.5$ oe	
				or M1 for $\frac{a}{360} \times 2 \times \pi \times 8.5$ oe where $0 \le a \le 360$	
				Implied by 5.78 to 5.79 or 11.5 to 11.6 or 23.14 to 23.15 or 23.1 or 23.2 or 41.83 to 41.84 or 41.8	
	(e)	AB = BC $TA = TC$	1 1	isw comments or reasons	
		TB = TB	1	If 0 scored SC1 for "all <u>three sides</u> the same" oe [SSS] and no mention of angles	
5	(a)	$\frac{27}{x}$ final answer	1		
	(b)	$\frac{25}{x-2}$ final answer	1		
	(c)	$\frac{25}{x-2} - 4 = \frac{27}{x}$ oe	M1	FT <i>their</i> (b) $-4 = their$ (a) oe must be eqn in x	
		25x - 4x(x - 2) = 27(x - 2) oe	M1	FT $\frac{25}{x-2} + 4 = \frac{27}{x}$ or <u>only</u> for 2 nd and 3 rd	
				M mark If all on one side then condone omission of '= 0'	
		$4x^2 + 27x - 25x - 8x - 54[=0] $ oe	M1dep	Dep on 2 nd M1 Must see brackets expanded before this award and terms on one side of eqn	
		$2x^2 - 3x - 27 = 0$ without error seen	A1	Must see $4x^2 - 6x - 54 = 0$ first	
	(d)	- 3, 4.5	3	B2 for $(2x-9)(x+3)$ or SC1 for $(2x+a)(x+b)$ where <i>a</i> and <i>b</i> are integers and $a + 2b = -3$ or $ab = -27$	
	(e)	6 cao	1		

	Page 5	Mark Schen		Syllabus Paper		
		IGCSE – May/Jui	ne 2013	0581 42		
6	(a) (i)	$\frac{12^2 + 21^2 - 15^2}{2 \times 12 \times 21}$ 44.41 to 44.42	M2 A2	M1 for $15^2 = 12^2 + 21^2 - 2.12.21\cos M$ A1 for [cos =] 0.714 or 0.7142 to 0.7143 or $\frac{360}{504}$ oe		
	(ii)	88.2 or 88.15 to 88.19	2	M1 for $0.5 \times 12 \times 21 \times \sin(44.4)$ oe		
	(b)	7.74 or 7.736 to 7.737 www	4	B1 for 55 soi M2 $\frac{6.4}{\sin(their R)} \times \sin 82$ oe or M1 for $\frac{6.4}{\sin(their R)} = \frac{PR}{\sin 82}$ oe		
7	(a) (i)	$\begin{pmatrix} 15\\21 \end{pmatrix}$	1			
	(ii)	not possible oe	1			
	(iii)	(2) final answer	2	M1 for 30 – 28		
	(iv)	$\begin{pmatrix} 4 & 13 \\ 0 & 0 \end{pmatrix}$	1			
	(v)	$ \begin{pmatrix} 4 & 13 \\ 0 & 0 \end{pmatrix} $ $ \begin{pmatrix} -5 & -9 \\ 1 & 0 \end{pmatrix} $	2	B1 for one correct row or column		
	(b)	$\frac{1}{2} \begin{pmatrix} 3 & -4 \\ -1 & 2 \end{pmatrix}$ or better isw	2	B1 for $k \begin{pmatrix} 3 & -4 \\ -1 & 2 \end{pmatrix}$ seen or implied or $\frac{1}{2} \begin{pmatrix} a & b \\ c & d \end{pmatrix}$ seen		
8	(a)	hat $\frac{5}{8}$, $\frac{3}{8}$	1	1 mark per pair in correct place		
		scarf $\frac{2}{3}$ $\frac{1}{3}$ $\frac{1}{6}$ $\frac{5}{6}$	1 1			
	(b) (i)	$\frac{15}{48}$ oe $\left[\frac{5}{16}\right]$	2FT	FT their $\frac{3}{8} \times \frac{5}{6}$ correctly evaluated M1 $\frac{3}{8} \times \frac{5}{6}$ FT from their tree		
	(ii)	$\frac{5}{24}$	2FT	FT their $\frac{5}{8} \times \frac{1}{3}$ correctly evaluated M1 $\frac{5}{8} \times \frac{1}{3}$ FT from <i>their</i> tree		

Page 6	Mark Scher	Mark Scheme		Syllabus	Paper
	IGCSE – May/June 2013			0581	42
r					
(iii)	$\frac{13}{48}$ cao	2	M1 for the	$ir \frac{3}{8} \times \frac{1}{6} + their$ (b)	(ii) soi
(c)	$\frac{170}{240}$ or $\frac{85}{120}$ or $\frac{34}{48}$ or $\frac{17}{24}$ cao	3		$\frac{5}{8} \times \frac{2}{3} \times \frac{7}{10}$ FT their $\frac{5}{8} \times \frac{2}{3} \times \frac{3}{10}$ oe	r tree or
			or M1 for ["wears all	"=] $\frac{5}{8} \times \frac{2}{3} \times \frac{7}{10}$ FT	their tree seen
9 (a)	371 or 371.1	4		$(4 \times 12) + (2 \times 6 \times 0)$ area of 1 or 2 hexag	5×4×4×sin 60) oe gons
				area of one relevan or rectangle within	-
			If 0 scored	SC1 for 288 shown	n
(b) (i)	1740 or 1743.6 to 1744.2	4		$\frac{000}{4} \div (\pi \times 0.74^2) \text{ o}$	
			or B1 for <i>7</i>	t figs 174[3] or 17 $\tau \times 0.74^2$ seen [1.7 2000 / 4 soi by 300	72]
(ii)	87 cao www 5	5		39 to 87.43	
				$[r=] \sqrt{\frac{figs 12}{\pi \times figs 5}} \text{of}$	e
			or M2 for [$[r^2 =] = \frac{figs 12}{\pi figs 5} \text{ of}$	2
			or M1 for	figs $12 = \pi r^2 \times figs$:	5
10 (a) (i)	final answer $\frac{25-8x}{20}$	2	M1 for $\frac{5\times}{2}$	$\frac{5-4\times 2x}{5\times 4}$ or better	seen
(ii)	final answer $\frac{2x^2 + 5x + 9}{3(x+3)}$	3	B1 for $2x^2$	+6x-x-3 soi	
			and B1 for	denom $3(x+3)$ or	x + 9 seen
(b)	$x = \frac{2}{3}$ oe or 0.667 or 0.6666 to 0.6667 y = -3	3		rect method to elim $\frac{2}{3}$ oe or 0.667 or 0	

Page 7	Mark Sche		Syllabus Paper
	IGCSE – May/Ju	ine 2013	0581 42
(c)	final answer $\frac{7}{2x+3}$ www	4	B1 for $7(x+3)$ in numerator and B2 for $(2x+3)(x+3)$ in denominator or SC1 for $(2x+a)(x+b)$ where <i>a</i> and <i>b</i> are integers and $a+2b=9$ or $ab=9$ After B1 scored, SC1 for final answer $\frac{7}{2(x+1.5)}$ or $\frac{3.5}{x+1.5}$
11 (a)	$3^2 + 1^2$	1	Ignore attempt to evaluate $\sqrt{10}$
(b) (i)	$3^{2} + 1^{2}$ $\frac{\sqrt{10}}{3}$ final answer	1	
(ii)	$\frac{10}{3}$ final answer	2	M1 for their $\frac{\sqrt{10}}{3} \times \sqrt{10}$ or their $\left(\frac{\sqrt{10}}{3}\right)^2 + \left(\sqrt{10}\right)^2$
(c)	$\frac{100}{27}$ or $3\frac{19}{27}$ isw conversion or 3.7[03] to 3.7[04]	2	implied by 3.33 seen M1 for $3 \times \left(\frac{\sqrt{10}}{3}\right)^n$ oe where <i>n</i> is 3 or 4 or for $[OP_4 =]\sqrt{\frac{1000}{81}}$ or for their (b)(ii) $\times \left(\frac{\sqrt{10}}{3}\right)^n$ where <i>n</i> is 1 or 2
(d) (i)	18.43	2	M1 for tan $[P_1 O P_2] = \frac{1}{3}$ oe
(ii)	18.4[3]	1	
(iii)	20	3	SC2 for 19
			or M1 for $\frac{360}{18.4[3]}$