

Centre Number	Candidate Number	Name
---------------	------------------	------

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS
International General Certificate of Secondary Education

PHYSICAL SCIENCE

0652/02

Paper 2

October/November 2005

1 hour 15 minutes

Candidates answer on the Question Paper.
No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.
Write in dark blue or black pen in the spaces provided on the Question Paper.
You may use a soft pencil for any diagrams, graphs, tables or rough working.
Do not use staples, paper clips, highlighters, glue or correction fluid.

Answer **all** questions.

The number of marks is given in brackets [] at the end of each question or part question.
A copy of the Periodic Table is printed on page 16.

For Examiner's Use	
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
Total	

If you have been given a label, look at the details. If any details are incorrect or missing, please fill in your correct details in the space given at the top of this page.

Stick your personal label here, if provided.

This document consists of **16** printed pages.



- 1 (a) A glider is an aeroplane without an engine. Glider pilots use columns of rising warm air to lift their gliders to a greater height, as shown in Fig. 1.1.




Fig. 1.1

- (i) Name the process which causes the warm air to rise.

.....

- (ii) Explain why the warm air rises.

.....
.....
..... [3]

- (b) The warm air sometimes carries water vapour higher into the atmosphere where it changes to small water drops to form clouds.

Name the process when water vapour turns to liquid.

..... [1]

- (c) As the water drops get larger they begin to fall. Fig. 1.2 shows a speed – time graph of the fall of one of the water drops.




Fig. 1.2

- (i) Describe the motion of the water drop between points **A** and **B**.

.....

- (ii) Describe the motion of the water drop between points **C** and **D**.

..... [3]

- 2 A coloured gas is put into the bottom of a gas-jar of air. The lid is quickly replaced on the jar. This is shown in Fig. 2.1.

After several minutes the coloured gas can be seen halfway up the jar. This is shown in Fig. 2.2.




Fig. 2.1




Fig. 2.2

- (a) Name this process of one gas mixing slowly with another.

.....

[1]

- (b) The molecules of the coloured gas move about quickly yet the process of mixing with the air is very slow.

Explain why the mixing is slow.

.....

.....

.....

[2]

- 3 The properties of iron can be changed by the controlled use of additives to form steel alloys.

- (a) State **one** use of mild steel.

.....

State **one** use of stainless steel.

.....

[2]

(b) A piece of mild steel in everyday use is protected with paint. Stainless steel does not need this protection. Explain this difference.

.....
.....
..... [2]

4 In a coal-fired power station coal is burnt in a furnace. This heats water to provide steam to drive a generator.

(a) Complete the sentences below to explain the energy changes.

In the furnace energy of the coal is converted to energy in the steam. This is then converted into energy at the generator. [3]

Another method of obtaining steam to drive a generator is to pump water deep into the ground. The water is heated by hot rocks.

(b) (i) What name is given to this type of power station?

.....

(ii) State **one** advantage of this method over the coal-fired power station.

..... [2]

(c) Explain how the generator is driven in a hydroelectric power station. In your answer refer to relevant energy changes.

.....
.....
..... [2]

5 (a) A method to separate and analyse mixtures uses a vertical strip of paper dipping into a solvent.

(i) Name this method of separating mixtures.

..... [1]

(ii) Some experiments using this method require a *locating agent* to show the positions of the components.

Explain why a *locating agent* may be required.

.....
..... [1]

(b) Bitumen is used to make roads.

Describe how bitumen is obtained from the mixture of hydrocarbons in crude oil (petroleum).

.....
.....
..... [2]

6 Fig. 6.1 shows the electromagnetic spectrum.




Fig. 6.1

(a) Name the type of radiation found in the section labelled P.

.....

(b) State what happens to the speed of electromagnetic radiation, in a vacuum, as the frequency of the radiation increases.

.....

..... [2]

(c) The photograph in Fig. 6.2 shows a replacement joint in a person's arm.



Fig. 6.2

Name the part of the electromagnetic spectrum used to take this photograph.

..... [1]

(d) Another method of obtaining images of internal organs is to use sound waves of frequency above the human threshold of hearing.

State the maximum frequency sound that a human can hear.

..... Hz [1]

7 (a) When ethene, C_2H_4 , reacts with hydrogen in an addition reaction, an alkane is formed.

(i) Name this alkane.

.....

[1]

(ii) Draw a diagram to show the structure of this alkane.

[1]

(b) When ethene, C_2H_4 , reacts with steam in an addition reaction, an alcohol is formed.

(i) Name this alcohol.

.....

[1]

(ii) Draw a diagram to show the structure of this alcohol.

[1]

(c) When ethene, C_2H_4 , reacts with itself in an addition reaction, a polymer is formed.

(i) Name this polymer.

.....

[1]

(ii) Draw a diagram to show the structure of this polymer.

[1]

8 (a) Describe how you would carry out an experiment to find the magnetic field pattern around a bar magnet.

.....

.....

.....

.....

.....

..... [4]

(b) On Fig. 8.1 draw the magnetic field pattern of the bar magnet.




Fig. 8.1

[3]

- 9 (a) Chlorine has two isotopes, ${}_{17}^{35}\text{Cl}$ and ${}_{17}^{37}\text{Cl}$.

Complete Fig. 9.1 for these isotopes.

	${}_{17}^{35}\text{Cl}$	${}_{17}^{37}\text{Cl}$
number of protons in nucleus	17	
number of neutrons in nucleus		20
arrangement of electrons in shells in the atom		

Fig. 9.1

[3]

- (b) Draw a diagram to show the covalent bonding in a molecule of hydrogen chloride, HCl

[2]

- (c) (i) Describe the formation of each of the ions in sodium chloride, NaCl , from the elements.

.....

 [2]

- (ii) Explain how these ions are held together in the compound.

.....
 [1]

(d) Explain why sodium chloride conducts electricity when liquid but not when solid.

.....
.....
..... [2]

(e) Describe a chemical test for the chloride ion in solution.

test
result [2]

10 The noble gas, radon, is radioactive. Radon nuclei decay by emitting alpha-particles.

(a) (i) Explain what is meant by the term *noble gas*.

.....
.....

(ii) Explain what is meant by the term *alpha-particle*.

.....
..... [3]

(b) Complete the equation which shows the decay of a nucleus of radon-220.



[2]

(c) A sample consists of 36.0 µg of radon-220. After a period of 3 minutes only 4.5 µg of radon-220 remained.

Calculate the half-life of radon-220. Show your working.

half-life = minute(s) [3]

11 Carbon monoxide and oxides of nitrogen are common pollutants of air.

Describe how each pollutant is formed.


carbon monoxide
.....
.....

oxides of nitrogen
.....
..... [4]

- 12 (a) (i) State the main method to obtain calcium oxide (lime) from calcium carbonate (limestone).

..... [1]

- (ii) Complete the equation for this process.



[2]

- (iii) The energy required to break the bonds in calcium carbonate is greater than the energy released when the products are formed.

What does this show about the total energy change in the reaction?

.....
..... [1]

- (iv) Describe a test to identify the gas produced in this process.

test

result [2]

- (b) Calcium hydroxide (slaked lime) is used to treat acidic industrial waste products.

Name the main chemical process involved in this treatment.

..... [1]

13 Fig. 13.1 shows two types of switch that can be used to control an electric light.




Fig. 13.1

(a) Explain why a pull-cord switch, not a wall switch, should always be used in a bathroom or shower-room.

.....

.....

..... [3]

(b) Fig. 13.2 shows part of a circuit that could be used to operate lights in a room.




Fig. 13.2

The two lamps are identical and each takes a current of 0.25 A.

(i) Calculate the resistance of each lamp. Show your working and include the unit.

resistance = [3]

- (ii) What is the total current taken from the supply when both lamps are switched on?

current A [1]

DATA SHEET
The Periodic Table of the Elements

		Group																
I	II	III	IV	V	VI	VII	O											
		1 H Hydrogen 1						4 He Helium 2										
7 Li Lithium 3	9 Be Beryllium 4							20 Ne Neon 10										
23 Na Sodium 11	24 Mg Magnesium 12							32 S Sulphur 16	35.5 Cl Chlorine 17	40 Ar Argon 18								
39 K Potassium 19	40 Ca Calcium 20	45 Sc Scandium 21	48 Ti Titanium 22	51 V Vanadium 23	52 Cr Chromium 24	55 Mn Manganese 25	56 Fe Iron 26	59 Co Cobalt 27	59 Ni Nickel 28	64 Cu Copper 29	65 Zn Zinc 30	70 Ga Gallium 31	73 Ge Germanium 32	75 As Arsenic 33	79 Se Selenium 34	80 Br Bromine 35	84 Kr Krypton 36	
85 Rb Rubidium 37	88 Sr Strontium 38	89 Y Yttrium 39	91 Zr Zirconium 40	93 Nb Niobium 41	96 Mo Molybdenum 42	101 Ru Ruthenium 44	106 Pd Palladium 46	106 Pt Platinum 78	108 Ag Silver 47	112 Cd Cadmium 48	115 In Indium 49	119 Sn Tin 50	122 Sb Antimony 51	127 I Iodine 53	128 Te Tellurium 52	131 Xe Xenon 54		
133 Cs Caesium 55	137 Ba Barium 56	139 La Lanthanum 57	178 Hf Hafnium 72	181 Ta Tantalum 73	184 W Tungsten 74	190 Os Osmium 76	192 Ir Iridium 77	195 Pt Platinum 78	197 Au Gold 79	201 Hg Mercury 80	204 Tl Thallium 81	207 Pb Lead 82	209 Bi Bismuth 83				227 Ac Actinium 89	
87 Fr Francium	226 Ra Radium																	86 Rn Radon

140 Ce Cerium 58	141 Pr Praseodymium 59	144 Nd Neodymium 60	150 Sm Samarium 62	152 Eu Europium 63	157 Gd Gadolinium 64	162 Dy Dysprosium 66	165 Ho Holmium 67	167 Er Erbium 68	169 Tm Thulium 69	173 Yb Ytterbium 70	175 Lu Lutetium 71		
232 Th Thorium 90	238 Pa Protactinium 91	238 U Uranium 92	238 Pu Plutonium 94	238 Np Neptunium 93	238 Am Americium 95	238 Cm Curium 96	238 Bk Berkelium 97	238 Cf Californium 98	238 Es Einsteinium 99	238 Fm Fermium 100	238 Md Mendelevium 101	238 No Nobelium 102	238 Lr Lawrencium 103

* 58-71 Lanthanoid series
90-103 Actinoid series

Key

a	X
---	---

a = relative atomic mass
X = atomic symbol
b = proton (atomic) number

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).