



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME		
CENTRE NUMBER	CANDIDATE NUMBER	

PHYSICAL SCIENCE

0652/32

Paper 3 (Extended)

October/November 2011

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

A copy of the Periodic Table is printed on page 20.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Exam	iner's Use
1	
2	
3	
4	
5	
6	
7	
8	
9	
Total	

This document consists of 19 printed pages and 1 blank page.



1 Two cars are being tested on a straight level track.

Fig. 1.1 shows the speed-time graphs for the two cars, each of mass 1500 kg.

For Examiner's Use




Fig. 1.1

(a) Determine the maximum velocity of car A.

(b)

	velocity	=	m/s	[1]
Describe the motion of car A after 26s.				
				[2]

(c)	(i)	Use the graph to calculate the acceleration of car B during the first 10 s of the test.	For Examiner's Use
	(ii)	acceleration = [2] Calculate the resultant force on car B during this period.	
	(iii)	force =[2] Explain why the engine must provide a greater force than that given in your answer to (c)(ii).	
		[2]	I
(d)		the two cars approach the end of the track they brake and come to rest.	
	•••••	[2]	

2 Fig. 2.1 shows a catalytic converter, which is part of a car exhaust system.




Fig. 2.1

Scientists analyse the gases at **A** and at **B**. Their results are shown in Table 2.1.

Table 2.1

gas	percentage at A	percentage at B
carbon dioxide	8.0	9.2
carbon monoxide	5.0	3.8
hydrogen	2.0	0.8
nitrogen	71.0	71.3
nitrogen monoxide	0.3	0.0
oxygen	4.0	2.8
water vapour	9.0	10.7

(a) The scientists conclude that in the catalytic converter nitrogen monoxide is converted to nitrogen by reaction with carbon monoxide.(i) Write a balanced equation for this reaction. Use the data in Table 2.1 to help you.

(ii) Use this reaction to explain the meaning of the terms reduced and oxidised.

.....

(iii) Explain how the results in Table 2.1 support the conclusion that this reaction takes place in the catalytic converter.

[2]

© UCLES 2011 0652/32/O/N/11

For Examiner's Use

	(iv)	Use data from Table 2.1 to suggest another reaction that takes place in catalytic converter.	the	For Examiner's Use
			[1]	
(b)	Par	ts of the car exhaust system are made from galvanised steel.		
	(i)	Explain how galvanising prevents steel from rusting.		
			[3]	
	(ii)	Suggest why galvanising is a better method of rust prevention than painting.		
			[1]	

3 A student experiments with a rubber band. She stretches it between two retort stands and notices that it produces a sound when she plucks it. The apparatus is shown in Fig. 3.1.

For Examiner's Use




Fig. 3.1

		[2]
)	Explain why the sound is produced.	

(b) The student sets up a cathode ray oscilloscope and a microphone, as shown in Fig. 3.2, to display the sound trace produced by the apparatus in Fig. 3.1.

For Examiner's Use




Fig. 3.2

The time base is set to 2.5 ms/division.

Calculate the frequency of the sound wave.

Show your working in the box.



frequency = ____Hz [3]

For Examiner's Use

[4]

4

Silver salts are used in photography.
(a) The action of light on silver bromide releases an electron.
$Ag^{+}Br^{-} \longrightarrow Ag^{+} + Br + e^{-}$
(i) How does light enable this reaction to take place?
[1
(ii) The silver ion is converted into a silver atom.
Why is this said to be a reduction reaction?
[1
(iii) Write an ionic equation to show this reduction of a silver ion.
[1
(b) Silver bromide can be made from the reaction between silver nitrate and potassium bromide.
$AgNO_3(aq) + KBr(aq) \longrightarrow AgBr(s) + KNO_3(aq)$
(i) Describe how you would prepare a pure, dry sample of silver bromide from solutions of silver nitrate and potassium bromide.

(ii)	What mass of silver bromide could be made from 5.0 g of silver nitrate?	
	[relative atomic masses, A _r : Ag,108; Br,80; N,14; O,16]	
	Show your working in the box.	
	mass of silver bromide = g [3]	

For Examiner's Use **5** Fig. 5.1 shows an electric circuit. The e.m.f. of the battery is 6.0 V. The total resistance of the variable resistor 48Ω .

For Examiner's Use




Fig. 5.1

(a)	(i)	Calculate th	e current	t measured	by the	ammeter
-----	-----	--------------	-----------	------------	--------	---------

current =	[2]

(ii) When the sliding contact is at point **B** the voltmeter reading is 4.5 V.

Calculate the value of the resistance of the section of the variable resistor **BC**.

(b) The sliding contact is moved to point **D**. The reading on the voltmeter is now 3.0 V.

Show that the resistance of the section ${\bf CD}$ of the variable resistor is 24 Ω . You may assume that the current through the circuit remains the same.

[1]

(c)	The student realises that he could use this circuit as a variable voltage supply. He leaves the sliding contact at point \textbf{D} and connects a 3.0 V bulb of resistance 8Ω in place of the voltmeter.			For Examiner's Use
	(i)	Show that the resistance of the parallel combination of the bulb and the section of the variable resistor is $6\Omega.$	CD	
	(ii)	Calculate the total resistance in the circuit.	[2]	
	(iii)	resistance =Calculate the potential drop across the section CD of the variable resistor.	[1]	
ı	(iv)		[2]	
			[1]	

For Examiner's Use

6			calcium carbonate is heated strongly it decomposes to form calcium oxide and dioxide.
			CaCO ₃
	(a)		culate the volume of carbon dioxide, measured at room temperature and pressure, duced when 2.5 g of calcium carbonate is decomposed.
		[The	e volume of one mole of any gas is 24 dm ³ at room temperature and pressure.]
		Sho	w your working in the box.
			volume of carbon dioxide = dm ³ [3]
	(b)	Cal	cium oxide reacts with hydrochloric acid to form a salt.
			CaO + 2HC l — CaC l_2 + H $_2$ O
		In th	nis reaction calcium oxide is acting as a base.
		(i)	Use this reaction to define the terms acid and base in terms of proton transfer.
			acid
			base
			[2]

(ii) Calcium oxide reacts with acids but not with alkalis. It is classified as a basic oxide.Complete Table 6.1 to classify three other oxides.

For Examiner's Use

Table 6.1

name	formula	property	type of oxide		
calcium oxide	CaO	reacts with acids but not alkalis	basic		
aluminium oxide	Al ₂ O ₃	reacts with both acids and alkalis			
carbon dioxide	CO ₂	reacts with alkalis but not acids			
nitrogen monoxide	NO	reacts with neither acids nor alkalis			

[3]

7 Fig. 7.1 shows a magnet and a coil which is connected to a sensitive voltmeter.

For Examiner's Use




Fig. 7.1

(a)	(i)	Describe what you would observe as the magnet is moved away from the coil.	
			[2]
	(ii)	Explain this observation using the theory of electromagnetic induction.	
			[2]
(b)	The	e magnet is now moved towards the coil.	
	Des	scribe what you would observe.	
			[1]

(c) The magnet is now replaced with a similar coil connected to an alternating supply. The original coil is connected to a cathode ray oscilloscope. This is shown in Fig. 7.2.

For Examiner's Use




Fig. 7.2

State and explain what is observed when the switch S is closed.
I.O.
[2]

8 Table 8.1 contains data about elements in Group 0 of the Periodic Table.

For Examiner's Use

Table 8.1

element	symbol	proton number	boiling point /°C	density of gas in kg/m³		
helium	He	2	-269	0.17		
neon	Ne	10	-246	0.84		
argon	Ar	18	-186	1.67		
krypton	Kr	36	-152	3.50		

(a)	(i)	What name is given to the elements in Group 0?		
				[1]
(ii)	Use information from Table 8.1 to describe a trend in one physical proby this group of elements.	operty sho	wn
				[2]
(i	ii)	Describe a chemical property common to all elements in this group.		
				[1]
(i	v)	Xenon is the next member of Group 0 after krypton.		
		Predict the density of xenon.		
		density =	ka/m³	[1]

(b)	(i)	Draw a diagram to show the electron arrangement in an atom of argon.	For Examiner's Use
		[2]	
	(ii)	A calcium ion has the same electron arrangement as an argon atom.	
		Give the name of, and the charge on, another ion apart from calcium that has the same electron arrangement as an argon atom.	
		name charge [2]	
((iii)	State how a calcium ion is formed from a calcium atom.	
		[2]	

9

A student is investigating the cooling of a cup of tea. She makes the tea using water first boiled in a kettle. As the tea cools she notices that some of it evaporates. (a) (i) State **one** similarity between evaporation and boiling. (ii) Explain the difference between evaporation and boiling. **(b)** The graph in Fig. 9.1 shows how the temperature of the tea changes with time. 100 temperature/°C 50 2 4 6 0 time/minutes Fig. 9.1 Use the graph to estimate room temperature. room temperature = [1] (c) Explain, in terms of the molecular kinetic theory, what happens to the tea as it cools.

For Examiner's Use

BLANK PAGE

DATA SHEET
The Periodic Table of the Elements

	0	4 He Helium	20 Ne Ne on 10	Ar 40	8 Ā	Krypton 36	131	×	Xenon 54		Ru	Radon 86		175 Lu Lutetium	_	Lawrencium 103
	IIA		19 Fluorine	35.5 C1 Chlorine	® Ğ	Bromine 35	127	–	lodine 53		¥	Astatine 85		Yb Ytterbium	S	-
	 		-	32 Sulfur 16	% Se	Selenium 34	128	_e	1811unum 52			Polonium 84		169 Tm Thulium	Ž	Ę
	>		u.	Phosphorus		Arsenic 33	122	Sp	Antimony 51	209	<u></u>	Bismuth 83		167 Er Erbium 68	E	
	2		Carbon 6	Silicon		Germanium 32	119	Sn		207	Рр	Lead 82		165 Ho Holmium 67	S.	E
	=		11 Boron 5	A1 Aluminium 13		Gallium 31	115	In .	Indium 49	204	11	Thallium 81		162 Dy Dysprosium 66		Ę
		'			65 Zn	Zinc 30	112	ဦ	Cadmium 48	201	£	Mercury 80		159 Tb Terbium 65		_
				-	⁶⁴	Copper 29	108	Ag		197	Αn	Gold 79		Gd Gadolinium 64	E	
dno				-	⁶⁹ Ż	Nickel 28	106	Pd	Palladium 46	195	ĭ	Platinum 78		152 Eu Europium 63	Am	Americium 95
Group					₀ 8	Cobalt 27	103	뫕	knodium 45	192	ľ	Iridium 77		Sm Samarium 62	Pu	Plutonium 94
		1 Hydrogen			56 Fe	Iron 26	101	Ru	Kutnenium 44	190	s _O	Osmium 76		Pm Promethium 61		Neptunium 93
					Mn Mn	Manganese 25		ဥ	1ecnnetium 43	186	Re	Rhenium 75		Nd Neodymium 60	238	Uranium 92
					ن و	Chromium 24	96	ω	Molybdenum 42	184	>	Tungsten 74		Pr Praseodymium 59	P	Protactinium 91
					5 >	Vanadium 23	66	S N	Niobium 41	181	Д В	Tantalum 73		140 Ce Cerium	232 Th	Thorium 90
					48	Titanium 22	91	Ż	Zirconium 40	178	Ξ	Hafnium 72			nic mass bol	iic) number
					Sc	Scandium 21	89	>	aga rtmum	139	La	Lanthanum 57 *	227 AC Actinium 89	d series series	a = relative atomic massX = atomic symbol	b = proton (atomic) number
	=		Be Beryllium 4	Mg Magnesium	⁶ Ω	Calcium 20	88	ັດ	Strontium 38	137	Ва	Barium 56	226 Ra Radium 88	*58-71 Lanthanoid series	а ×	
	_		7 Li Lithium 3	Sodium Sodium	® ⊀	Potassium 19	85	Sp.	Kubidium 37	133	S	Caesium 55	Fr Francium 87	*58-71 L	X Vev	م ا

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.