



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

| DHASICVI &CI | ENCE | | 0652/22 |
|-------------------|------|---------------------|---------|
| CENTRE NUMBER | | CANDIDATE NUMBER | |
| CANDIDATE NAME | | | |

Paper 2 (Core)

October/November 2012

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

A copy of the Periodic Table is printed on page 16.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

| For Exam | For Examiner's Use | | | | |
|----------|--------------------|--|--|--|--|
| 1 | | | | | |
| 2 | | | | | |
| 3 | | | | | |
| 4 | | | | | |
| 5 | | | | | |
| 6 | | | | | |
| 7 | | | | | |
| 8 | | | | | |
| 9 | | | | | |
| 10 | | | | | |
| Total | | | | | |

This document consists of 16 printed pages.



1 Fig. 1.1 shows an uncalibrated liquid-in-glass thermometer.





Fig. 1.1

| (a) | (i) | Name a suitable liquid to use in the thermometer. | |
|-----|------|--|-----|
| | (ii) | State the physical property of the liquid on which the operation of the thermome depends. | |
| (b) | (i) | Explain what is meant by a fixed point. | [1] |
| | (ii) | What are the values of the fixed points on the Celsius temperature scale? upper fixed point lower fixed point | [2] |
| (c) | The | e thermometer is to be calibrated. e two fixed points are marked on the thermometer. scribe the remaining stages in calibrating the thermometer. | |
| | | | [2] |

| 2 | Chl | orine | e is a member of Group VII of the Periodic Table. | |
|---|---|-------|--|--|
| | (a) (i) State the name given to Group VII elements. | | | |
| | | | [1] | |
| | | (ii) | Name a Group VII element which is less reactive than chlorine. | |
| | | | [1] | |
| | (iii) Name the Group I element which is in the same Period as chlorine. | | | |
| | | | [1] | |
| | (b) | | nplete Table 2.1 by giving the name and chemical formula of an ionic and a alent compound of chlorine. | |

Table 2.1

| compound | name | formula |
|----------|------|---------|
| ionic | | |
| covalent | | |

[4]

For Examiner's Use **3** Fig. 3.1 shows a man balancing on a tightrope.

For Examiner's Use




Fig. 3.1

- (a) On Fig. 3.1 mark a possible position of the centre of mass of the man. Label it C. [1]
- (b) The mass of the man is 75 kg.

| 1 | i۱ |) Ex | nlain | what | is | meant | hν | mass |
|---|----|------|--------|------|----|-------|----|-------|
| ١ | U | , _^ | piairi | wnat | ıs | meant | υy | mass. |

[1]

(ii) Calculate the weight of the man.

$$[g = 10 \, \text{N/kg}]$$

weight = [2]

(c) The man jumps off the tightrope.

The graph in Fig. 3.2 shows his speed in a vertical direction after jumping.






Fig. 3.2

Use Fig. 3.2 to find

| (| i) |) the | maximum | speed | of the | man, |
|---|----|-------|---------|-------|--------|------|
| | | | | | | |

(ii) the height, *d*, of the wire above the ground.

$$d =$$
 m [3]

(d) (i) Name the form of energy the man has due to his motion as he falls to the ground.

[1]

(ii) Suggest what happens to this energy when he hits the ground.

[2]

© UCLES 2012 0652/22/O/N/12 **[Turn over**

4 Fig. 4.1 shows apparatus used to react copper(II) oxide with hydrogen.






Fig. 4.1

| (a) | (i) | Copper(II) oxide is black. |
|-----|-------|--|
| | | State the colour change you would see when copper(II) oxide is reduced to copper by hydrogen. |
| | | |
| | | [1] |
| | (ii) | Write a balanced equation for this reaction. |
| | | [1] |
| | | [1] |
| | (iii) | Explain what this reaction shows about the relative reactivity of copper and of hydrogen. |
| | | |
| | | |
| | | [1] |
| | | |
| (b) | | scribe how you could show that carbon (charcoal) is more reactive than copper and s reactive than magnesium. |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | 121 |

| | monium sulfate, $(NH_4)_2SO_4$, and ammonium nitrate, NH_4NO_3 , are important ogen-containing fertilisers. | For Examiner Use |
|-----|--|------------------------|
| (a) | Name two substances which react together to make ammonium nitrate. | |
| | 1 | |
| | 2[2] | |
| (b) | Calculate the relative molecular mass of ammonium sulfate. | |
| | [Relative atomic masses: <i>A</i> _r : H,1; N,14; O,16; S,32.] | |
| | | |
| | | |
| | | |
| | answer [2] | |
| (c) | Show by calculation that there is 35% nitrogen by mass in ammonium nitrate, NH_4NO_3 . | |
| | [Relative molecular mass of ammonium nitrate is 80] | |
| | | |
| | | |
| | | |
| | [2] | |
| | [2] | |
| (d) | Ammonium sulfate contains less nitrogen by mass than ammonium nitrate. | |
| | Suggest why ammonium sulfate is sometimes preferred as a fertiliser. | |
| | [1] | |

6 Fig. 6.1 shows the refraction of red light as it passes through a parallel sided glass block.

For Examiner's Use




Fig. 6.1

- (a) On Fig. 6.1 mark
 - (i) an angle of incidence and label it i,

[1]

(ii) an angle of refraction and label it r.

[1]

(b) Blue light refracts more than red light.

Blue light is shone along the same incident path as the red light.

On Fig. 6.1, draw the path of the blue light as it passes through the block and emerges into the air. [2]

(c) Fig. 6.2 shows a parallel beam of light incident on a converging lens.




Fig. 6.2

- (i) On Fig. 6.2 draw rays to show the path of the light after it passes through the lens. [3]
- (ii) On Fig. 6.2 draw an arrow to show the focal length of the lens. [1]
- (d) Powerful lenses are usually very thick.

beam of light

Images formed by these lenses have coloured edges.

| Suggest and explain a reason for this. parts (b) and (c) in your explanation. | You will find it helpful to use the information from |
|---|--|
| | |
| | |
| | [4. |

For Examiner's

Use

7 Danielle is investigating the resistance of a length of constantan wire.

She builds the circuit shown in Fig. 7.1.

For Examiner's Use




Fig. 7.1

| (a) | (i) | Name the component labelled X . | [1] |
|-----|-------|--|--------------|
| | (ii) | Explain the use of this component in the circuit. | |
| | | | |
| | | | [1] |
| | (iii) | On Fig. 7.1, show how Danielle should connect a meter to measure the poter difference across the wire. | ntial [2] |
| (b) | | en the potential difference across the constantan wire is 4.5 V, the reading on meter is 0.12 A. | the |

resistance = ____ unit ____ [3]

© UCLES 2012 0652/22/O/N/12

Calculate the resistance of the constantan wire.

| (c) |) Danielle connects a second identical constantan wire in parallel with the original wire. | | |
|-----|--|--|-------------------|
| | Sta | te how | Examiner's Use |
| | (i) | the total resistance in the circuit changes, | |
| | | [1] | |
| | (ii) | the reading on the ammeter changes. | |
| | | [1] | |
| (d) | | hird piece of constantan wire has the same length as the original wire but has a per diameter. | |
| | Sta wire | te how the resistance of the third wire compares with the resistance of the original e. | |
| | Giv | e a reason for your answer. | |
| | | | |
| | | | |
| | | [2] | |

8 Fig. 8.1 shows apparatus used in an experiment to react hydrochloric acid with excess calcium carbonate to produce carbon dioxide.

For Examiner's Use




Fig. 8.1


- (a) Complete Fig. 8.1 to show apparatus used to collect and measure the volume of the carbon dioxide. [2]
- **(b)** Describe a test to show that the gas collected is carbon dioxide.

| test | | |
|--------|----|----|
| result | [2 | 21 |

(c) Table 8.1 shows the volume of carbon dioxide collected during the experiment.

Table 8.1

| time/minutes | volume of carbon dioxide collected/cm³ |
|--------------|--|
| 0 | 0 |
| 1 | 15 |
| 2 | 26 |
| 3 | 34 |
| 4 | 40 |
| 5 | 40 |



[1] For Examiner's Use

[2]




Fig. 8.2

- (ii) On Fig. 8.2, draw the curve of best fit.
- (iii) Explain why the reaction stops after 4 minutes.

[1]

(iv) The experiment is repeated using the same mass of calcium carbonate. This time powder is used instead of lumps.

On Fig. 8.2, sketch the curve for this experiment. [2]

9 (a) Complete Table 9.1 to show the gases formed, if any, when each of the substances listed react with dilute sulfuric acid.

For Examiner's Use

Table 9.1

| substance added | gas, if any, formed |
|------------------|---------------------|
| copper | |
| magnesium | |
| sodium carbonate | |

[3]

(b) A salt is formed when a metal oxide neutralises an acid.

Complete the word equation for this reaction.

metal oxide + acid → salt +

10 (a) Fig. 10.1 shows the structure of the alkane, ethane.



Fig. 10.1

Draw a similar diagram to show the structure of the alkene, ethene.

| | | ethene | [2] |
|-----|------|---|-----|
| (b) | Nar | me an alkane with four carbon atoms and give its formula. | |
| | nan | ne | |
| | forn | nula | [2] |
| (c) | (i) | Explain why ethene is more reactive than ethane. | |
| | | | [1] |
| | (ii) | Explain why ethene is important in the chemical industry. | |
| | | | |
| | | | [1] |

DATA SHEET
The Periodic Table of the Elements

| | 0 | 4 He Helium | 20 Ne Neon | 40 Ar Argon | 84 Krypton 36 | 131 Xe Xenon 54 | Rn Radon 86 | | 175 Lu Lutetium 71 | Lr Lawrencium 103 |
|-------|---|--------------------|----------------------------------|------------------------------------|------------------------------------|-------------------------------------|------------------------------------|----------------------------------|---|--|
| Group | \ | | 19 T Fluorine | 35.5 C1 Chlorine | 80 Br Bromine | 127 | At Astatine 85 | | Yb Ytterbium 70 | Nobelium 102 |
| | | | 16 Oxygen 8 | 32 Sul fur | Selenium Selenium 34 | 128 Te Tellurium | Po Polonium 84 | | 169 Tm Thulium | Md Mendelevium 101 |
| | > | | 14 X Nitrogen 7 | 31 Phosphorus | 75 AS Arsenic | Sb Antimony 51 | 209 Bi Bismuth 83 | | 167 Er Erbium 68 | Fm Fermium 100 |
| | 2 | | 12 C Carbon 6 | 28 Si Silicon | 73 Ge Germanium 32 | 119 Sn Tin | 207 Pb Lead | | 165 Ho Holmium 67 | ES Einsteinium 99 |
| | = | | 11 Boron 5 | 27 A1 Aluminium 13 | 70 Ga Gallium | 115 n Indium | 204 T 1 Thallium | | 162 Dy Dysprosium 66 | Cf Californium 98 |
| | | ' | | | 65 Zn Zinc 30 | Cd Cadmium 48 | 201 Hg Mercury 80 | | 159 Tb Terbium 65 | Bk Berkelium 97 |
| | | | | | 64 Copper 29 | 108 Ag Silver | 197 Au Gold | | 157 Gd Gadolinium 64 | Cm Curium |
| | | | | | 59 Nickel | 106 Pd Palladium 46 | 195 Pt Platinum 78 | | 152 Eu Europium 63 | Am Americium 95 |
| | | | | | 59 Co Cobalt | 103 Rh Rhodium | 192 | | Samarium 62 | Pu Plutonium 94 |
| | | 1 Hydrogen | | | 56 Fe Iron | Ruthenium 44 | 190 OS Osmium 76 | | Pm Promethium 61 | Neptunium 93 |
| | | | | | Mn Manganese 25 | Tc Technetium 43 | 186 Re Rhenium 75 | | Nadymium 60 | 238 U Uranium 92 |
| | | | | | Cr Chromium 24 | 96 Mo Molybdenum 42 | 184 W Tungsten 74 | | 141 Pr Praseodymium 59 | Pa Protactinium 91 |
| | | | | | 51 V Vanadium 23 | 93 Nb Niobium 41 | 181 Ta Tantalum | | 140 Ce Cerium 58 | 232 Th Thorium |
| | | | | | 48 T Titanium 22 | 91 Zr Zirconium 40 | 178 Hf Hafnium 72 | | | nic mass ool nic) number |
| | | | | | 45 Sc Scandium 21 | 89 × Yttrium 39 | 139 La Lanthanum * | 227 AC Actinium 89 | series eries | a = relative atomic mass X = atomic symbol b = proton (atomic) number |
| | = | | 9 Be Beryllium 4 | 24 Mg Magnesium | 40 Ca Calcium | Strontium | 137 Ba Barium 56 | 226 Ra Radium 88 | *58-71 Lanthanoid series 190-103 Actinoid series | « × □ |
| | _ | | 7 Li Lithium 3 | 23 Na Sodium | 39 K Potassium 19 | 85 Rb Rubidium 37 | Caesium | Fr Francium 87 | *58-71 L _i | Key |

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local