



## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME		
CENTRE NUMBER	CANDIDATE NUMBER	

PHYSICAL SCIENCE

0652/23

Paper 2 (Core)

October/November 2012

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

## **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

A copy of the Periodic Table is printed on page 16.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

For Exam	iner's Use
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
Total	

This document consists of 16 printed pages.



**1** Fig. 1.1 shows an uncalibrated liquid-in-glass thermometer.

For Examiner's Use



Fig. 1.1

(a)	(i)	Name a suitable liquid to use in the thermometer.	
			[1]
	(ii)	State the physical property of the liquid on which the operation of the thermomedepends.	eter
			[1]
(b)	(i)	Explain what is meant by a fixed point.	
			[2]
	(ii)	What are the values of the fixed points on the Celsius temperature scale?	
		upper fixed point	
		lower fixed point	[2]
(c)	The	e thermometer is to be calibrated.	
	The	e two fixed points are marked on the thermometer.	
	Des	scribe the remaining stages in calibrating the thermometer.	
			[2]

2	Chlorine is a member of Group VII of the Periodic Table.		
	(a) (i) State the name given to Group VII elements.		State the name given to Group VII elements.
			[1]
		(ii)	Name a Group VII element which is less reactive than chlorine.
			[1]
	(iii) Name the Group I element which is in the same Period as chlorine.		Name the Group I element which is in the same Period as chlorine.
			[1]
	(b)		nplete Table 2.1 by giving the name and chemical formula of an ionic and a alent compound of chlorine.

Table 2.1

compound	name	formula
ionic		
covalent		

[4]

For Examiner's Use **3** Fig. 3.1 shows a man balancing on a tightrope.

For Examiner's Use




Fig. 3.1

- (a) On Fig. 3.1 mark a possible position of the centre of mass of the man. Label it C. [1]
- (b) The mass of the man is 75 kg.

(i) Expla	iin what	is mean	t bv	mass
-----------	----------	---------	------	------

[1]

(ii) Calculate the weight of the man.

$$[g = 10 \, \text{N/kg}]$$

weight = [2]

(c) The man jumps off the tightrope.

The graph in Fig. 3.2 shows his speed in a vertical direction after jumping.






Fig. 3.2

Use Fig. 3.2 to find

(	i)	) the	maximum	speed	of the	man,

(ii) the height, *d*, of the wire above the ground.

$$d = m$$
 [3]

(d) (i) Name the form of energy the man has due to his motion as he falls to the ground.

[1]

(ii) Suggest what happens to this energy when he hits the ground.

[2]

**4** Fig. 4.1 shows apparatus used to react copper(II) oxide with hydrogen.






Fig. 4.1

(a)	(i)	Copper(II) oxide is black.
		State the colour change you would see when copper(II) oxide is reduced to copper by hydrogen.
		[1]
	(ii)	Write a balanced equation for this reaction.
		[1]
	(iii)	Explain what this reaction shows about the relative reactivity of copper and of hydrogen.
		[1]
(b)		scribe how you could show that carbon (charcoal) is more reactive than copper and s reactive than magnesium.
		[3]

	monium sulfate, $(NH_4)_2SO_4$ , and ammonium nitrate, $NH_4NO_3$ , are important ogen-containing fertilisers.	For Examiner Use
(a)	Name <b>two</b> substances which react together to make ammonium nitrate.  1	
	2[2]	
(b)	Calculate the relative molecular mass of ammonium sulfate.	
	[Relative atomic masses: A <sub>r</sub> : H,1; N,14; O,16; S,32.]	
	answer [2]	
(c)	Show by calculation that there is 35% nitrogen by mass in ammonium nitrate, NH <sub>4</sub> NO <sub>3</sub> .	
	[Relative molecular mass of ammonium nitrate is 80]	
	[2]	
( <del>4</del> )	Ammonium sulfate contains less nitrogen by mass than ammonium nitrate.	
(u)	Suggest why ammonium sulfate is sometimes preferred as a fertiliser.	
	[1]	
	[']	

**6** Fig. 6.1 shows the refraction of red light as it passes through a parallel sided glass block.

For Examiner's Use




Fig. 6.1

- (a) On Fig. 6.1 mark
  - (i) an angle of incidence and label it i,

[1]

(ii) an angle of refraction and label it r.

[1]

(b) Blue light refracts more than red light.

Blue light is shone along the same incident path as the red light.

On Fig. 6.1, draw the path of the blue light as it passes through the block and emerges into the air. [2]

(c) Fig. 6.2 shows a parallel beam of light incident on a converging lens.






Fig. 6.2

- (i) On Fig. 6.2 draw rays to show the path of the light after it passes through the lens. [3]
- (ii) On Fig. 6.2 draw an arrow to show the focal length of the lens. [1]
- (d) Powerful lenses are usually very thick.

Images formed by these lenses have coloured edges.

Suggest and explain a reason for this. parts <b>(b)</b> and <b>(c)</b> in your explanation.	You will find it helpful to use the information from
	[2]

7 Danielle is investigating the resistance of a length of constantan wire.

She builds the circuit shown in Fig. 7.1.

For Examiner's Use




Fig. 7.1

(a)	(i)	Name the component labelled <b>X</b> .	[1]
	(ii)	Explain the use of this component in the circuit.	
			[1]
	(iii)	On Fig. 7.1, show how Danielle should connect a meter to measure the poter difference across the wire.	ntial [2]
(b)		en the potential difference across the constantan wire is 4.5 V, the reading on meter is 0.12 A.	the

Calculate the resistance of the constantan wire.

resistance = \_\_\_\_ unit \_\_\_\_ [3]

(c)	) Danielle connects a second identical constantan wire in parallel with the original wire.		For Examiner's
	Sta	te how	Use
	(i)	the total resistance in the circuit changes,	
		[1]	
	(ii)	the reading on the ammeter changes.	
		[1]	
(d)		hird piece of constantan wire has the same length as the original wire but has a per diameter.	
	Sta wire	te how the resistance of the third wire compares with the resistance of the original e.	
	Giv	e a reason for your answer.	
		[2]	

**8** Fig. 8.1 shows apparatus used in an experiment to react hydrochloric acid with excess calcium carbonate to produce carbon dioxide.

For Examiner's Use




Fig. 8.1


- (a) Complete Fig. 8.1 to show apparatus used to collect and measure the volume of the carbon dioxide. [2]
- **(b)** Describe a test to show that the gas collected is carbon dioxide.

test			
resul	lt .	[2]	

(c) Table 8.1 shows the volume of carbon dioxide collected during the experiment.

Table 8.1

time/minutes	volume of carbon dioxide collected/cm³
0	0
1	15
2	26
3	34
4	40
5	40



[1] For Examiner's Use




Fig. 8.2

(ii) On Fig. 8.2, draw the curve of best fit.

[2]

(iii) Explain why the reaction stops after 4 minutes.

[1]

(iv) The experiment is repeated using the same mass of calcium carbonate. This time powder is used instead of lumps.

On Fig. 8.2, sketch the curve for this experiment.

[2]

**9 (a)** Complete Table 9.1 to show the gases formed, if any, when each of the substances listed react with dilute sulfuric acid.

For Examiner's Use

Table 9.1

substance added	gas, if any, formed
copper	
magnesium	
sodium carbonate	

[3]

**(b)** A salt is formed when a metal oxide neutralises an acid.

Complete the word equation for this reaction.

metal oxide + acid → salt +

**10** (a) Fig. 10.1 shows the structure of the alkane, ethane.



Fig. 10.1

Draw a similar diagram to show the structure of the alkene, ethene.

		ethene	[2]		
(b)	Nar	me an alkane with four carbon atoms and give its formula.			
name					
	forn	nula	[2]		
(c)	(i)	Explain why ethene is more reactive than ethane.			
			[1]		
	(ii)	Explain why ethene is important in the chemical industry.			
			[1]		

DATA SHEET
The Periodic Table of the Elements

	0	4 <b>He</b> Helium	Ne Neon 10 Argan 18 Argan 18	84 <b>K</b> rypton 36	131 <b>Xe</b> Xenon	Rn Radon 86		175 <b>Lu</b> Lutetium 71	<b>Lr</b> Lawrencium 103												
	<b>II</b> /		19 Fluorine 9 35.5 <b>C1</b> Chlorine	80 <b>Br</b> Bromine		At Astatine 85		<b>Yb</b> Ytterbium 70	Nobelium												
	IN		16 Oxygen 8 32 Sulfur 16	Selenium Selenium 34		Po Polonium 84		169 <b>Tm</b> Thulium 69	Md Mendelevium 101												
	>		14 Nitrogen 7 31 9 Phosphorus 15	75 <b>AS</b> Arsenic 33	Sb Antimony 51			167 <b>Er</b> Erbium 68	Fm Fermium												
	ΛΙ		12 Carbon 6 28 Silicon 14	73 <b>Ge</b> Germanium 32	30 Tin 50	207 <b>Pb</b> Lead 82		165 <b>Ho</b> Holmium 67													
	≡		11 B Boron 5 27 A1 Aluminium	70 <b>Ga</b> Gallium 31	115   <b>n</b>   Indium	204 <b>T t</b> Thallium		162 <b>Dy</b> Dysprosium 66	<b>Cf</b> Californium 98												
				65 <b>Zn</b> Zinc 30	112 <b>Cd</b> Cadmium 48	201 <b>Hg</b> Mercury		159 <b>Tb</b> Terbium 65	<b>BK</b> Berkelium 97												
				64 Copper	108 <b>Ag</b> Silver	197 <b>Au</b> Gold		157 <b>Gd</b> Gadolinium 64	Cm Curium 96												
dno				59 <b>X</b> Nickel 28	106 Pd Palladium 46	195 <b>Pt</b> Platinum 78		152 <b>Eu</b> Europium 63	Am Americium												
Group				59 <b>Co</b> Cobalt 27	Rhodium 45	192   <b>  r</b>		Samarium 62	Pu Plutonium 94												
		Hydrogen		56 <b>Fe</b> Iron	Ruthenium 44	190 <b>Os</b> Osmium 76		Pm Promethium 61	Neptunium												
				Mn Manganese 25	Tc Technetium 43	186 <b>Re</b> Rhenium 75		Neodymium 60	238 <b>U</b> Uranium 92												
							Cr Chromium 24	96 Mo Molybdenum 42	184 <b>W</b> Tungsten 74		141 Pr Praseodymium 59	Pa Protactinium 91									
																51 Vanadium 23	93 <b>Nb</b> Niobium	181 <b>Ta</b> Tantalum		140 <b>Ce</b> Cerium	232 <b>Th</b> Thorium 90
								48 <b>T</b> tranium 22	2r Zrconium 40	178 <b>#</b> Hafnium 72			nic mass bol nic) number								
					Scandium	89 <b>×</b>	La Lanthanum 57 *	227 <b>Ac</b> Actinium 89	l series eries	<ul> <li>a = relative atomic mass</li> <li>X = atomic symbol</li> <li>b = proton (atomic) number</li> </ul>											
	=		Beryllium 4 Beryllium 24 Mg Magnesium	40 <b>Ca</b> Calcium	Strontium	137 <b>Ba</b> Barium 56	226 <b>Ra</b> Radium 88	*58-71 Lanthanoid series	« × ¤												
	_		7	39 K	Rb Rubidium	133 Cs Caesium 55	Francium 87	*58-71 L	Key												

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local