

As part of CIE's continual commitment to maintaining best practice in assessment, CIE has begun to use different variants of some question papers for our most popular assessments with extremely large and widespread candidature, The question papers are closely related and the relationships between them have been thoroughly established using our assessment expertise. All versions of the paper give assessment of equal standard.

The content assessed by the examination papers and the type of questions are unchanged.

This change means that for this component there are now two variant Question Papers, Mark Schemes and Principal Examiner's Reports where previously there was only one. For any individual country, it is intended that only one variant is used. This document contains both variants which will give all Centres access to even more past examination material than is usually the case.

The diagram shows the relationship between the Question Papers, Mark Schemes and Principal Examiner's Reports.

Question Paper

Introduction First variant Question Paper Second variant Question Paper

Mark Scheme

Introduction
First variant Mark Scheme
Second variant Mark Scheme

Principal Examiner's Report

Introduction	
First variant Principal Examiner's Report	
Second variant Principal Examiner's Report	

Who can I contact for further information on these changes?

Please direct any questions about this to CIE's Customer Services team at: international@cie.org.uk

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the October/November 2008 question paper

0625 PHYSICS

0625/31

Paper 31 (Extended Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2008 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Page 2	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2008	0625	31

NOTES ABOUT MARK SCHEME SYMBOLS AND OTHER MATTERS

B marks are independent marks, which do not depend on any other marks. For a B mark to be scored, the point to which it refers must actually be seen in the candidate's answer.

M marks are method marks upon which accuracy marks (A marks) later depend. For an M mark to be scored, the point to which it refers must be seen in a candidate's answer. If a candidate fails to score a particular M mark, then none of the dependent A marks can be

scored.

C marks are compensatory method marks which can be scored even if the points to which they

refer are not written down by the candidate, provided subsequent working gives evidence that they must have known it. e.g. if an equation carries a C mark and the candidate does not write down the actual equation but does correct working which

shows he knew the equation, then the C mark is scored.

are accuracy or answer marks which either depend on an M mark, or which are one of A marks

the ways which allow a C mark to be scored.

means "correct answer only". c.a.o.

e.c.f. means "error carried forward". This indicates that if a candidate has made an earlier mistake and has carried his incorrect value forward to subsequent stages of working, he

may be given marks indicated by e.c.f. provided his subsequent working is correct, bearing in mind his earlier mistake. This prevents a candidate being penalised more

than once for a particular mistake, but only applies to marks annotated "e.c.f."

means "each error or omission". e.e.o.o.

around words or units in the mark scheme are intended to indicate wording used to brackets () clarify the mark scheme, but the marks do not depend on seeing the words or units in

brackets e.g. 10 (J) means that the mark is scored for 10, regardless of the unit given.

indicates that this <u>must</u> be seen in the answer offered, or something very similar. underlining

OR/or indicates alternative answers, any one of which is satisfactory for scoring the marks.

Spelling Be generous about spelling and use of English. If an answer can be understood to

mean what we want, give credit.

Significant Answers are acceptable to any number of significant figures ≥ 2, except if

specified otherwise, or if only 1 sig. fig. is appropriate. figures

Units It is expected that all final answers will have correct units. Deduct one unit penalty for

each incorrect or missing unit, maximum 1 per question. No unit penalty if unit is

missing from final answer but is shown correctly in the working.

Fractions These are only acceptable where specified.

Ignore extras in answers if they are irrelevant; if they contradict an otherwise correct **Extras**

response or are forbidden by mark scheme, use right + wrong = 0

Indicates that something which is not correct is disregarded and does not cause a right Ignore

plus wrong penalty.

Not/NOT Indicates that an incorrect answer is not to be disregarded, but cancels another

otherwise correct alternative offered by the candidate i.e. right plus wrong penalty

applies.

Work which has been crossed out, but not replaced, should be marked as if it had not been crossed out.

	Page 3		ge 3 Mark Scheme Syllabus			
		900	IGCSE – October/November 2008	0625	Paper 31	
1	(a)	(i)	any mention of force or weight ignore mass Force to left > force to right)	C any 1 A	1	
		(ii)	OR weight > friction) to overcome/compensate for friction/resistance	В	1	
	(b)	2/2.5 0.8 k	5 or 4/5 etc. or F/a or F = ma g	C A		
	(c)	0.7/0.8 e.c.f. from (b) 0.875 (m/s²) e.c.f. from (b) could be scored on table (no unit needed)		no unit needed) B		
	(d)	(i)	$v = at \text{ or } 0.5 \times 1.2$ 0.6 m/s	C A		
		(ii)	any velocity \times time or speed \times time 0.36 m c.a.o. (note: 0.72 m gets C1, A0)	C A		
2	(a)		masses chosen with ratio 2:1 or 3:1 or 3:2 en masses in correct holes to balance	M A		
	(b)	NOT	does not rotate/is balanced/in equilibrium/no movement spin the disc NOT anything to do with calculating when disturbed, returns to original position		1	
	(c)	acce	nent of one mass correct (ignore units) upt mass × distance calculated al answers	B B		
	(d)		ect addition of masses/weights, including 200g mass correctly converted to N	B B		
3	(a)	(i)	hdg or $70 \times 1050 \times 10$ 735 000 Pa or 7.35×10^5 Pa accept N/m ² for Pa	C A		
		(ii)	$8.35 \times 10^5 \text{Pa OR his (a)(i)} + 1.0 \times 10^5$ accept N/n	n ² for Pa B	1	
	(b)		sure \times area or P = F/A or $6.5 \times 10^5 \times 2.5$ 5×10^6 N	C A		
	(c)		use density is less accept new calculation of press because salt water is denser	sure B	1 [6]	

	Pa	ge 4	Mark Scheme S	Syllabus	Paper
			IGCSE – October/November 2008	0625	31
4	(a)	typical	I random path drawn, at least 3 abrupt changes of direction	n B1	
	(b)	just as	plecules hit dust particles in all directions/move it in all directs likely to be up as down marks scored on diagram)	ctions B1 B1	
	(c)	randoi OR les	B1	[4]	
5	(a)		funnel no longer giving heat to ice OR ice at M.P./constant OR heater reached max temp	temp B1	
			inside of large pieces could be well below freezing point) OR smaller air gaps if pieces smaller) OR better contact between heater and ice) OR to ensure heat from heater only goes to the ice) OR larger surface area) Ignore ice melts faster	any 1 B1	
	(b)	mass	of beaker NOT mass of ice NOT mass of water of beaker + water √ + × = 0 for extras other than power & time)	B1 B1	
	(c)	m <i>l</i> in a	s of ice melted by heater = 16.3 – 2.1) = 14.2 g any form, words, symbols or numbers Pt in any form, words, symbols or numbers accept VIt g OR 338 000 J/kg c.a.o	C1 C1 C1 A1	[8]
6	(a)	light o	f one colour/frequency/wavelength	B1	
	(b)	sin <i>r</i> /si	nr/sin <i>i</i> OR n = sin <i>i</i> /sin <i>r</i> in any form n30 = 1.49 OR sin <i>r</i> = 1.49 × sin30 – 48.2°	C1 C1 A1	
	(c)		angle >30° and <60° to normal, by eye, correct way NO eany angles or labelling	e.c.f. B1	
	(d)		rs/spectrum would appear OR range of angles (ignore "rain spersion OR ray splits up	bow") B1	
	(e)	90° ap	oprox (accept any value 80° to 90°)	B1	

В1

[8]

(totally internally) reflected OR T.I.R. ignore not refracted

(f)

First variant Mark Scheme

	Page 5		Mark Scheme	Syllabus	Paper
			IGCSE – October/November 2008		31
7	(a)	same w (ignore	tempt at arcs of circles, at least 3 vavelength as incoming waves, by eye shape ignore distance to first wave) of curvature of arcs at centre of gap, by eye		1 1 1
	(b)		vavelength or 20/2.5 or $v = f\lambda$ 8 s ⁻¹ or 8 waves/second		;1 .1
	(c)	his (b) c	or "the same"	Е	1 [6]
8	(a)		s a.c. to d.c. OR rectifies a/c OR allows curre vents current flowing backward		31
	(b)		2×12 or $2 \times 12 \times 60 \times 60$ or amps \times second r 86 400 C or 86 000 C		;1 ;1
	(c)	OR W/A	/C OR energy converted/work done per unit A OR volts/p.d. when no current in circuit energy are delivered/needed for every coulo	C	:1
			W is the power to drive a current of 1 A		.1
	(d)	(i) se	eries connection shown, any recognisable sy	ymbols E	31
		` '	tal power = 16 W OR 8/6 33 A accept fraction c.a.o.		:1 .1
			by power \times any time or $16 \times 60 \times 60$ or IVt or $7600J$ or $0.016kWh$ or $28800J$ or $0.008kWh$;1 .1 [10]
9	(a)	or heat or charg	vater to higher level storage) water) any one ge accumulators/batteries) charge capacitor NOT generator	e E	11
	(b)		energy/power/heat loss OR to reduce currer illow thinner cables OR more efficient NOT		31
	(c)	I^2R		Е	1
	(d)		0 = 32000/1100 OR N ₁ /N ₂ = V ₁ /V ₂ in any arra or 34 900 or 34 909 or 34 910 or 35 000		;1 .1
	(e)		ower = output power or $V_1I_1 = V_2I_2$ = power/voltage in any form, words, symbols		:1 :1 :1 [8]

First variant Mark Scheme

	Pa	Page 6			Mark Scheme		Syllabus		Paper
				IGCSE – O	ctober/November 2008		0625		31
10	(a)	(i) L[OR correctly identifi	ed			B1	
		(ii)	lar	mp correctly identif	ed			B1	
		(iii)	tra	ansistor correctly id	entified			B1	
	(b)	resis LDR	stan d get	anything that is in to ce of LDR become ts larger share of th or switches/turns la	s high le voltage OR voltage acro	oss LD	R gets bigger	M1 A1 A1	[6]
11	(a)	A B C D 4 co	Y X sc	•	deflection plates al deflection plates nt/phosphor OR tube NO	T glass	S	B2	
	(b)			of releasing electro the electron beam	ns/thermionic emission vertically			B1 B1	
	(c)	(i)	у-г	plates/y-input or B	NO e.c.f.			B1	
		(ii)	x-p	plates/x-input or C	NO e.c.f.			B1	[6]

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the October/November 2008 question paper

0625 PHYSICS

0625/32

Paper 32 (Extended Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2008 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Page 2	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2008	0625	32

NOTES ABOUT MARK SCHEME SYMBOLS AND OTHER MATTERS

B marks are independent marks, which do not depend on any other marks. For a B mark to be scored, the point to which it refers must actually be seen in the candidate's answer.

M marks are method marks upon which accuracy marks (A marks) later depend. For an M mark to be scored, the point to which it refers **must** be seen in a candidate's answer. If a candidate fails to score a particular M mark, then none of the dependent A marks can be

scored.

C marks are compensatory method marks which can be scored even if the points to which they

refer are not written down by the candidate, provided subsequent working gives evidence that they must have known it. e.g. if an equation carries a C mark and the candidate does not write down the actual equation but does correct working which

shows he knew the equation, then the C mark is scored.

A marks are accuracy or answer marks which either depend on an M mark, or which are one of

the ways which allow a C mark to be scored.

c.a.o. means "correct answer only".

e.c.f. means "error carried forward". This indicates that if a candidate has made an earlier

mistake and has carried his incorrect value forward to subsequent stages of working, he may be given marks indicated by e.c.f. provided his subsequent working is correct, bearing in mind his earlier mistake. This prevents a candidate being penalised more

than once for a particular mistake, but only applies to marks annotated "e.c.f."

e.e.o.o. means "each error or omission".

brackets () around words or units in the mark scheme are intended to indicate wording used to clarify the mark scheme, but the marks do not depend on seeing the words or units in

brackets e.g. 10 (J) means that the mark is scored for 10, regardless of the unit given.

underlining indicates that this must be seen in the answer offered, or something very similar.

OR/or indicates alternative answers, any one of which is satisfactory for scoring the marks.

Spelling Be generous about spelling and use of English. If an answer can be understood to

mean what we want, give credit.

Significant Answers are accepting specified otherw

Answers are acceptable to any number of significant figures ≥ 2, except if

specified otherwise, or if only 1 sig. fig. is appropriate.

Units It is expected that all final answers will have correct units. Deduct one unit penalty for

each incorrect or missing unit, maximum 1 per question. No unit penalty if unit is

missing from final answer but is shown correctly in the working.

Fractions These are only acceptable where specified.

Extras Ignore extras in answers if they are irrelevant; if they contradict an otherwise correct

response or are forbidden by mark scheme, use right + wrong = 0

Ignore Indicates that something which is not correct is disregarded and does not cause a right

plus wrong penalty.

Not/NOT Indicates that an incorrect answer is not to be disregarded, but cancels another

otherwise correct alternative offered by the candidate i.e. right plus wrong penalty

applies.

Work which has been crossed out, but not replaced, should be marked as if it had not been crossed out.

Page 3	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2008	0625	32

1	(a)	idea of accelerating force/force down slope = friction force	
		OR no resultant force/forces balanced	B1
		(accept energy argument if Physics correct)	

- (b) (i) idea of accelerating force/force down slope > friction force
 OR forces unbalanced
 (accept energy argument if Physics correct)
 - (ii) $F = ma NOT f \alpha a$ B1
 - $\begin{array}{ccc} \textbf{(iii)} & 12 \times 2 & & \textbf{C1} \\ & 24 \textbf{N} & & \textbf{A1} \end{array}$
- (c) (i) resultant force = 38N OR his (b)(iii) + 14 C1 38/12 OR (his (b)(iii) + 14)/12 C1 3.166 m/s² or 3.17 m/s² or 3.2 m/s² NOT 3.16 e.c.f. A1
 - (ii) $v = at \text{ or } 3.2 \times 2.5 \text{ e.c.f.}$ C1 7.8 - 8.0 m/s e.c.f. A1
- (d) idea of acceleration B1 [11]
- 2 (a) two masses chosen with ratio 2:1 or 3:1 or 3:2

 Chosen masses in correct holes to balance

 M1
 - (b) disc does not rotate/is balanced/in equilibrium/no movement

 NOT spin the disc NOT anything to do with calculating moments

 NOT when disturbed, returns to original position
 - (c) moment of one mass correct (ignore units)
 accept mass × distance calculated
 equal answers

 B1
 - (d) correct addition of masses/weights, including 200 g
 any mass correctly converted to N

 B1
 [7]
- 3 (a) (i) hdg or $70 \times 1050 \times 10$ C1 $735\ 000\ Pa$ or $7.35 \times 10^5\ Pa$ accept N/m² for Pa A1
 - (ii) $8.35 \times 10^5 \, \text{Pa OR his}$ (a)(i) + 1.0×10^5 accept N/m² for Pa B1
 - (b) pressure × area or P = F/A or $6.5 \times 10^5 \times 2.5$ C1 1.625×10^6 N
 - (c) because density is less accept new calculation of pressure
 OR because salt water is denser

 B1 [6]

6

					_		
	Pa	ige 4		Mark Scheme	Syllabus		Paper
				IGCSE – October/November 2008	0625		32
4	(a)	typica	al ra	andom path drawn, at least 3 abrupt changes of dire	ction	B1	
	(b)	just a	s li	cules hit dust particles in all directions/move it in all okely to be up as down narks scored on diagram)	directions	B1 B1	
	(c)			movements smaller OR slower movement energy OR movement decreases		B1	[4]
5	(a)	(i)		nnel no longer giving heat to ice OR ice at M.P./cons R heater reached max temp	tant temp	B1	
		(ii)	OF OF OF	side of large pieces could be well below freezing point R smaller air gaps if pieces smaller R better contact between heater and ice R to ensure heat from heater only goes to the ice R larger surface area nore ice melts faster	nt)) any 1))	B1	
	(b)	mass	of	beaker NOT mass of ice NOT mass of water beaker + water + x = 0 for extras other than power & time)		B1 B1	
	(c)	(i)	mc 4.8	/Wt in any form, words, symbols or numbers c0 in any form, words, symbols or numbers 88 or 4.9 J/(gK) or J/(g°C) or J/(gdegC) condone no b c 4880 or 4900 J/(kgK) etc. accept double solidus		C1 C1 A1	
		(ii)	he	eat lost/gained OR impurities in water		B1	[8]

	Page 5		Mark Scheme	Syllabus	Paper
			IGCSE – October/November 2008	0625	32
7	(a)	same w (ignore	tempt at arcs of circles, at least 3 avelength as incoming waves, by eye shape ignore distance to first wave) of curvature of arcs at centre of gap, by eye	B ²	1
	(b)	speed/w 8 Hz or	vavelength or 20/2.5 or $v = f\lambda$ 8 s ⁻¹ or 8 waves/second	C' A'	
	(c)	his (b) o	or "the same"	В	1 [6]
8	(a)		s a.c. to d.c. OR rectifies a/c OR allows current to flow vents current flowing backward	w one way only B [.]	1
	(b)		2×12 or $2 \times 12 \times 60 \times 60$ or amps \times seconds r 86 400 C or 86 000 C	C A	
	(c)	OR W/A	C OR energy converted/work done per unit charge/c OR volts/p.d. when no current in circuit energy are delivered/needed for every coulomb of ch	C.	1
			V is the power to drive a current of 1 A	A ²	1
	(d)	(i) se	ries connection shown, any recognisable symbols	B ²	1
		` '	tal power = 16 W OR 8/6 33 A accept fraction c.a.o.	C [*]	
			by power \times any time or $16 \times 60 \times 60$ or IVt or $8 \times 60 \times 7$ 600 J or 0.016 kWh or 28 800 J or 0.008 kWh	< 60 C A	
9	(a)	or heat	ater to higher level storage) water) any one ge accumulators/batteries) sharge capacitor NOT generator	В	1
	(b)		energy/power/heat loss OR to reduce current llow thinner cables OR more efficient NOTHING EL	.SE B ²	1
	(c)	I^2R		В	1
	(d)		$_{\rm 0}$ = 32000/1100 OR N ₁ /N ₂ = V ₁ /V ₂ in any arrangement or 34 900 or 34 909 or 34 910 or 35 000	t C	
	(e)		wer = output power or $V_1I_1 = V_2I_2$ = power/voltage in any form, words, symbols or num	bers C	1

Second variant Mark Scheme

	Page 6				Mark Scheme	Syllabus		Paper
				IGCSE – C	October/November 2008	0625		32
10	(a)	(i)	LD	OR correctly identifi	ied		B1	
		(ii)	lar	mp correctly identif	ïed		B1	
		(iii)	tra	ansistor correctly id	entified		B1	
	(b)	resis LDR	(ignore anything that is in terms of currents) resistance of LDR becomes high LDR gets larger share of the voltage OR voltage across LDR gets bigger transistor switches/turns lamp on		DR gets bigger	M1 A1 A1	[6]	
11	(a)	A B C D 4 co	Y X sc		deflection plates al deflection plates nt/phosphor OR tube NOT gla	ss	B2	
	(b)		A; idea of releasing electrons/thermionic emission B; move the electron beam vertically				B1 B1	
	(c)	(i)	у-г	plates/y-input or B	NO e.c.f.		B1	
		(ii)	x-p	plates/x-input or C	NO e.c.f.		B1	[6]