

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

MARK SCHEME for the May/June 2012 question paper

for the guidance of teachers

0625 PHYSICS

0625/52

Paper 5 (Practical), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2012 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



	Page 2		Mark Scheme: Teachers' version	Syllabus	Paper
			IGCSE – May/June 2012	0625	52
1	(a)	F values F values	d values 70.0, 60.0, 50.0, 40.0, 30.0, 20.0, 10.0 all less than 4 N decreasing all to at least 0.2 N		[1] [1] [1] [1] [1]
	(b)	(i) <i>d</i> ag	ainst F (or F against d)		[1]
			ight line bugh origin		[1] [1]
	(c)	 (c) Would change forcemeter reading/change mass on rule/disturb balance/wtte (d) Check distance from bench is the same at two points/ Line up by eye with windowsill (or suitable horizontal reference)/ Suitable use of set-square 			[1]
	(d)				[1] [Total: 10]
2	(a)	Sensible	room temperature value in °C		[1]
	(b)		times 0, 30, 60, 90, 120, 150 atures falling		[1] [1]
	(c)	Suitable All plots Good line	rrectly labelled scales correct to ½ small square e judgement ntinuous line		[1] [1] [1] [1] [1]
	(d)	Draughts	mperature s		[0]
		mual wa	iter temperature		[2]
					[Total: 10]

	Page 3	Mark Scheme: Teachers' version	Syllabus	Paper		
		IGCSE – May/June 2012	0625	52		
3	(a) V₁ to at R _P and	< 2A	[1] [1]			
	(b) V_2 and $R_s = 4 I$	[1] [1]				
	(c) Correct matchir	th tal accuracy)	[1]			
	Co	cuit: rrect symbols for ammeter, voltmeter and lamp rrect series circuit		[1] [1]		
	(ii) V ₃ :	and I_3 present with L_8 to 2 or 3 significant figures		[1]		
	(e) Units V	, A and Ω		[1]		
	(f) Filamer	(f) Filament glows/lamp gets hot				
				[Total: 10]		
4	Trace: Normal at 9 Angle of inc All lines pres First emerge First P ₃ P ₄ di	[1] [1] [1] [1] [1]				
	(c) <i>a</i> value	correct to ± 1 mm		[1]		
	(i) <i>b</i> value	correct to ± 1 mm		[1]		
		correct (ecf allowed) 3 significant figures and no unit		[1] [1]		
	(k) <i>a</i> and <i>b</i>	present, both <i>n</i> values 1.4–1.6		[1]		
				[Total: 10]		