

**Subject: DATABASE MANAGEMENT SYSTEMS**

**Time: 3 Hours**

**Max. Marks: 100**

**DECEMBER 2010**

**NOTE: There are 9 Questions in all.**

- **Question 1 is compulsory and carries 20 marks. Answer to Q.1 must be written in the space provided for it in the answer book supplied and nowhere else.**
- **The answer sheet for the Q.1 will be collected by the invigilator after half an hour of the commencement of the examination.**
- **Out of the remaining EIGHT Questions answer any FIVE Questions. Each question carries 16 marks.**
- **Any required data not explicitly given, may be suitably assumed and stated.**

**Q.1 Choose the correct or the best alternative in the following: (2×10)**

- a. 2NF is based on the concept of \_\_\_\_\_ dependency.
- (A) functional dependency                      (B) transitive dependency  
(C) Both (A) and (B)                              (D) None
- b. A relational schema R is in \_\_\_\_\_ if whenever a nontrivial functional dependency  $X \rightarrow A$  holds in R, then X is a superkey of R.
- (A) 1NF    (B) 2NF  
(C) 3NF    (D) BCNF
- c. The \_\_\_\_\_ command sets the file pointer of an opened file to the beginning of the file.
- (A) find    (B) reset  
(C) get    (D) set
- d. The technique involving application of arithmetic or logical function to calculate hash address is called \_\_\_\_\_.
- (A) discrete                                        (B) folding  
(C) exclusive                                        (D) joining
- e. Join involving more than two files is called \_\_\_\_\_.
- (A) two-way join                                    (B) multiway join  
(C) aggregate join                                (D) None
- f. The problem where one transaction reads a database item updated by another uncommitted transaction is called \_\_\_\_\_.
- (A) pseudo read                                    (B) dirty read  
(C) intermediate read                            (D) None


- g. A transaction enters into \_\_\_\_\_ state immediately after it starts executing
- (A) read (B) write  
(C) active (D) commit
- h. A schedule S is \_\_\_\_\_, if for every transaction T participating in the schedule, all the operations of T are executed consecutively in the schedule.
- (A) serial (B) non serial  
(C) consecutive (D) pipelined
- i. Which of the following is not characteristic of a relational database model?
- (A) Tables (B) Treelike structure  
(C) Complex logical relationships (D) records
- j. Which of the following is not the responsibility of the utilities component of DBMS software?
- (A) Creating the physical and logical designs  
(B) Removing flagged records for deletion  
(C) Creating and maintaining the data dictionary  
(D) Monitoring performance

---

**Answer any FIVE Questions out of EIGHT Questions.  
Each question carries 16 marks.**

---

- Q.2** a. Differentiate between the following:  
(i) Database schema and a database state (ii) DML (data manipulation language) and DDL (data definition language) (4+4)
- b. Explain the different types of constraints specified on relational databases. (4)
- c. Explain the operation of a two tier client/server architecture for RDBMS. (4)
- Q.3** a. Explain the **select** and **project** operations of relational algebra with examples. (8)
- b. Define the following terms with respect to the tuple calculus:  
tuple variable, range relation, atom, formula and expression. (8)
- Q.4** a. Describe the steps of the algorithm used in ER-to-relational mapping. (8)
- b. Following Figure shows an ER schema for a database that may be used to keep track of transport ships and their locations for maritime authorities. Map this schema into a relational schema, and specify all primary keys and foreign keys. (8)



- Q.5** a. Consider the following database, where primary keys are underlined.
- person (driver\_id, name, address)
  - car (license, model, year)
  - accident (report\_number, date, location)
  - owns (driver\_id, license)
  - participated (driver\_id, car, report\_number, damage\_amount)
- Give an SQL expression for each of the following queries:
- (i) Find the total number of people who owned cars that were involved in accidents in 1989.
  - (ii) Add a new accident to the database; assume any values for required attributes.
  - (iii) Delete the Mazda belonging to "John Smith" (9)
- b. Mention the aggregate functions used in SQL with suitable examples. (7)
- Q.6** a. What are the advantages of ordered files over unordered files? (4)
- b. What is the order p of a B-tree? Describe the structure of B-tree nodes. (4)
- c. What is meant by the term heuristic optimization? Discuss the main heuristics that are applied during query optimization. (8)
- Q.7** a. Describe the shadow paging recovery technique under what circumstances does it not require log? (8)

- 
- b. Define functional dependency and explain how would you use it in relational database design. (8)
- Q.8** a. Explain Second Normal Form (2NF) with appropriate examples. (8)
- b. Explain Third Normal Form (3NF) with suitable examples. (8)
- Q.9** a. Explain lost update and temporary update problems with illustrations. (8)
- b. Explain with a neat diagram, different states of a transaction. (8)