## Diplete - CS (NEW SCHEME) - Code: DC54

## **Subject: DATA STRUCTURES**

Time: 3 Hours

## **DECEMBER 2010**

Max. Marks: 100

NOTE: There are 9 Questions in all.

- Question 1 is compulsory and carries 20 marks. Answer to Q.1 must be written in the space provided for it in the answer book supplied and nowhere else.
- The answer sheet for the Q.1 will be collected by the invigilator after half an hour of the commencement of the examination.
- Out of the remaining EIGHT Questions answer any FIVE Questions. Each question carries 16 marks.
- Any required data not explicitly given, may be suitably assumed and stated.

Q.1	Choose the correct	or the b	est alternative	in the	following
-----	--------------------	----------	-----------------	--------	-----------

 $(2\times10)$ 

- a. With every use of memory allocation function, what function should be used to release allocated memory which is no longer needed?
  - (A) dropmem()

(**B**) dealloc()

(C) release()

- **(D)** free( )
- b. A recursive function would result in infinite recursion, if the following were left out:
  - (A) Base case

(B) Recursive call

(C) Subtraction

- (**D**) Local variable declarations
- c. What will be the size of following union declaration?

union Test {
int x;

char y;
float z; };

**(A)** 7 bytes

(B) 4 bytes

**(C)** 1 byte

- (**D**) none of the above
- d. The time complexity of binary search in average case is
  - (A)  $O(\log_2 n)$

**(B)** O(n)

(C)  $(O(n \log_2 n)$ 

- **(D)**  $O(n^2)$
- e. In selecting the pivot for QuickSort, which is the best choice for optimal partitioning:
  - (A) The first element of the array
  - **(B)** The last element of the array
  - (C) The middle element of the array
  - **(D)** The median of the array

- Student Bounty com f. One can convert an infix expression to a postfix expression using a
  - (A) Stack

**(B)** Oueue

(C) Deque

- (**D**) none of these
- g. This type of linked list does not have null value in the last node
  - (A) circular linked list
- **(B)** static list
- (C) doubly linked list
- (**D**) none of the above
- h. The address field of the linked list
  - (A) contain address of the next node
  - **(B)** contain address of the next pointer
  - (C) may contain NULL pointer
  - (D) both (A) and (C) above
- i. Binary Search Tree is a
  - (A) tree whose right and left sub-tree has value less than root.
  - (B) tree whose right and left sub-tree has value more than root.
  - (C) tree whose left sub-tree has value less than root and right sub-tree has value more than root.
  - (**D**) none of the above
- j. Breadth-first traversal(BFS) is a method to traverse
  - (A) all successors of a visited node before any successors of any of those
  - **(B)** a single path of the graph as far it can go
  - (C) the graph using the shortest path
  - (D) none of these

## Answer any FIVE Questions out of EIGHT Questions. Each question carries 16 marks.

- **(4) Q.2** a. What are static variable? Compare with standard local variable.
  - What is recursion? Explain with suitable example. List out their merits and demerits.
  - c. What is dynamic memory allocation? Discuss the dynamic memory allocation with the help of a suitable example
- Q.3 What is union? How is it different from structure? With suitable example show how union is declared and used in C.

**(8)** 

- (i) sequential
- (ii) Index sequential
- (iii) Direct file
- 0.4 a. Write a C routine to search an element using binary search method.
- Student Bounty.com b. Write a C routine to sort an array of integer using quicksort method. **(8)**
- Q.5 Convert the following infix expressions to its corresponding prefix and postfix expressions

(i) 
$$(A + B) / (D + E)$$

(ii) 
$$A * B - (C + D) * (P/Q)$$
 (4, 4)

- b. What is circular queue? Write the implementation of circular queue using array.
- **Q.6** a. Write a C program to delete a node with the minimum value from a singly linked list. **(8)** 
  - b. Write a C function to add two polynomials when the polynomials are represented using singly linked lists. **(8)**
- a. Write a C function to reverse a singly linked circular list. **(8) Q.7** 
  - b. What is doubly linked list? Write C routines to insert into and delete elements from a doubly linked list. **(8)**
- **Q.8** a. Explain clearly, with examples the concepts of the following
  - (i) depth of tree

- (ii) binary tree
- (iii) full binary tree
- (iv) complete binary tree
- (2,2,2,2)

**(8)** 

- b. Write a function to search for an item using a binary search tree.
- **Q.9** a. Explain the DFS and BFS traversals in a graph and write the algorithm. **(12)** 
  - b. Given the following graph, write the depth first spanning tree. **(4)**

