Code: AC05/AT05 Subject:PROG. & PROBLEM SOLVING THRU

AMIETE - CS/IT (OLD SCHEME)

Time: 3 Hours DECEMBER 2011

Max. Marks: 100

NOTE: There are 9 Questions in all.

- Please write your Roll No. at the space provided on each page immediately after receiving the Question Paper.
- Question 1 is compulsory and carries 20 marks. Answer to Q.1 must be written in the space provided for it in the answer book supplied and nowhere else.
- The answer sheet for the Q.1 will be collected by the invigilator after 45 Minutes of the commencement of the examination.
- Out of the remaining EIGHT Questions answer any FIVE Questions. Each question carries 16 marks.
- Any required data not explicitly given, may be suitably assumed and stated.

Q.1 Choose the correct or the best alternative in the following:

 (2×10)

- - (A) absiha

(B) hai

(C) abha

- (D) \nab\bsi\rha
- b. Each C pre-processor directive begins with
 - (A) #

(B) include

(C) main()

- **(D)** {
- - (**A**) 100

int out=100;

- **(B)** Compilation Error
- (C) nothing will be printed
- (D) out
- d. Minimum number of temporary variables required to swap the contents of two integer variables are
 - (A) two

(B) three

(C) one

(**D**) zero

AC05/AT05 / DEC _ 2011

AMIETE - CS/IT (OLD SCHEME)

Hudenthounty.com Subject:PROG. & PROBLEM SOLVING THRE

```
The output of below program is ....
   main()
      {
             char not;
             not=!2;
             printf("%d",not);
      }
   (A) 0
                                       (B) Compilation Error
   (C) 1
                                       (D) 2
f. Only _____ arithmetic operations can be used on pointers
                                       (B) TWO
    (A) ONE
    (C) THREE
                                       (D) FOUR
g. The output of below program is ....
             #define prod(a,b) a*b
             main()
                    int x=3,y=4;
                    printf("\%d",prod(x+2,y-1));
                                       (B) 11
    (A) 15
    (C) 12
                                       (D) 10
h. Short int holds the data size of _____ bits long
   (A) 32 bits
                                       (B) 8 bits
   (C) 16 bits
                                       (D) 4 bits
i. The output of below program is ....
             main()
                    static int var = 5;
                    printf("%d ",var--);
                    if(var)
                    main();
   (A) 5 4 3 2 1
                                       (B) 12345
   (C) 5 5 5 5 5
                                       (D) 4 4 4 4 4
j. The output of below program is ....
      main()
      int i=3;
      switch(i)
```

Code: AC05/AT05

AC05/AT05 / DEC _ 2011

AMIETE - CS/IT (OI D SCHEME)

SHILDERIR OURIS, COM Subject:PROG. & PROBLEM SOLVING THRO Code: AC05/AT05

```
default:printf("zero");
       case 1: printf("one");
       break;
       case 2:printf("two");
       break;
       case 3: printf("three");
       break;
        }
}
```

(A) one two three

(B) Compiler Error

(C) three

(D) zero

Answer any FIVE Questions out of EIGHT Questions. Each question carries 16 marks.

- **Q.2** a. What is complexity? Discuss different types of complexity parameters? (2+6)
 - b. Write an algorithm to generate all prime numbers between 1 and 100. **(8)**
- Q.3a. What are the different ways of representing strings in C language? Write a program to print the first letter of each word of a name entered through key board. (3+5)

programming and problem solving example. input: output: p. a. p. s.

- b. Discuss all the bitwise operators with examples.
- 0.4 a. What are the differences between calloc() and malloc() functions? Write a program to find maximum and minimum among 10 floating point numbers using dynamic memory allocation technique. (3+7)
 - b. What is the difference between call by value and call by reference? Write a program to swap two floating point numbers using call by reference method. (3+3)
- Q.5a. How can typedef be used to define a type of structure? Write a program to store the record of 10 employees with their name, salary and employee id and then print the name of all the employees whose salary is greater than Rs.5000.
 - b. Write a program to construct a 3×3 matrix B that contains only the fractional part of another 3×3 matrix A that contains floating point numbers. Assume that elements of matrix A contains only two digit fractional numbers. **(8)**
- a. What is the difference between text and binary files? Discuss the different **Q.6** file operation modes. **(6)**

AC05/AT05 / DEC = 2011

AMIETE - CS/IT (OLD SCHEME)

(8)

Code: AC05/AT05 Subject:PROG. & PROBLEM SOLVING THRO

b.	Write a program to copy the whole content of source file itself into	another
	file named abc.txt.	(10)

- Q.7 a. What are the different control constructs available in C language? Discuss all the control constructs with their syntax and examples. (10)
 - b. Write a recursive program to print the sum of each digit of a given integer number. (6)
- **Q.8** a. Define the following (Any <u>FOUR</u>):
 - (i) Assembler

(ii) Compiler

(iii) Interpreter

(iv) Linker

(v) Loader

(8)

- b. How many files are generated during the compilation of a C program?

 Discuss each of them. Also discuss the role of linker and loader. (8)
- **Q.9** a. Write a program to print the transpose of a 3×3 matrix. (4)
 - b. What is program documentation? When should program documentation be done? What information should be in the program documentation? (4+4+4)