ROLL NO.

 ROLL NO.

 Code: AE13
 Subject: COMPUTER ENGINEERIN

 AMIETE - ET (OLD SCHEME)

 Time: 3 Hours
 DECEMBER 2011
 Max. Marks: 100

 NOTE: There are 9 Questions in all.

 • Please write your Roll No. at the space provided on each page immediately after receiving the Question Paper.

- Question 1 is compulsory and carries 20 marks. Answer to Q.1 must be written in the space provided for it in the answer book supplied and nowhere else.
- The answer sheet for the Q.1 will be collected by the invigilator after 45 Minutes of the commencement of the examination.
- Out of the remaining EIGHT Questions answer any FIVE Questions. Each question carries 16 marks.
- Any required data not explicitly given, may be suitably assumed and stated.

## Q.1Choose the correct or the best alternative in the following: $(2 \times 10)$

a. Which of the following devices can be used to directly input printed text?

(A) OCR	(B) OMR
(C) MICR	<b>(D)</b> None of the above

b. Information Retrieval is faster from

(A) Floppy Disk	( <b>B</b> ) Hard Disk
(C) Magnetic Disk	<b>(D)</b> None of the above

c. The part of machine level instruction, which tells the central processor what is to be done is:

(A) Operation Code	( <b>B</b> ) Address
(C) Operand	( <b>D</b> ) None of the above

d. What is the hexadecimal equivalent of decimal number (54977)

(A) D6C1	<b>(B)</b> DC61
(C) D6C5	( <b>D</b> ) None

e. The word size of an 8086 processor is

(A) 8 bits	<b>(B)</b> 16 bits
( <b>C</b> ) 32 bits	<b>(D)</b> 64 bits

f. An assembly language program is translated to machine code by

(A) an assembler	( <b>B</b> ) a compiler
( <b>C</b> ) an interpreter	( <b>D</b> ) a linker

AE13 / DEC \_ 2011

AMIETE - ET (OI D SCHEME)

www.StudentBounty.com Homework Help & Pastpapers

4

		ROLL NO.	AudentBounty.co
C	ode: AE13	Subject: COMPUTER ENGINEERI	IN FEILE
	g. The sp register is typ	ically used for accessing	100
	<ul><li>(A) strings</li><li>(C) stack</li></ul>	<ul><li>(B) memory</li><li>(D) data segment</li></ul>	ing.o
	h. What does BIOS sta	and for	
	<ul> <li>(A) Better Integrated</li> <li>(B) Basic Input Outp</li> <li>(C) Battery Integrated</li> <li>(D) Backup Input Output Output</li> </ul>	l Operating System out System ed Input System	
	i Pipelining improves	CPU performance due to	
	<ul> <li>(A) Reduced memor</li> <li>(B) Increased Clock</li> <li>(C) Introduction to p</li> <li>(D) Additional funct</li> </ul>	Speed arallelism	
	j. Modern processor chi	ps may be classified as	
	(A) LSI (C) MIPS	( <b>B</b> ) ULSI ( <b>D</b> ) SSI	
		E Questions out of EIGHT Questions. question carries 16 marks.	
Q.2	a. Differentiate betwee	en multiprocessing and a multiprogramming.	(3)
	b. What are the differe	nces between Hardware, Software and Firmware?	(3)
	c. Explain the Flynn's also.	Classification of Computers. Give suitable diagrams	(4)
	d. Define the term pa mechanisms.	arallel processing. How is it achieved? Explain f	čew (6)
Q.3	a. Convert 41.6875 fro	m decimal to binary.	(2)
	b. Define operating sy	stems. What are the functions of an operating system	n? ( <b>6</b> )

- c. What is difference between UNIX & DOS file maintenance commands? Give examples. (6)
- d. Differentiate between a process and a thread. (2)
- Q.4 a. Give the pin diagram and architecture diagram of 8086 microprocessor. (6)
- b. Explain the priority levels of interrupts in 8085. Explain with examples. (4) AF13 / DEC = 2011 2 AMIETE = ET (OLD SCHEME)

www.StudentBounty.com Homework Help & Pastpapers

	ROLL NO	ude -
С	ode: AE13 Subject: COMPUTER ENGINEER	1700
	c. Explain any three Addressing modes in 8085 with examples.	(6) CUIDE
Q.5	a. Give a diagram and explain the interfacing of an external memory w 8085.	in (6) /ith (4) ain
	b. With the help of a suitable example, explain direct mapping from m memory to cache.	ain (6)
	<ul> <li>c. Differentiate between the structure of a hard disk and a floppy disk. A give diagrams to depict these structures.</li> </ul>	lso (6)
Q.6	a. What is the utility of Direct Memory Access in an I/O system? Give diagram and explain the functions of 8237.	e a (6)
	b. Give a short note on RS-232 Standard. How is serial communicate carried out in a system? Explain.	ion (4)
	<ul> <li>c. Explain the working of any <u>TWO</u> out of the three devices given:</li> <li>(i) LCD Display</li> <li>(ii) Inkjet Printer</li> </ul>	
	(iii) Magnetic Scanner	(6)
Q.7	a. Describe the programming model and pin diagram of Pentium I processor.	V (8)
	b. Explain the programming model of any Pentium Processor. Als differentiate between real, protected and virtual modes in 8086.	so (8)
Q.8	<ul> <li>a. Explain the working of any <u>TWO</u> of the following bus structures:</li> <li>(i) PCI</li> </ul>	
	(ii) ISA (iii) EISA	(4+4)
	b. Explain the PC/XT architecture based on the 8088 microprocessor.	(8)
Q.9	a. Give short notes on:	
	<ul><li>(i) 8253 Programmable Interval Timer/Counter</li><li>(ii) Segmented Memory</li></ul>	
	(iii) Synchronous Data Transmission	(6)
	b. Give a short note on BIOS. Give its distinct features.	(4)
	c. Explain the following with timing diagrams:-	
	<ul><li>(i) Memory read cycle</li><li>(ii) Memory write cycle</li></ul>	(6)

## AE13 / DEC \_ 2011

2