## **Diplete - CS (NEW SCHEME) -**Code: DC71

Max. Marks: 100

**Subject: INTERNET APPLICATIONS** 

**Time: 3 Hours** 

**JUNE 2011** 

**NOTE:** There are 9 Questions in all.

- Student Bounty.com • Question 1 is compulsory and carries 20 marks. Answer to Q.1 must be written in the space provided for it in the answer book supplied and nowhere else.
- The answer sheet for the Q.1 will be collected by the invigilator after 45 Minutes of the commencement of the examination.
- Out of the remaining EIGHT Questions answer any FIVE Questions. Each question carries 10 marks.

Q.1	Choose the correct or the best alternative in the following: (2×1 a. Which of the following tag is used to embed image in HTML page?	
	(A) <img/> (C) <href></href>	(B) <link/> (D) <images></images>
	b. Which tag is used to set the title of a HTML page?	
	<ul><li>(A) <body></body></li><li>(C) <head></head></li></ul>	<ul><li>(B) <title>&lt;/li&gt;&lt;li&gt;(D) &lt;metadata&gt;&lt;/li&gt;&lt;/ul&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;/td&gt;&lt;td colspan=2&gt;c. Which attribute is used with &lt;font&gt; tag for assigning style?&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;ul&gt;&lt;li&gt;(A) by using style attribute&lt;/li&gt;&lt;li&gt;(C) by using link attribute&lt;/li&gt;&lt;/ul&gt;&lt;/td&gt;&lt;td&gt;&lt;ul&gt;&lt;li&gt;(B) by using size attribute&lt;/li&gt;&lt;li&gt;(D) by using font attribute&lt;/li&gt;&lt;/ul&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;d. What is the purpose of DOM&lt;/td&gt;&lt;td&gt;?&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;ul&gt;&lt;li&gt;(A) Viewing the XML Docu&lt;/li&gt;&lt;li&gt;(B) Accessing the XML Doc&lt;/li&gt;&lt;li&gt;(C) Transforming the XML I&lt;/li&gt;&lt;li&gt;(D) Conversion of XML to P&lt;/li&gt;&lt;/ul&gt;&lt;/td&gt;&lt;td&gt;cument Elements  Occument to other format&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td rowspan=4&gt;&lt;/td&gt;&lt;td&gt;e. The CDATA occurs&lt;/td&gt;&lt;td&gt; of XML document.&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;ul&gt;&lt;li&gt;(A) only at the top&lt;/li&gt;&lt;li&gt;(C) only after prolog&lt;/li&gt;&lt;/ul&gt;&lt;/td&gt;&lt;td&gt;&lt;ul&gt;&lt;li&gt;(B) only at the end&lt;/li&gt;&lt;li&gt;(D) anywhere&lt;/li&gt;&lt;/ul&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td colspan=2&gt;f. The browser window is a mutable object that can be addressed by java code. The open() method&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;ul&gt;&lt;li&gt;(A) opens a new window&lt;/li&gt;&lt;li&gt;(C) opens a new hyperlink&lt;/li&gt;&lt;/ul&gt;&lt;/td&gt;&lt;td&gt;&lt;ul&gt;&lt;li&gt;(B) opens a new page&lt;/li&gt;&lt;li&gt;(D) opens a site&lt;/li&gt;&lt;/ul&gt;&lt;/td&gt;&lt;/tr&gt;&lt;/tbody&gt;&lt;/table&gt;</title></li></ul>

- (A) It is a commented line
- **(B)** It is a prolog of perl script
- **(C)** It is a mandatory line but perl interpreter will ignore it.
- (**D**) It invokes perl interpreter.
- Student Bounty.com h. A PHP pieces of code in files which act as libraries that can be included in any script by using the command
  - (A) require(file)

**(B)** import(file)

(**C**) include(file)

- **(D)** load(file)
- i. What is the purpose of ucfirst(string) in PHP
  - (A) return a copy of the string with the first character converted to upper case
  - **(B)** return a copy of the string with the characters converted to upper case
  - (C) returns a copy of the string with the first character of each word converted to upper case.
  - (**D**) return a copy of the string with the last character to lower case.
- j. Which HTML tag is used to setup link between HTML Page and CSS file.
  - (A) < body > tag

(B) < link > tag

(**C**) tag

 $(\mathbf{D})$  <meta> tag

## **Answer any FIVE Questions out of EIGHT Questions.** Each question carries 16 marks.

- Q.2a. What are HTML tags? Discuss about the attributes of the following HTML tags
  - (i) <font>

(ii) <img>

(iii) <a>

(iv) <div>

(v)

(vi)

(2+6)

- b. Write a HTML document which contains a list of product name. Each product name will have a hyperlink to indicate detail about product. How HTML form validation is done. (6+2)
- a. Describe the different ways that styles can be added to a page. What is 0.3 stylesheet class? What do you mean by cascading Styles?
  - b. Write a HTML page and a stylesheet for placing image, text and audio file in a specified position on the page.
- Q.4 a. What are the governing rules for forming name of JavaScript variable? JavaScript has four types of data, discuss about them. (3+5)
  - b. Discuss about String manipulation functions and Math Library in JavaScript.

(4+4)

- Student Bounty.com **Q.5** What are the benefits of using the browser status bar to pass messages to user?
  - b. Describe briefly the Rollover Buttons with suitable examples.

- **Q.6** a. What is scalar in perl? Discuss about the functions which operate on scalars.
  - (i) substr()

(ii) uc ()

(iii) chomp ()

(iv) chop ()

(v) lc()

(vi) length ()

(2+6)

- b. Write a perl program for displaying all elements of array. Discuss about functions which operate on Array.
- c. Write a perl program for displaying all elements of Hash. Discuss about functions which operate on Hash.
- **Q.7** a. What is CGI scripting? Use CGI pm to write a script which returns an empty HTML page.
  - b. Explain the methods of tracking the users with hidden data. **(8)**
- **Q.8** a. What are the advantages of developing web based software in PHP? Write a PHP script for establishing connection with MYSQL database server. Assume that database server is in your local machine. (3+3)
  - b. Write a HTML form and PHP script for developing user authentication system (10)
- **Q.9** a. Explain XML in detail. What are Internal Entity in XML? Explain the techniques used to do XML validation (2+3+3)
  - b. What is DTD and schema? Write an example XML document and DTD.

(2+3+3)