Subject: ENGINEERING MATH

ROLL NO.

AMIETE – ET/CS/IT

Time: 3 Hours

DECEMBER 2012

ATH Max. Marks: 10

 (2×10)

PLEASE WRITE YOUR ROLL NO. AT THE SPACE PROVIDED ON EACH PAGE IMMEDIATELY AFTER RECEIVING THE QUESTION PAPER.

NOTE: There are 9 Questions in all.

- Question 1 is compulsory and carries 20 marks. Answer to Q.1 must be written in the space provided for it in the answer book supplied and nowhere else.
- The answer sheet for the Q.1 will be collected by the invigilator after 45 Minutes of the commencement of the examination.
- Out of the remaining EIGHT Questions, answer any FIVE Questions. Each question carries 16 marks.
- Any required data not explicitly given, may be suitably assumed and stated.
- Q.1 Choose the correct or the best alternative in the following:

a. If $u = \frac{x(x^3 - y^3)}{x^3 + y^3}$, then the value of $x\frac{\partial u}{\partial x} + y\frac{\partial u}{\partial y}$ is equal to

$$(\mathbf{A}) \mathbf{0} \tag{\mathbf{B}}$$

(C) 2u (D)
$$\frac{1}{2}$$
u

b. If $x = r \cos \theta$, $y = r \sin \theta$ then the value of $\frac{\partial r}{\partial x}$ is equal to

(A) 1 (B) x
(C)
$$\frac{x}{r}$$
 (D) $\frac{1}{2}$

c. The value of integral $\int_0^1 dx \int_0^x e^{y/x} dy$ is equal to

(A)
$$\frac{1}{2}$$
 (B) e^2
(C) $\frac{1}{2}(e-1)$ (D) $\frac{1}{4}(e-1)$

d. The rank of the matrix $\begin{bmatrix} 1 & 2 & 3 \\ 2 & 3 & 4 \\ 2 & 4 & 6 \end{bmatrix}$ is equal to

(A) 0
(B) 2
(C) 3
(D) does not exist

AE51/AC51/AT51 / DECEMBER - 2012

AMIETE - ET/CS/IT

1

ROLL NO. ______ *NG MATH: if if FOLLING:COMM Subject: ENGINEERING MATH

e. Using Newton-Raphson method to root of the equation f(x)=0 fails if

(A) f(x) is an exponential function (C) |f'(x)| = 1

(D) None of these

(**B**) f'(x) is zero

f. The degree of the differential equation $x^2 \left(\frac{d^2y}{dx^2}\right)^3 + y \left(\frac{dy}{dx}\right)^4 + y^4 = 0$ is equal to

g. Integrating factor of the differential equation $(x+1) \frac{dy}{dx} = y + e^x (x+1)^2$ is equal to

(A)
$$e^{x}$$
 (B) e^{x+1}
(C) $\frac{1}{x+1}$ (D) $x+1$

h. Particular Integral (PI) for the differential equation $(D^2 + 4)y = \sin 3x$ is equal to

(A)
$$\sin 3x$$
 (B) $\cos 3x$
(C) $\frac{1}{5}\sin 3x$ (D) $-\frac{1}{5}\sin 3x$

i. The value of the integral $\int_{-\infty}^{\infty} x^{1/4} e^{-\sqrt{x}} dx$ is equal to

(A)
$$\frac{3}{2}\sqrt{\pi}$$
 (B) $\sqrt{\pi}$
(C) $\frac{5}{2}\sqrt{\pi}$ (D) $\frac{1}{2}\sqrt{\pi}$

j. The value of the integral $\int_{-1}^{+1} P_m(x) P_n(x) dx$, $n \neq m$ is equal to

(A) 1	(B) −1
(C) 0	(D) Does not exists

Answer any FIVE Questions out of EIGHT Questions. Each question carries 16 marks.

Q.2 a. If
$$x+y+z=u$$
, $y+z=uv$, $z=uvw$ then show that $\frac{\partial(x, y, z)}{\partial(u, v, w)} = u^2 v$ (8)

b. Find the stationary values of $x^2+y^2+z^2$ subject to the conditions $ax^2+by^2+cz^2=1$ and lx+my+nz=0 (8)

AE51/AC51/AT51 / DECEMBER - 2012 2 AMIETE - ET/CS/IT

StudentBoul Subject: ENGINEERING MATH

ROLL NO.

- I

ty-com

Q.3 a. Evaluate
$$\int_{0}^{2} \int_{0}^{\sqrt{2x-x^{2}}} (x^{2} + y^{2}) dy dx$$

b. Compute $\iiint \frac{dxdydz}{(x+y+z+1)^3}$ if the region of integration is bounded by the co-(8) ordinate planes and the plane x+y+z=1

a. Determine for what values of λ and μ the following equations have **Q.4**

- (i) no solution
- (ii) an unique solution
- (iii) infinite number of solutions

$$x + y + z = 6$$

 $x + 2y + 3z = 10$ (8)
 $x + 2y + \lambda z = \mu$

b. Find the eigenvalues and the corresponding eigenvectors for the matrix

$$\mathbf{A} = \begin{bmatrix} 1 & -6 & -4 \\ 0 & 4 & 2 \\ 0 & -6 & -3 \end{bmatrix}$$
(8)

a. Write the Newton-Raphson procedure for finding $\sqrt[3]{N}$ where N is a real number. Q.5 Use it to find $\sqrt[3]{18}$ correct to 2 decimals, assuming 2.5 as the initial approximation. (8)

b. Solve the following system of equations using Gauss-Seidal method 6x + y + z = 1054x + 8y + 3z = 1555x + 4y - 10z = 65(Perform four iterations) (8)

Q.6 a. Solve
$$(1+y^2)dx = (\tan^{-1}y - x)dy$$
 (8)

b. Solve the equation
$$\left[(\cos x) \log_e (2y - 8) + \frac{1}{x} \right] dx + \frac{\sin x}{y - 4} dy = 0$$
 (8)

Q.7 a. Solve
$$x^2 \frac{d^3 y}{dx^3} + 3x \frac{d^2 y}{dx^2} + \frac{dy}{dx} = x^2 \log x$$
 (8)

b. Using the method of variation of parameters, solve
$$\frac{d^2y}{dx^2} + 4y = 4\tan 2x$$
 (8)

AE51/AC51/AT51 / DECEMBER - 2012 3 AMIETE - ET/CS/IT

Subject: ENGINEERING MATH

Q.8 a. Show that
$$\Gamma\left(\frac{1}{4}\right)\Gamma\left(\frac{3}{4}\right) = 2\int_{0}^{\pi/2} \sqrt{\tan\theta} \, d\theta = 4\int_{0}^{\infty} \frac{x^2 dx}{1+x^4} = \pi\sqrt{2}$$

ROLL NO. COMPANY NG MATH PHOTOS OF THE PHOTO b. Find solution in generalized series form about x=0 of the differential equation $3x\frac{d^2y}{dx^2} + 2\frac{dy}{dx} + y = 0$ (8)

Q.9 a. Prove that
$$J_n(x) = \frac{x}{2n} [J_{n-1}(x) + J_{n+1}(x)]$$
 (8)

b. Express $f(x) = x^4 + 3x^3 - x^2 + 5x - 2$ in terms of Legendre Polynomials. (8)