

Time: 3 Hours

DECEMBER 2012

Max. Marks: 160

PLEASE WRITE YOUR ROLL NO. AT THE SPACE PROVIDED ON EACH PAGE IMMEDIATELY AFTER RECEIVING THE QUESTION PAPER.

NOTE: There are 9 Questions in all.

- Question 1 is compulsory and carries 20 marks. Answer to Q.1 must be written in the space provided for it in the answer book supplied and nowhere else.
- The answer sheet for the Q.1 will be collected by the invigilator after 45 minutes of the commencement of the examination.
- Out of the remaining EIGHT Questions answer any FIVE Questions, selecting at least TWO questions from each part, each question carries 16 marks.
- Any required data not explicitly given, may be suitably assumed and stated.

Q.1 Choose the correct or the best alternative in the following: (2×10)

- a. A C program contains the following declarations and initial assignments:

```
int i=8, j=5;
```

Determine the value of the following expression. Use the values assigned to the variables for evaluating the expression.

$$2 * ((i / 5) + (4 * (j - 3)) \% (i + j) - 2)$$

(A) 20

(B) 18

(C) 14

(D) 16

- b. How many nodes are there in the full tree of degree 3 and height 4?

(A) 20

(B) 121

(C) 100

(D) None of these

- c. Consider the following code segment

```
int x=10, y=10, a, b;
```

```
int *p1=&x, *p2=&y;
```

```
a=*p1+(*p2) - - ;
```

```
b=++(*p2) - *p1;
```

```
printf ("%d %d", a,b);
```

what will be its output?

(A) 10 0

(B) 20 0

(C) 0 20

(D) 0 10

- d. What would be the output of the following C program?

```
struct Emp
```

```
{ char name[20]; int age; float sal;
```

```
};
```

```
Emp e1= { "Amol", 21, 2345.00};
```

```
Emp e2= { "Ajay", 23, 4500.75};
```

```
void main()
```

```
{
```

```
Emp & func( );
```

```
func( )= e2;
```

Code: AE52/AC52/AT52 Subject: C & DATA STRUCTURE

```
printf ( "%s %d %f", e1.name, e1.age, e1.sal);
}
Emp & func()
{
return e1;
}
```

- (A) Ajay 23 4500.75 (B) Amol 21 2345.00
(C) Error (D) None of these

e. The postfix expression for the infix expression $A + B * (C + D) / F + D * E$ is

- (A) $AB + CD + * F/D + E *$ (B) $A*B + CD / F*DE ++$
(C) $ABCD + * F/+DE * +$ (D) $A+*BCD / F * DE ++$

f. Evaluate the following prefix expression

- * 6 3 - 4 1

- (A) 25 (B) 23
(C) 15 (D) 12

g. Let p be the queue of integers defined as follows:

```
#define MAXQ 500
struct queue
{
    int items[MAXQ];
    int front, rear;
} q;
```

To insert an element in the queue we can use

- (A) $++q.items[q.rear]=x;$ (B) $q.items[++q.rear] = x;$
(C) $q.items[++q.rear]++ = x;$ (D) None of these

h. Representing polynomial in memory using linked list requires each node having

- (A) 3 fields (B) 4 fields
(C) > 4 (D) None of these

i. How many ancestors do a node in the N^{th} level (root level=0) of a binary search tree have?

- (A) N (B) $N+1$
(C) 2^N (D) 2^{N+1}

j. Average case time complexity of the quicksort algorithm is more than

- (A) $O(N \log_2 N)$ (B) $O(N^2 \log N)$
(C) $O(N^2)$ (D) $O(N^3)$

PART (A)

Answer at least any TWO Questions. Each question carries 16 marks.

Code: AE52/AC52/AT52 Subject: C & DATA STRUCTURE

- Q.2**
- Explain with the help of an example how floating point numbers are stored. (4)
 - What do you understand by forced conversions? Explain with example. (4)
 - Differentiate between logical and arithmetic shift. (4)
 - Do the following conversions: (4)
 - $(25)_8 = (?)_{16}$
 - $(A21)_{16} = (?)_{10}$
- Q.3**
- Can any of the three initial expressions in the for statement be omitted? If so, what are the consequences of each omission? (4)
 - Write a program that will read a positive integer and print its binary equivalent. (6)
 - What is the output of the following program? (2)


```
const int a=124;
void main()
{
    const int *sample();
    int *p;
    p=sample();
    printf ( "%d",*p);
}
const int *sample()
{
    return (&a);
}
```
 - Write a C program to reverse a given number. (4)
- Q.4**
- Distinguish between the following: (6)
 - `int (*m)[5];` and `int *m[5]`
 - `int (*ptr)();` and `int *ptr()`
 - Write a program to show how elements of an array can be accessed using pointers. (6)
 - With the help of an example show sequence of execution during function calls. (4)
- Q.5**
- Write a program to copy the contents of one file into another file using command line arguments. (6)
 - How is a string stored in memory? Is there any difference between string and character array? Write a C program to copy one string to another using pointers and without using library functions. (8)
 - What is a bit field? Why are bit fields used with structures? (2)


PART (B)**Answer at least any TWO Questions. Each question carries 16 marks.**

- Q.6**
- What is a heap? Write a C program to sort an array of integers using the heap sort method. Given: 6, 5, 3, 1, 8, 7, 2, 4 are elements of an array, show the different stages of sorting. (8)
 - Write a C program to search for an element using binary search. (8)
- Q.7**
- Write a C program to convert the given infix expression into its equivalent postfix form. (6)

Code: AE52/AC52/AT52 Subject: C & DATA STRUCTURE

- b. Write a C program to implement the working of a queue of integers using an array. Provide the following operations.
 (i) insert (ii) delete (iii) display (6)
- c. Write a C function to insert an element after a given node in a singly linked list. (4)

Q.8 a. Give the order of visitation of the binary tree shown in the following figure. (6)



- (i) Preorder traversal (ii) Inorder traversal
 (iii) Postorder traversal
- b. Write an C function to insert an element into a binary search tree. (5)
- c. Write a C function to search for an item in a binary search tree. (5)
- Q.9** a. Write a C program for BFS traversal. Explain the same with the help of an example. (10)
- b. Explain with the help of examples the following:
 (i) Adjacency Matrix
 (ii) Linked Adjacency Lists (6)