Code: AC05/AT05 Subject: PROGRAMMING & PROBLEM SOLVING

AMIETE – CS/IT (OLD SCHEME)

Time: 3 Hours

JUNE 2012

VINCENBOUTUR

 (2×10)

ROLL NO.

PLEASE WRITE YOUR ROLL NO. AT THE SPACE PROVIDED ON EACH PAGE IMMEDIATELY AFTER RECEIVING THE QUESTION PAPER.

NOTE: There are 9 Questions in all.

- Question 1 is compulsory and carries 20 marks. Answer to Q.1 must be written in the space provided for it in the answer book supplied and nowhere else.
- The answer sheet for the Q.1 will be collected by the invigilator after 45 Minutes of the commencement of the examination.
- Out of the remaining EIGHT Questions answer any FIVE Questions. Each question carries 16 marks.
- Any required data not explicitly given, may be suitably assumed and stated.

Q.1 Choose the correct or the best alternative in the following:

a. Which of the following is / are not the keyword(s) of C?

(A) if	(B) then		
(C) volatile	(D) both (B) and (C)		

b. Which of the following is not a translator?

(A) Assembler	(B) Compiler
(C) Interpreter	(D) Linker

c. Let $f(n) = 4n^2 + 3n + 2$. Which of the following is / are not correct?

(A) $f(n) = O(n^2)$	$(\mathbf{B}) \ f(n) = O(n)$
(C) $f(n) = O(n^3)$	(D) both (B) and (C)

d. What is the value assigned to a and b by statement scanf("%d %*d %d", &a, &b) on the input 123 456 789?

(A) $a = 123$	b = 456	(B) $a = 123$ $b = 789$
(C) $a = 123$	b = 123	(D) Syntax error in the statement

e. Which of the statement is used to skip a portion of an iteration in a looping statement?

(A) goto	(B) exit
(C) continue	(D) break

AC05/AT05 / JUNE - 2012

1

AMIETE - CS/IT (OLD SCHEME)

StudentBounts.com ROLL NO. Subject: PROGRAMMING & PROBLEM SOLVING Code: AC05/AT05 3 . Which of the following f. Consider a two dimensional array 6 5 correct declaration? (A) int array[] $[3] = \{ \{ 1, 2, 3\}, \{ 4, 5, 6\} \};$ **(B)** int array[2][] = { { 1, 2, 3 }, { 4, 5, 6 } }; (C) int array[] [] = { { 1, 2, 3 }, { 4, 5, 6 }; **(D)** int array $[3][2] = \{ \{ 1, 2, 3 \}, \{ 4, 5, 6 \} \};$ g. Which of the following is not correct with respect to pointers? (A) A numeric constant can be assigned to a pointer (B) Pointer can be incremented (C) Pointer can be passed as an argument to a function (D) Name of an array can be used as a pointer h. Consider the following declarations: double a[10]; double *pa; Which of the following declaration is wrong? (A) pa = a;**(B)** pa = &a[3](C) a = pa + 1**(D)** pa = a + 1What is the value assigned to the variable temp by the following program i. segment? #define SQUARE(x) (x * x)temp = SQUARE(2+4)


(A) 36	(B) 14
(C) 20	(D) Compilation error

- j. Which of the following is used in finding the time complexity of an algorithm?
 - (A) Time taken for the execution of the corresponding program
 - (B) Number of operation involved in the program
 - (C) Number of steps in the algorithm
 - (D) Number of variables used in the program

Answer any FIVE Questions out of EIGHT Questions. Each question carries 16 marks.

Q.2 a. What is an algorithm? What are its characteristic features?			racteristic features? (6)
b.	Describe the basic funct	ions of the follo	owing software:
	(i) Assembler	(ii) Compiler
	(iii) Interpreter	(iv	y) Linker and
	(v) Loader		(10)
AC05/AT	05 / JUNE - 2012	2	AMIETE - CS/IT (OLD SCHEME)

		ROLL NO.	
Code: AC05/A	Т0:	5 Subject: PROGRAMMING & PROBLEM SOLVING	GH 'C'
Q.3		Define Big O notation. Describe the complexity of the following function: using O notation. What is meant by tight upper bound? (i) $f(n) = 4 n^2 + 2n$ (ii) $f(n) = 5n^3 + n \log n$ (iii) $f(n) = 7n^4 + n \log n + 2^n$	(8) (8)
	b.	Describe the steps involved in generating the Fibonacci sequence. Write the complete algorithm description of the problem.	te (8)
Q.4	a.	Write a C program to multiply two matrices.	(8)
	b.	Write a C program to read a set of numbers, sort them using insertion sor and print the sorted list.	rt (8)
Q.5	a.	Let name = "Ramanu". Write the output of the following printf statements Indicate blank spaces if any using b (i) printf("10s\n", name) (ii) printf("10.3s\n", name) (iii) printf("5s\n", name) (iv) printf(".3s\n", name) (v) printf("-10.3s\n", name)	s. (5)
	b.	Differentiate between structure and union.	(5)
	c.	Explain the syntax of switch statement and with an example show how control is transferred during its execution.	w (6)
Q.6	a.	Describe passing parameters to a function by value and by reference. Indicate the effects of each way of parameter passing. Give examples to support your answer.	
	b.	Write the function to concatenate and compare two strings without using the library functions.	lg (8)
Q.7	a.	<pre>What will be printed as the result of the following programs: (i) main() {</pre>	(8)
		char *ptr = "Cisco Systems";	
		*ptr++; printf("%s\n",ptr);	
		ptr++;	
		<pre>printf("%s\n",ptr);</pre>	
		}	
		(ii) main() {	
		int x=20, y=35;	
		x=y++ + x++;	
		y=++y+++x;	
		printf("%d %dn",x,y);	
		}	
AC05/.	AT(05 / JUNE - 2012 3 AMIETE - CS/IT (OLD SCHEN	ME)



4