

AMIETE – CS (NEW SCHEME)

Time: 3 Hours

JUNE 2012

Max. Marks: 100

PLEASE WRITE YOUR ROLL NO. AT THE SPACE PROVIDED ON EACH PAGE IMMEDIATELY AFTER RECEIVING THE QUESTION PAPER.

NOTE: There are 9 Questions in all.

- Question 1 is compulsory and carries 20 marks. Answer to Q.1 must be written in the space provided for it in the answer book supplied and nowhere else.
- The answer sheet for the Q.1 will be collected by the invigilator after 45 Minutes of the commencement of the examination.
- Out of the remaining EIGHT Questions answer any FIVE Questions. Each question carries 16 marks.
- Any required data not explicitly given, may be suitably assumed and stated.

Q.1 Choose the correct or the best alternative in the following: (2×10)

a. Which of the following is not a regular language?

- (A) $L_1 = \{a^n b^n c^n \mid n \geq 0\}$ (B) $L_2 = \{a^5 b^{10} c^{100}\}$
 (C) $L_3 = \{a^m b^n \mid 1 \leq m \leq 5, n \geq 5\}$ (D) $L_4 = \{a^n \mid n \neq 3\}$

b. For which type of the grammar a derivation tree can not be drawn?

- (A) Regular Grammar (B) Context Sensitive
 (C) Context Free (D) Left Regular Grammar

c. In a DFA defined over $\Sigma = \{a, b\}$ and with number of states equal to FOUR, how many entries are there in its transition table?

- (A) 16 (B) 4
 (C) 2 (D) 8

d. Language produced by the grammar with productions: $S \rightarrow aS$, $S \rightarrow aA$ and $A \rightarrow b$ is

- (A) a^*ab (B) $(a \vee b)^*b$
 (C) $(a \vee b)^*a$ (D) $(ab)^*b$

e. Concatenation of two regular languages yields

- (A) Context free language (B) Context Sensitive Language
 (C) A palindrome (D) Regular language

Code: AC68

Subject: FINITE AUTOMATA & FORMULA LANGUAGE

- f. A problem is said to be undecidable if there exists
- (A) No Turing Machine that always terminates.
 - (B) No push down automata
 - (C) Turing Machine that terminates when solution exists but may loop when there is no solution.
 - (D) No Finite Automata
- g. A grammar is converted into CNF to
- (A) Remove ambiguity, if any
 - (B) Incorporate ambiguity, if any
 - (C) CNF has nothing to do with ambiguity of a grammar
 - (D) None of the above.
- h. A language is said to be ambiguous if
- (A) There exists an ambiguous grammar for the language
 - (B) All grammar generating the language must be ambiguous
 - (C) There exists no terminating Turing machine for language
 - (D) There exists non deterministic push down automata
- i. For a given Finite Automata, an equivalent language can be determined.
- (A) Regular
 - (B) context-free
 - (C) Free language
 - (D) Context sensitive
- j. Which of the following does not characterize a FA as NFA
- (A) ϵ - Move
 - (B) Multiple moves on same symbol
 - (C) One move on multiple symbols
 - (D) No move from a state


Answer any FIVE Questions out of EIGHT Questions.
Each question carries 16 marks.

- Q.2** a. Write in brief the application of Finite Automata in Computer Science. (4)
- b. A palindrome is defined as a string that reads the same forward and backward. Give the alternative (formal language theory) definition of a palindrome. (4)
- c. For the language $L = \{w = 10^*b(010)a\}$, write its set of alphabets, represent L in set theoretic notation and show that L contains infinite number of strings. (8)

Code: AC68

Subject: FINITE AUTOMATA & FORMULA LANGUAGE

- Q.3** a. Give regular expression for
- all strings of 0's and 1's with atleast two consecutive 0's.
 - all strings of 0's and 1's beginning with 1 and not having two consecutive 0's.
 - all strings of 0's and 1's ending in 011.
- (6)
- b. Simplify the following FSM showing each step involved in minimization. (10)



- Q.4** a. Draw a DFA for the language $L = \{b^k a^m \mid k, m \geq 0, k \neq 2, m \neq 3\}$ (6)
- b. Prove that languages generated by the following two grammars are same
- $G_1 : S \rightarrow aS, S \rightarrow bA, A \rightarrow b$
- $G_2 : S \rightarrow aS, S \rightarrow Ab, A \rightarrow b$
- What happens when first production in G_2 i.e. $S \rightarrow aS$ is changed to $S \rightarrow Sa$? (10)
- Q.5** a. Prove that regular expressions $(a + b + aa)^*$ and $(a + b)^*$ over $\Sigma = \{a, b\}$ are equivalent. (8)
- b. Show that $L = \{a^m b^n \mid m, n \geq 0\}$ is a regular language whereas $L = \{a^n b^n \mid n \geq 0\}$ is not a regular language. (8)
- Q.6** a. Show that the language $L = \{a^n \mid n \text{ is an integral power of } 2\}$ is generated by the following grammar (10)
- $S \rightarrow ACaB,$
 - $Ca \rightarrow aaC,$
 - $CB \rightarrow DB,$
 - $CB \rightarrow E,$
 - $aD \rightarrow Da,$
 - $AD \rightarrow AC$
 - $aE \rightarrow Ea$
 - $AE \rightarrow \epsilon$
- b. Draw a PDA that accepts a palindrome. (6)
- Q.7** a. When a Context Free Grammar is said to be in CNF and GNF? How it helps in removing ambiguity in a Type III grammar? (8)

Code: AC68

Subject: FINITE AUTOMATA & FORMULA LANGUAGE

b. Prove that $L = \{a^i b^j c^k \mid i < j < k\}$ is not a context-free language. (8)

Q.8 a. Prove that halting problem of Turing machine is not decidable. (8)

b. Design a Turing machine to accept the language $\{a^n b^n \mid n \geq 1\}$. (8)

Q.9 Write short notes on any **TWO** of the following:

- (i) Post Correspondence Problem
- (ii) Recursively enumerable language
- (iii) Computational Complexity

(8+8)