

AMIETE – ET (NEW SCHEME)

Time: 3 Hours

JUNE 2012

Max. Marks: 160

PLEASE WRITE YOUR ROLL NO. AT THE SPACE PROVIDED ON EACH PAGE IMMEDIATELY AFTER RECEIVING THE QUESTION PAPER.

NOTE: There are 9 Questions in all.

- Question 1 is compulsory and carries 20 marks. Answer to Q.1 must be written in the space provided for it in the answer book supplied and nowhere else.
- The answer sheet for the Q.1 will be collected by the invigilator after 45 minutes of the commencement of the examination.
- Out of the remaining EIGHT Questions answer any FIVE Questions. Each question carries 16 marks.
- Any required data not explicitly given, may be suitably assumed and stated.

Q.1 Choose the correct or the best alternative in the following: (2×10)

a. Which of the following are not the characteristics of embedded system?

- | | |
|----------------------------|-------------------------|
| (A) Singled functioned | (B) Tightly constrained |
| (C) Reactive and real time | (D) Chip area |

b. Digital circuit design to execute exactly one program is called

- | | |
|------------------------|------------------------------|
| (A) Microprocessor | (B) Single-purpose processor |
| (C) Parallel processor | (D) Digital processor |

c. Task of assigning a unique bit pattern to each state in an FSM is called

- | | |
|--------------------|------------------------|
| (A) Block encoding | (B) State encoding |
| (C) Task encoding | (D) State minimization |

d. The processor on which we write and debug the program is called

- | | |
|---------------------------|-----------------------|
| (A) Development processor | (B) Target processor |
| (C) Multiprocessor | (D) None of the above |

e. Reaction timer is one

- | |
|--|
| (A) Which measures the time that an event takes to respond |
| (B) Measures the overall time |
| (C) Measures the time taken by an event to stop |
| (D) Measures the time taken by an event to start |

f. The ability of memory to hold its stored bits after those bits have been written is called

- | | |
|--------------------|-------------------------|
| (A) Write ability | (B) Storage performance |
| (C) Write capacity | (D) Storage capability |

Code: AE68

Subject: EMBEDDED SYSTEMS DESIGN

g. In rotating priority arbitration the arbiter changes priority of peripherals based on

- (A) The priority of the peripherals
- (B) First come first serve basis
- (C) The history of servicing of those peripherals
- (D) Last in first out basis

h. Semaphore associated two functions are

- (A) Take and release
- (B) Take and stop
- (C) Run and release
- (D) None of these

i. PCI bus is used for


- (A) Interconnecting chips
- (B) Connecting expansion boards
- (C) Connecting processing memory subsystems
- (D) All of the above

j. Which one of the following is not a wireless protocol

- (A) IrDA
- (B) Bluetooth
- (C) IEEE 802.11
- (D) RS232

**Answer any FIVE Questions out of EIGHT Questions.
Each question carries 16 marks.**

- Q.2** a. Explain in detail the common characteristics that distinguish embedded from other systems (6)
- b. Four lights are connected to a decoder. Build a circuit that will blink the lights in the order 0,2,1,3,0,2, (10)
Start from a state diagram, draw the state table, minimize the logic, and draw the final circuit.



- Q.3** a. Explain in detail general software design tools that are used to design, test and debugging of software. (10)

- b. What are the different varieties of ASIP's? Explain each how they can be used in today's embedded applications. (6)
- Q.4** a. With examples explain different timer structures. (10)
- b. Determine the values for SMOD and TH1 to generate a baud rate of 9600 for 8051 microcontroller, assuming 11.981MHz oscillator. (6)
- Q.5** a. Explain in detail different types of RAM memory. (8)
- b. Given a 2-level cache design where the hit rate are 88% for the smaller cache and 97% for the larger cache, the access cost for a miss are 12 cycles and 20 cycles respectively and the access cost for a hit is one cycle. Calculate the average cost of success. (8)
- Q.6** a. Explain in detail priority arbiter and Daisy-chain Arbitration. (8)
- b. Write short notes on (8)
- (i) Wireless communication
 - (ii) Layering
 - (iii) Error detection and correction
 - (iv) Parallel communication
- Q.7** a. Define the term reentrancy? What are the three rules that decide the function is reentrant. (4)
- b. Explain with an example (program) what is shared-data problem and how it can be overcome using semaphore. (12)
- Q.8** a. Compare the different methods used for Intertask communication. (8)
- b. How does the RTOS know how to set up the timer hardware on my particular hardware? (4)
- c. How accurate are the delays produce by the RTOS delay functions? (4)
- Q.9** a. Explain in general the techniques used to save memory space. (10)
- b. Write short notes on the following: (6)
- (i) Advantages in using large number of tasks
 - (ii) Saving power