(vii)

Essential for energy exchange reactions:

L44					M 44			
W	ARN	NING: You must return this section w	ith your answer	book otherwis	e marks will be lost.			
			Write Examin Number	ation				
		AN ROINN OIDEAC	HAIS AGUS EOL	<b>AÍOCHTA</b>				
		LEAVING CERTIFIC	CATE EXAMINA	ATION, 1999				
		BIOLOGY —	HIGHER I	LEVEL				
		WEDNESDAY, 16 JUN	E — AFTERNOON	2.00 to 5.00				
		x questions from Part I and four questions from d not spend more than 45 minutes on Part I, lea		utes for Part II.				
		PART	I (120 marks)					
Write Keep Write	your your your	x questions. Each question carries 20 marks. c answers in the spaces provided. c answers short. c examination number at top. c return this part of the examination paper;	enclose it in the ans	wer book you us	e for answering Part II.			
1. A	Answ	er the following by placing a tick ( ) in the ap	propriate box.					
		The number of molar teeth in a full human set:	• •					
`	4		<u> </u>					
(	<i>b</i> ) T	The chromosome content of endosperm:						
Ì	n		4n					
(	(c) T	The chromosome content of cells in cotyledons	<b>::</b>					
	n	2n 3n	4n					
(	(d) C	Cobalt chloride paper is used to test for:						
	С	earbon dioxide water	oxygen		protein			
(	(e) I	Diabetes is due to a deficiency of						
	a	ndrenaline insulin	oxytocin		FSH			
	From the list below select, in each case, the element that fits the description. (You may use the same element more than once if necessary.)							
		Calcium, iron, iodine, magnesium, zin	c, phosphorus, sodiu	ım, sulphur, chlor	ine, potassium.			
	(i)	Always found in DNA:						
	(ii)	Always found in thyroxine:		•••••				
	(iii)	An essential component of chlorophyll:	***************************************	***************************************	***************************************			
	(iv)	Required for normal blood clotting:						
	(v)	Required to prevent osteoporosis:		••••••				
	(vi)	Always found in haemoglobin:		.,,,,,,				

(i)		
	Name this type of asexual reproduction.	
(ii)	Are the products of this form of reproduction clones?	
	Briefly explain your answer.	
(iii)	Yeast is described as a facultative anaerobe. What does this	s mean?
(iv)	As a facultative anaerobe, yeast produces carbon dioxide a	and another substance. What is this other substar
(v)	Give an economic use of the carbon dioxide produced by	yeast.
(vi)	State one way in which a yeast cell differs from a typical p	lant cell.
	An evaporating basin was weighed and found to have a ma	ss of 44g. Soil was then added. The mass of the
and	An evaporating basin was weighed and found to have a ma soil together was 80g. The basin and its contents were heated graph shows the changes in mass during heating.	ss of 44g. Soil was then added. The mass of the
and :	An evaporating basin was weighed and found to have a massoil together was 80g. The basin and its contents were heated graph shows the changes in mass during heating.	ss of 44g. Soil was then added. The mass of the ed to 100°C for a period of time.
and :	An evaporating basin was weighed and found to have a ma soil together was 80g. The basin and its contents were heater	ss of 44g. Soil was then added. The mass of the ed to 100°C for a period of time.  80 mass (g)
and :	An evaporating basin was weighed and found to have a massoil together was 80g. The basin and its contents were heated graph shows the changes in mass during heating.	ss of 44g. Soil was then added. The mass of the ed to 100°C for a period of time.
and :	An evaporating basin was weighed and found to have a massoil together was 80g. The basin and its contents were heated graph shows the changes in mass during heating.  How was the evaporating basin heated to 100°C?  What indication was there that all the water had been	ss of 44g. Soil was then added. The mass of the ed to 100°C for a period of time.  80  mass (g)  40  20
and i	An evaporating basin was weighed and found to have a massoil together was 80g. The basin and its contents were heated graph shows the changes in mass during heating.  How was the evaporating basin heated to 100°C?  What indication was there that all the water had been removed from the soil?	ss of 44g. Soil was then added. The mass of the ed to 100°C for a period of time.  80  60  40  7  Time
and i	An evaporating basin was weighed and found to have a massoil together was 80g. The basin and its contents were heater graph shows the changes in mass during heating.  How was the evaporating basin heated to 100°C?  What indication was there that all the water had been removed from the soil?	ss of 44g. Soil was then added. The mass of the ed to 100°C for a period of time.  80
The  (i)	An evaporating basin was weighed and found to have a massoil together was 80g. The basin and its contents were heated graph shows the changes in mass during heating.  How was the evaporating basin heated to 100°C?  What indication was there that all the water had been removed from the soil?  State why it is important that the temperature should <i>not</i> be	ss of 44g. Soil was then added. The mass of the ed to 100°C for a period of time.  80  60  40  7  Time
and (i)  (ii)  (iii)	An evaporating basin was weighed and found to have a massoil together was 80g. The basin and its contents were heater graph shows the changes in mass during heating.  How was the evaporating basin heated to 100°C?  What indication was there that all the water had been removed from the soil?  State why it is important that the temperature should not be calculate the percentage mass of water in the sample.	mass (g)  Time
and (i)  (ii)  (iii)	An evaporating basin was weighed and found to have a massoil together was 80g. The basin and its contents were heater graph shows the changes in mass during heating.  How was the evaporating basin heated to 100°C?  What indication was there that all the water had been removed from the soil?  State why it is important that the temperature should not be	mass (g)  mass (g)  Time  e allowed to rise much above 100°C.

	(ii)	The cell membrane is said to be semi-permeable (selectively permeable). Explain this term.
	(iii)	Name two processes that are involved in the passage of materials across cell membranes.  1
(b)	One the c	of the processes involved in the passage of materials across cell membranes requires energy released in ell.
	(i)	Name an organelle in which this energy release takes place.
	(ii)	Give one location in an angiosperm plant where cells possessing a large number of this organelle are
		found
. (a)	(i)	The diagram shows a vertical section through part of a dicotyledonous leaf.
		Name the parts labelled A, B and C.  A
		A
	(ii)	Name three substances that pass through <b>D</b> which are involved in the leaf's metabolism.
		$\mathbf{p}$
	(iii)	State a function of A.
	(iv)	State one way in which a leaf of a dicotyledonous plant differs externally from a leaf of a monocotyledonous plant.
(b)	(i)	What is a xerophyte?
	(ii)	Name a xerophyte and give <i>one</i> feature that indicates that it is a xerophyte.

(i) In the space provided draw a diagram to show the basic structure of a cell membrane. Label *two* components on your diagram.

5.

	each of the following distinguish clearly between the members of the pair of terms by writing a brief explanator
(a)	Antenna and anther:
	A
(0)	Antigen and antibody:
(c)	Plumule and radicle:
( <i>d</i> )	Genus and species:
(e)	Dormancy and migration:

(21)

## AN ROINN OIDEACHAIS AGUS EOLAÍOCHTA

## LEAVING CERTIFICATE EXAMINATION, 1999

## **BIOLOGY — HIGHER LEVEL**

WEDNESDAY, 16 JUNE --- AFTERNOON 2.00 to 5.00

Part I is on a separate sheet which provides spaces for your answers. The completed sheet should be enclosed in your answer book.

## PART II (280 marks)

Write your answers to this part in your answer book.

Answer four questions. Each question carries 70 marks.

- 8. (a) Draw diagrams of *two* nuclei to show the difference between metaphase of mitosis and metaphase of meiosis I for nuclei in which 2n = 4. Your diagrams should show chromosomes (chromatids), centromeres and spindle fibres. Label these structures on one of the diagrams. (15)
  - (b) A guinea pig is heterozygous in respect of the allelic genes A and B. These two genes occupy <u>loci</u> on different pairs of <u>homologous chromosomes</u>. A is <u>dominant</u> to a and B is dominant to b.
    - (i) Explain the underlined terms.
    - (ii) State the significance, in relation to gamete formation, of the fact that the two genes occupy loci on different pairs of homologous chromosomes.
    - (iii) A guinea pig heterozygous for A and B is crossed with a guinea pig recessive for A and B.

Give the genotypes of the two parents.

What is the percentage chance that any one of the progeny will be the same as one or the other of the parents?

If **A** and **B** occupied loci on the *same* homologous pair of chromosomes, would you expect the same result? (Assume crossing over does not occur.) Explain your answer. (37)

- (c) Write notes on two of the following: genetic variation, natural selection, fossils. (18)
- **9.** (a) Describe how you would carry out the following procedures in the laboratory:
  - (i) prepare a chloroplast extract from leaves;
  - (ii) separate the pigments in the chloroplast extract.
  - (b) What is meant by the absorption spectrum of chlorophyll? Draw an outline graph of the absorption spectrum of a chlorophyll. Label the axes of your graph.

State the advantage to a plant of possessing more than one chlorophyll pigment. (22)

- (c) (i) Give a diagram to show the carbon cycle.
  - (ii) Write summary equations for two processes named in your diagram which involve glucose.
  - (iii) Global warming is attributable to a build up of carbon dioxide in the earth's atmosphere. Suggest how an imbalance in the carbon cycle may contribute to this build up of carbon dioxide.
  - (iv) Nitrogen, like carbon, is circulated in nature. State one difference between the carbon cycle and the nitrogen cycle. (27)

10. (a) Make a three-column table placing Spirogyra at the top of one column, Fucus at the top of the second and moss or fern at the top of the third.
Complete the table to compare and contrast the three plants under the following headings:

(i) normal habitat;
(ii) occurrence of alternation of generations in the life cycle;
(iii) occurrence of isogamy or heterogamy;
(iv) occurrence of internal or external fertilisation;
(v) formation of a zygospore.

- (b) In the case of Fucus and the moss or fern, explain the importance of water for the completion of their life cycles. (15)
- (c) (i) Spirogyra and Fucus are non-vascular plants. What is meant by non-vascular?
  - (ii) Name a vascular plant. Name the two tissues it contains that qualify it as a vascular plant. Give the main process occurring in each of these tissues.
  - (iii) State the difference in distribution of the vascular tissues as seen in transverse sections of a stem and a root of a dicotyledonous plant early in its first year of growth. (25)
- 11. (a) (i) Using labelled diagrams show the difference between the structure of an artery and of a vein.
  - (ii) Name the main gas carried in each of the following: pulmonary artery, aorta.
  - (iii) For each gas that you have named in (ii), state one way the blood transports the gas.
  - (iv) Name and state the function of the valve that is found where the aorta leaves the heart. (33)
  - (b) (i) Draw a large labelled diagram of the human respiratory system (excluding the rib cage and associated muscles).
    - (ii) Insert the letters X, Y, Z on the diagram to show, in each case, a region where
      - gaseous exchange takes place (X);
      - cilia are located (Y);
      - cartilage is found (Z). (19)
  - (c) The length of time that it takes a person's heart rate to return from the highest rate resulting from a period of exercise to the normal resting rate is called recovery time.
    - (i) Suggest a relationship between recovery time and a person's degree of physical fitness.
    - (ii) Devise a simple experiment to measure recovery time. (18)
- 12. Give a concise biological explanation for seven of the following observations.
  - (a) Glucose and proteins are normally absent from human urine.
  - (b) Sweating results in body cooling.
  - (c) If damp hay is stored in a shed, it is liable to become quite hot.
  - (d) Removal of the terminal bud of a woody shoot promotes lateral growth.
  - (e) It is rare to find a father and son both suffering from haemophilia.
  - (f) As the evening progresses and it gets darker, a time is reached when the human eye can no longer detect colour.
  - (g) When vegetables are being prepared for deep freezing, it is common practice to first immerse them in boiling water for a few minutes.
  - (h) The larvae of insects, unlike the adults, undergo ecdysis. (70)

- 13. (a) A particular species of small <u>herbaceous</u> plant is found in a variety of <u>habitats</u>. It is a typical autotroph and is a major component of the diet of a species of small mammal and a number of other <u>heterotrophs</u>.
  - (i) Explain the underlined terms.
  - (ii) Name a process associated with autotrophic nutrition.
  - (iii) Name two forms of heterotrophic nutrition different from that of the small mammal and state the significance in Nature of each of these.
  - (iv) Suggest two possible consequences for the small mammal population should the population of the herbaceous plant be eliminated from a habitat by the application of a herbicide. (30)
  - (b) The herbaceous plant is observed to be an 'aggressive coloniser'.
    - (i) State the meaning of 'aggressive coloniser'.
    - (ii) Suggest one way in which this herbaceous plant may reach new habitats.
    - (iii) Suggest two likely consequences of the arrival of the species in a new habitat.
    - (iv) This species is commonly found in climax communities.
       Explain the term climax community as used in ecology and name the ecological process that gives rise to climax communities.
  - (c) Name and describe a procedure that you would use to estimate the population of the herbaceous plant in a particular habitat. (19)
- 14. (a) (i) From each of the pairs of terms listed below select the term which describes the liver fluke.

protozoan / metazoan;

diploblastic / triploblastic;

radial symmetry / bilateral symmetry;

acoelomate / coelomate;

segmented / non-segmented.


- (ii) In the case of the term in each pair that *does not apply* to the liver fluke, name an animal that is described by that term.
- (iii) Planarians are free-living members of the same phylum as liver flukes. Name the phylum and give *two* external structural features of planarians that are *not* found in liver flukes. (35)
- (b) The liver fluke is a common parasite of sheep and cattle.
  - (i) Give the term used to describe the animal in which a parasite like the liver fluke spends the greater part of its life cycle.
  - (ii) State two structural adaptations of the liver fluke to its mode of life. In each case give an advantage of the adaptation.
  - (iii) What is the significance of the sporocyst in the life cycle of the liver fluke?
  - (iv) Suggest one way in which the liver fluke may cause harm to sheep or cattle.
  - (v) Outline two measures that a farmer might use to reduce liver fluke numbers. State the effect of each measure on the adult liver fluke or its life cycle. (35)

- (a) The <u>mycelium</u> of *Phytophthora infestans* may be found in the leaves of infected potato plants. The <u>hyphae</u> grow through the leaf and put out <u>haustoria</u> at intervals. During the winter mycelia are found in potato tubers. These tubers are responsible for the appearance of blight in the following year.
  - (i) Give the meaning of the underlined terms.
  - (ii) Describe the spread of the fungus from an infected tuber to a tuber produced in the following growing season.
  - (iii) State two ways in which the spread of potato blight may be reduced. State the effect of each method on *Phytophthora* or its life cycle.
- (b) (i) What is digestion? Distinguish clearly between mechanical and chemical digestion. Give two examples of mechanical digestion.
  - (ii) Describe a role of each of the following in the human digestive system:

bile, enterokinase, pyloric sphincter, villi.

- (iii) Describe the process of ingestion, digestion and egestion in Amoeba.
- (c) (i) Draw a labelled diagram of a potometer set up for use in an experiment.


State and give a reason for one precaution which should be taken when setting up a potometer.



(iii) The graph shows the water loss from a leafy shoot set up in a potometer.

Copy the graph into your answer book and draw on it a second graph to show the fluctuation in water loss from an atmometer over the same period.

Account for the difference between the two results.



- (d) (i) Identify, giving your reasons in each case, what is shown in photographs 1 and 2 on the separate page of photographs.
  - (ii) Write a short explantory note on the procedure illustrated in photograph number 3.

AN ROINN OIDEACHAIS AGUS EOLAÍOCHTA

SCRÚDÚ ARDTEISTIMÉIREACHTA, 1999 LEAVING CERTIFICATE EXAMINATION, 1999

# BITHEOLAÍOCHT — ARDLEIBHÉAL BIOLOGY — HIGHER LEVEL

DÉ CÉADAOIN, 16 MEITHEAMH — TRÁTHNÓNA 2.00 go dtí 5.00 WEDNESDAY, 16 JUNE — AFTERNOON 2.00 to 5.00

Photographs for Question 15(d) Grianghraif le haghaidh Ceist 15(d)

