

Mark Scheme (Results)

Summer 2012

GCSE Mathematics (Linear) 1MA0
Foundation (Calculator) Paper 2F

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications come from Pearson, the world's leading learning company. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information, please visit our website at www.edexcel.com.

Our website subject pages hold useful resources, support material and live feeds from our subject advisors giving you access to a portal of information. If you have any subject specific questions about this specification that require the help of a subject specialist, you may find our Ask The Expert email service helpful.

www.edexcel.com/contactus

Pearson: helping people progress, everywhere

Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

Summer 2012

Publications Code UG032620

All the material in this publication is copyright

© Pearson Education Ltd 2012

NOTES ON MARKING PRINCIPLES

- 1 All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- 2 Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- 3 All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- 4 Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- 5 Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.
- 6 Mark schemes will indicate within the table where, and which strands of QWC, are being assessed. The strands are as follows:
 - i) *ensure that text is legible and that spelling, punctuation and grammar are accurate so that meaning is clear*
Comprehension and meaning is clear by using correct notation and labeling conventions.
 - ii) *select and use a form and style of writing appropriate to purpose and to complex subject matter*
Reasoning, explanation or argument is correct and appropriately structured to convey mathematical reasoning.
 - iii) *organise information clearly and coherently, using specialist vocabulary when appropriate.*
The mathematical methods and processes used are coherently and clearly organised and the appropriate mathematical vocabulary used.

7 With working

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.

If it is clear from the working that the “correct” answer has been obtained from incorrect working, award 0 marks. Send the response to review, and discuss each of these situations with your Team Leader.

If there is no answer on the answer line then check the working for an obvious answer.

Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks. Discuss each of these situations with your Team Leader.

If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.

8 Follow through marks

Follow through marks which involve a single stage calculation can be awarded without working since you can check the answer yourself, but if ambiguous do not award.

Follow through marks which involve more than one stage of calculation can only be awarded on sight of the relevant working, even if it appears obvious that there is only one way you could get the answer given.

9 Ignoring subsequent work

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: e.g. incorrect canceling of a fraction that would otherwise be correct

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect e.g. algebra.

Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.

10 Probability

Probability answers must be given a fractions, percentages or decimals. If a candidate gives a decimal equivalent to a probability, this should be written to at least 2 decimal places (unless tenths).

Incorrect notation should lose the accuracy marks, but be awarded any implied method marks.

If a probability answer is given on the answer line using both incorrect and correct notation, award the marks.

If a probability fraction is given then cancelled incorrectly, ignore the incorrectly cancelled answer.

11 Linear equations

Full marks can be gained if the solution alone is given on the answer line, or otherwise unambiguously indicated in working (without contradiction elsewhere). Where the correct solution only is shown substituted, but not identified as the solution, the accuracy mark is lost but any method marks can be awarded.

12 Parts of questions

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

13 Range of answers

Unless otherwise stated, when an answer is given as a range (e.g 3.5 – 4.2) then this is inclusive of the end points (e.g 3.5, 4.2) and includes all numbers within the range (e.g 4, 4.1)

Guidance on the use of codes within this mark scheme


M1 – method mark
A1 – accuracy mark
B1 – Working mark
C1 – communication mark
QWC – quality of written communication
oe – or equivalent
cao – correct answer only
ft – follow through
sc – special case
dep – dependent (on a previous mark or conclusion)
indep – independent
isw – ignore subsequent working

1MA0_2F					
Question		Working	Answer	Mark	Notes
1	(a)		4216	1	B1 cao
	(b)		eight thousand	1	B1 for eight thousand or 8000
	(c)		3570	1	B1 cao
2	(i)		Cuboid	2	B1 for cuboid or (rectangular) prism
	(ii)		Pyramid		B1 for pyramid, rectangular base pyramid, square base pyramid
3	(a)		24	1	B1 cao
	(b)		10	1	B1 cao
	(c)		2 circles 3 ½ circles	2	B1 for 2 circles in Thursday B1 for 3 ½ circles oe in Friday
4		$10 \div 0.79 = 12.65\dots$ $12 \times 79 = 948$ $1000 - 948$	52p	3	M1 for $1000 \div 79$ or $10 \div 0.79 (=12.65\dots)$ or 12×79 or 12×0.79 A1 for 9.48 or 948 A1 for 52p or £0.52 or £0.52p (SC if M0 then B2 for 0.52, 0.52p or 52 as answer) (SC if M0 then B1 for 12 as answer)
5	(a)		90	1	B1 cao
	(b)		correct angle marked	1	B1 for O in an obtuse angle
	(c)		2 perpendicular lines marked	1	B1 for two perpendicular lines marked

1MA0_2F					
Question		Working	Answer	Mark	Notes
6	(a)		$3c$	1	B1 $3c$ oe
	(b)		$6ef$	1	B1 $6ef$ oe
	(c)		$7p + 5t$	2	B2 for $7p + 5t$ (B1 for either $7p$ or $5t$)
7	(a)		2 lines of symmetry drawn	2	B2 for fully correct answer accept freehand lines (B1 for a correct line of symmetry drawn – ignore extra lines)
	(b)		6	1	B1 6, six
8	(a)		24	1	B1 cao
	(b)		22	1	B1 for 22
9	(a)		Kanon	1	B1 cao
	(b)		Office, Quikprint	1	B1 cao
	(c)		Smart	1	B1 cao
10	(i)	$360 - 140 - 60 = 160$	160 and reason	2	B1 for 160
	(ii)				C1 (indep) for <u>Angles at a point</u> add up to <u>360^(o)</u> or <u>angles in a full turn</u> add up to <u>360^(o)</u>

1MA0_2F				
Question	Working	Answer	Mark	Notes
11	(a)		1	B1 10 30 or 22 30 or half past ten or 10.30 etc
	(b)		1	B1 16 10 Accept 16:10 and 16.10
	(c)		2	M1 for attempt to add 10 mins and 15 mins and 1 hour (= 1 hr 25 min) A1 for 6 50 or 6 50 am oe OR M1 for attempt to subtract 10 mins and 15 mins and 1 hour from 8 15 A1 for 6 50 or 6 50 am oe
12	(a)		1	B1 for answer in range 4.6 – 5
	(b)		2	M1 for a valid method eg reading from graph for 6 km then $\times 10$ A1 for answer in range 35 – 40 OR M1 for use of conversion factor $60 \times \frac{5}{8}$ oe A1 for answer in range 35 – 40

1MA0_2F					
Question	Working	Answer	Mark	Notes	
13	(a)		4	1	B1 cao
	(b)	$34 \div 10$	3.4	2	M1 for attempt to sum all values and divide by 10 or $34 \div 10$ A1 3.4, $3\frac{4}{10}$, $3\frac{2}{5}$
	(c)		5	2	M1 for $6 - 1$ or $1 - 6$, or -5 A1 cao
14	(a)	$3.5 \times 12 - 5$	37	2	M1 for $3.5 \times 12 - 5$ or $42 - 5$ A1 cao
	(b)	$3.5 \times -9 - -6$	-25.5	2	M1 for $3.5 \times -9 - -6$ or $3.5 \times -9 + 6$ or sight of -31.5 A1 for -25.5 or $-\frac{51}{2}$ or $-25\frac{1}{2}$

1MA0_2F				
Question	Working	Answer	Mark	Notes
15	(a)		1	B1 for correct pattern
	(b)	31	2	M1 for correct diagram of pattern number 10 with or without shading A1 cao OR M1 for any 4 consecutive terms in the sequence 4, 7, 10, A1 cao OR M1 for use of $3n + 1$ with $n = 10$ A1 cao
	(c)	No with appropriate reason	2	M1 for attempt to divide 45 by 3 A1 for 'No' and comment that this is the number needed for pattern number 15 OR M1 for starts at 4 and builds up correctly to 46 or 55 A1 for 'No' and comments that 55 are needed for pattern 18 or 46 are needed for pattern 15 oe OR M1 for use of $3n + 1$ with $n = 18$ A1 for 'No' and comments that 55 are needed for pattern 18 oe OR M1 for $3n + 1 = 46$ A1 for 'No' and comments 46 are needed for pattern 15 oe

1MA0_2F				
Question	Working	Answer	Mark	Notes
16		eg. 10, 12, 5, 2	3	M1 for at least 2 factors of 60 clearly identified M1 for $20 < \text{sum of '4 distinct natural numbers'} < 35$ A1 cao
17	(a) $84 \div 7 (=12)$ $120 \div 12$	10	2	M1 for $84 \div 7 (=12)$ or $7 \div 84 (=0.083..)$ A1 cao
	(b)	Don't know + reason	1	B1 'Don't know' or 'No' with reason eg. Need to know how many medals Russian Federation won or pie chart shows proportion not number of medals won
18	(i)	$\frac{7}{18}$	3	B1 for $\frac{7}{18}$ oe
	(ii)	$\frac{12}{18}$		B1 for $\frac{12}{18}$ or $\frac{2}{3}$ oe
	(iii)	0		B1 for 0 or $\frac{0}{18}$ or zero oe
19	(a)	19	1	B1 cao
	(b)	8	1	B1 cao
	(c)	$2\frac{1}{4}$	2	M1 for $4m = 15 - 6$ or clear attempt to subtract 6 from both sides of the equation A1 for $2\frac{1}{4}$ or 2.25 or $\frac{9}{4}$

1MA0_2F				
Question	Working	Answer	Mark	Notes
20	$250 - 0.42 \times 250 - 250 \div 5 \times 2$ $= 250 - 105 - 100$ <p>OR</p> $250 \times \left(1 - \left(\frac{42}{100} + \frac{2}{5} \right) \right) =$ $250 \times \frac{9}{50}$ <p>OR</p> $250 \times \left(\frac{100 - 42 - 40}{100} \right) =$ $250 \times \frac{18}{100}$ <p>OR</p> $250 - 250 \times \left(\frac{42}{100} + \frac{2}{5} \right) =$ $250 - 250 \times \frac{41}{50} = 250 - 205$ <p>OR</p> $250 - 250 \times \left(\frac{42}{100} + \frac{40}{100} \right) =$ $250 - 250 \times \frac{82}{100} = 250 - 205$	45	4	<p>M1 for $\frac{42}{100} \times 250$ oe (=105)</p> <p>M1 for $\frac{2}{5} \times 250$ oe (=100)</p> <p>M1 for 250 - '105' - '100'</p> <p>A1 cao</p> <p>OR</p> <p>M1 for $\frac{42}{100} + \frac{2}{5} \left(= \frac{82}{100} \right)$ or $\left(= \frac{41}{50} \right)$</p> <p>M1 for 1 - '$\frac{82}{100}$', or 1 - '$\frac{41}{50}$',</p> <p>M1 for '$\frac{9}{50}$' $\times 250$</p> <p>A1 cao</p> <p>OR</p> <p>M1 for $\frac{2}{5} \times 100$ or $\frac{2}{5} = \frac{2 \times 20}{5 \times 20}$ or 2×20</p> <p>M1 for 100 - 42 - '40' (= 18)</p> <p>M1 for '0.18' $\times 250$</p> <p>A1 cao</p> <p>(continued overleaf)</p>

1MA0_2F				
Question	Working	Answer	Mark	Notes
				<p>OR</p> <p>M1 for $\frac{42}{100} + \frac{2}{5} \left(= \frac{82}{100} \right)$ or $\left(= \frac{41}{50} \right)$</p> <p>M1 for $'\frac{41}{50}' \times 250$</p> <p>M1 for 250 - '205'</p> <p>A1 cao</p> <p>OR</p> <p>M1 for $\frac{2}{5} \times 100$ or $\frac{2}{5} = \frac{2 \times 20}{5 \times 20}$ or 2×20</p> <p>M1 for $'(42 + '40)'/100 \times 250$</p> <p>M1 for 250 - '205'</p> <p>A1 cao</p>

1MA0_2F																				
Question	Working					Answer	Mark	Notes												
21	<table border="1"> <tr> <td>x</td> <td>-1</td> <td>0</td> <td>1</td> <td>2</td> <td>3</td> </tr> <tr> <td>y</td> <td>-5</td> <td>-2</td> <td>1</td> <td>4</td> <td>7</td> </tr> </table>					x	-1	0	1	2	3	y	-5	-2	1	4	7	Straight line from $(-1, -5)$ to $(3, 7)$	3	<p>(Table of values) M1 for at least 2 correct attempts to find points by substituting values of x. M1 ft for plotting at least 2 of their points (any points plotted from their table must be correctly plotted) A1 for correct line between -1 and 3</p> <p>(No table of values) M2 for at least 2 correct points (and no incorrect points) plotted OR line segment of $y = 3x - 2$ drawn (ignore any additional incorrect segments) (M1 for at least 3 correct points plotted with no more than 2 incorrect points) A1 for correct line between -1 and 3</p> <p>(Use of $y = mx + c$) M2 for line segment of $y = 3x - 2$ drawn (ignore any additional incorrect segments) (M1 for line drawn with gradient of 3 OR line drawn with a y intercept of -2 and a positive gradient) A1 for correct line between -1 and 3</p>
x	-1	0	1	2	3															
y	-5	-2	1	4	7															

1MA0_2F																																																																				
Question	Working	Answer	Mark	Notes																																																																
22	$45 \div (5 - 2) (=15)$ '15'×2 OR $45 \times \frac{2}{3}$ OR <table border="1"> <thead> <tr> <th>P</th> <th>J</th> <th>T</th> <th>D</th> </tr> </thead> <tbody> <tr><td>2</td><td>5</td><td>7</td><td>3</td></tr> <tr><td>4</td><td>10</td><td>14</td><td>6</td></tr> <tr><td>6</td><td>15</td><td>21</td><td>9</td></tr> <tr><td>8</td><td>20</td><td>28</td><td>12</td></tr> <tr><td>10</td><td>25</td><td>35</td><td>15</td></tr> <tr><td>12</td><td>30</td><td>42</td><td>18</td></tr> <tr><td>14</td><td>35</td><td>49</td><td>21</td></tr> <tr><td>16</td><td>40</td><td>56</td><td>24</td></tr> <tr><td>18</td><td>45</td><td>63</td><td>27</td></tr> <tr><td>20</td><td>50</td><td>70</td><td>30</td></tr> <tr><td>22</td><td>55</td><td>77</td><td>33</td></tr> <tr><td>24</td><td>60</td><td>84</td><td>36</td></tr> <tr><td>26</td><td>65</td><td>91</td><td>39</td></tr> <tr><td>28</td><td>70</td><td>98</td><td>42</td></tr> <tr><td>30</td><td>75</td><td>105</td><td>45</td></tr> </tbody> </table>	P	J	T	D	2	5	7	3	4	10	14	6	6	15	21	9	8	20	28	12	10	25	35	15	12	30	42	18	14	35	49	21	16	40	56	24	18	45	63	27	20	50	70	30	22	55	77	33	24	60	84	36	26	65	91	39	28	70	98	42	30	75	105	45	30	3	M1 for $45 \div (5 - 2)$ M1 for '15'×2 A1 cao for 30 OR M2 for $45 \times \frac{2}{3}$ oe (M1 for $45 \times \frac{1}{3}$) A1 cao for 30 OR M1 for (2, 5); 4, 10; 6, 15; 8, 20 M1 for a completely correct list up to 30, 75 A1 cao (SC If M0 then B1 for 18 given as the answer)
P	J	T	D																																																																	
2	5	7	3																																																																	
4	10	14	6																																																																	
6	15	21	9																																																																	
8	20	28	12																																																																	
10	25	35	15																																																																	
12	30	42	18																																																																	
14	35	49	21																																																																	
16	40	56	24																																																																	
18	45	63	27																																																																	
20	50	70	30																																																																	
22	55	77	33																																																																	
24	60	84	36																																																																	
26	65	91	39																																																																	
28	70	98	42																																																																	
30	75	105	45																																																																	

1MA0_2F				
Question	Working	Answer	Mark	Notes
23		Farm shop	4	<p>M1 for $12.5 \div 2.5 (=5)$ M1 for '5'$\times 1.83$ or '5' $\times 183$ A1 for (£)9.15 or 915(p) C1 for decision ft working shown dep on at least M1</p> <p>OR</p> <p>M1 for $12.5 \div 2.5 (=5)$ M1 for $9 \div 5$ or $900 \div '5'$ A1 for (£)1.8(0) or 180(p) C1 for decision ft working shown dep on at least M1</p> <p>OR</p> <p>M1 for $9 \div 12.5 (=0.72)$ or $1.83 \div 2.5 (=0.732)$ M1 for $9 \div 12.5 (=0.72)$ and $1.83 \div 2.5 (=0.732)$ A1 for 72(p) and 73.(2)(p) or (£)0.72 and (£)0.73(2) C1 for decision ft working shown dep on at least M1</p> <p>OR</p> <p>M1 for $12.5 \div 9 (= 1.388\dots)$ oe M1 for $2.5 \div 1.83 (= 1.366\dots)$ oe A1 for 1.38.... and 1.36... truncated or rounded to at least 3SF C1 for decision ft working shown dep on at least M1</p>

1MA0_2F				
Question	Working	Answer	Mark	Notes
24	(a)	Triangle with vertices (2,1) (2, 4) (4,4)	2	B2 for triangle with vertices (2,1) (2,4) (4,4) (B1 for triangle reflected in any line parallel to x -axis or for correct reflection in y axis (triangle at (-2,-1) (-2,-4) (-4,-4)) (B1 for a configuration which is the original triangle reflected successively in the x and y axes to give 3 triangles)
	(b)	Enlarged shape	2	M1 for any 3 sides enlarged correctly A1 for correctly enlarged shape (SC : B1 for correct enlargement with a scale factor of 2 or 4 or for a geometrically correct shape in a wrong orientation)

1MA0_2F				
Question	Working	Answer	Mark	Notes
25	(a)	51	3	<p>M1 $200 \times 25.82 (= 5164)$ A1 for 5164 or 5200 or 5100 or 51.64 or 51.6(0) or 5160 or 52 A1 for 51</p> <p>OR M1 for $100 \div 25.82 (3.87\dots)$ and $200 \div '3.87\dots'$ ($=51.64\dots$) A1 for 5164 or 5200 or 5100 or 51.64 or 51.6(0) or 5160 or 52 A1 for 51 cao</p>
	(b)	15.49	3	<p>M1 for $400 \div 25.82$ A1 for 15.4918... A1 for £15.49 or £15.50</p> <p>OR M1 for $4 \times '3.87\dots'$ from (a) A1 15.4918... A1 for £15.49 or £15.50</p>

1MA0_2F					
Question		Working	Answer	Mark	Notes
26	(a)		negative	1	B1 for negative
	(b)		10.3 - 11.7	2	M1 for a single straight line segment with negative gradient that could be used as a line of best fit or an indication on the diagram from 2.5 on the x axis A1 for an answer in the range 10.3 – 11.7 inclusive
*27		$(17-2.8) \times 9.5 = 134.9$ $\pi \times (3.8 \div 2)^2 = 11.34..$ $134.9 - 2 \times 11.34 = 112.21$ $112.21 \div 25 = 4.488$	5	5	M1 for $(17-2.8) \times 9.5 (=134.9)$ or $17 \times 9.5 - 2.8 \times 9.5 (=161.5 - 26.6 = 134.9)$ M1 for $\pi \times (3.8 \div 2)^2 (=11.33 - 11.35)$ M1(dep on M1) for '134.9' - 2×'11.34' A1 for 112 - 113 C1(dep on at least M1) for 'He needs 5 boxes' ft from candidate's calculation rounded up to the next integer.

1MA0_2F																																				
Question	Working	Answer	Mark	Notes																																
*28	$180 \times 365 = 65700$ $65700 \div 1000 = 65.7$ $65.7 \times 91.22 = 5993.154$ $5993.154 \div 100 + 28.20 = 88.13..$ <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th>D</th> <th>U</th> <th>C</th> <th>T</th> </tr> </thead> <tbody> <tr> <td>366</td> <td>65880</td> <td>6010</td> <td>88.30</td> </tr> <tr> <td>365</td> <td>65700</td> <td>5993</td> <td>88.13</td> </tr> <tr> <td></td> <td>65000</td> <td>5929</td> <td>87.49</td> </tr> <tr> <td></td> <td>66000</td> <td>6020</td> <td>88.40</td> </tr> <tr> <td>364</td> <td>65520</td> <td>5976</td> <td>87.96</td> </tr> <tr> <td>360</td> <td>64800</td> <td>5911</td> <td>87.31</td> </tr> <tr> <td>336</td> <td>60480</td> <td>5517</td> <td>83.37</td> </tr> </tbody> </table>	D	U	C	T	366	65880	6010	88.30	365	65700	5993	88.13		65000	5929	87.49		66000	6020	88.40	364	65520	5976	87.96	360	64800	5911	87.31	336	60480	5517	83.37	Decision (Should have a water meter installed)	5	<p>Per year M1 for $180 \times '365'$ (=65700) M1 for "$65700 \div 1000$" (=65.7 or 65 or 66) M1 for "65.7×91.22" (=5993.....) A1 for answer in range (£)87 – (£)89 C1(dep on at least M1) for conclusion following from working seen</p> <p>OR (per day) M1 for $107 \div '365'$ (=0.293...) M1 for $180 \div 1000 \times 91.22$ (=16.4196) M1 for $28.2 \div '365' + '0.164196'$ (units must be consistent) A1 for 29 – 30(p) and 24– 24.3(p) oe C1(dep on at least M1) for conclusion following from working seen</p> <p>OR M1 for $(107 - 28.20) \div 0.9122$ (=86.384..) M1 for '$86.384.. \times 1000$' (=86384.5...) M1 for '$365' \times 180$' (=65700) A1 for 65700 and 86384.5.. C1(dep on at least M1) for conclusion following from working seen</p> <p>NB : Allow 365 or 366 or 52×7 (=364) or 12×30 (=360) or $365\frac{1}{4}$ for number of days</p>
D	U	C	T																																	
366	65880	6010	88.30																																	
365	65700	5993	88.13																																	
	65000	5929	87.49																																	
	66000	6020	88.40																																	
364	65520	5976	87.96																																	
360	64800	5911	87.31																																	
336	60480	5517	83.37																																	

Further copies of this publication are available from
Edexcel Publications, Adamsway, Mansfield, Notts, NG18 4FN

Telephone 01623 467467

Fax 01623 450481

Email publication.orders@edexcel.com

Order Code UG032620 Summer 2012

For more information on Edexcel qualifications, please visit our website
www.edexcel.com

Pearson Education Limited. Registered company number 872828
with its registered office at Edinburgh Gate, Harlow, Essex CM20 2JE

Ofqual



Llywodraeth Cynulliad Cymru
Welsh Assembly Government

