# **Edexcel GCSE**Mathematics (Linear) – 1MA0

# **VECTORS**

Materials required for examination

Ruler graduated in centimetres and millimetres, protractor, compasses, pen, HB pencil, eraser. Tracing paper may be used. Items included with question papers



StudentBounts.com

### **Instructions**

Use black ink or ball-point pen.

Fill in the boxes at the top of this page with your name, centre number and candidate number. Answer all questions.

Answer the questions in the spaces provided – there may be more space than you need. Calculators may be used.

# **Information**

The marks for each question are shown in brackets – use this as a guide as to how much time to spend on **each** question.

Questions labelled with an **asterisk** (\*) are ones where the quality of your written communication will be assessed – you should take particular care on these questions with your spelling, punctuation and grammar, as well as the clarity of expression.

# **Advice**

Read each question carefully before you start to answer it.

Keep an eye on the time.

Try to answer every question.

Check your answers if you have time at the end.




Diagram NOT accurately drawn

ABCDEF is a regular hexagon, with centre O.

$$\overrightarrow{OA} = \mathbf{a}$$
,  $\overrightarrow{OB} = \mathbf{b}$ .

(a) Write the vector  $\overrightarrow{AB}$  in terms of **a** and **b**.

(1)

The line AB is extended to the point K so that AB : BK = 1 : 2

(b) Write the vector  $\overrightarrow{CK}$  in terms of **a** and **b**. Give your answer in its simplest form.

.....(3)

(4 marks)




Diagram NOT accurately drawn

OAB	is	ล	triang	le.
$O \cap D$	10	а	urang.	ıc.

$$\overrightarrow{OA} = \mathbf{a}$$
  
 $\overrightarrow{OB} = \mathbf{b}$ 

		$\longrightarrow$						
(a)	Eind	A D	in	terms	αf	•	and	h
(a)	LIIIG	AD	Ш	telli18	ΟI	a	anu	IJ.


	(1)

P is the point on AB such that AP: PB = 3:1

(b) Find  $\overrightarrow{OP}$  in terms of **a** and **b**. Give your answer in its simplest form.

•	 	•	•	•	•	•	•	•	•	•	•	•	•	•	•	 	•	•	•	•	•	•			•	•	•	•	•	•	•	•		•	•	•	•	•	•	•
																																				(	(	3	3	)

(4 marks)



APB is a triangle. N is a point on AP.

$$\overrightarrow{AB} = \mathbf{a}$$
  $\overrightarrow{AN} = 2\mathbf{b}$   $\overrightarrow{NP} = \mathbf{b}$ 

(a) Find the vector  $\overrightarrow{PB}$ , in terms of **a** and **b**.

		•		 •		•	•	 	•	•	•		•	•	•	 		•	•	 		•		•	•
																						(	1	L)	)

B is the midpoint of AC.M is the midpoint of PB.

\*(b) Show that NMC is a straight line.

**(4)** 




Diagram NOT accurately drawn

*OAYB* is a quadrilateral.

$$\overrightarrow{OA} = 3\mathbf{a}$$

$$\overrightarrow{OB} = 6\mathbf{b}$$

(a) Express  $\overrightarrow{AB}$  in terms of **a** and **b**.

(1)

X is the point on AB such that AX : XB = 1 : 2

and 
$$\overrightarrow{BY} = 5\mathbf{a} - \mathbf{b}$$

\* (b) Prove that  $\overrightarrow{OX} = \frac{2}{5} \overrightarrow{OY}$ 

**(4)** 




Diagram **NOT** accurately drawn

PQRS is a trapezium	ı.
PS is parallel to QR.	

$$QR = 2PS$$

$$\overrightarrow{PQ} = \mathbf{a}$$
  $\overrightarrow{PS} = \mathbf{b}$ 

X is the point on QR such that QX : XR = 3 : 1

Express in terms of **a** and **b**.

(i) 
$$\overrightarrow{PR}$$

(2)

(ii)  $\overrightarrow{SX}$ 

(3)




Diagram **NOT** accurately drawn

*OPQ* is a triangle.

R is the midpoint of OP.


S is the midpoint of PQ.

$$\overrightarrow{OP} = p$$
 and  $\overrightarrow{OQ} = q$ 

(i) Find  $\overrightarrow{OS}$  in terms of p and q.

<b>→</b>						
OS =	 • • •	 • • •	•••	 •••	 	

(ii) Show that RS is parallel to OQ.



*OAB* is a triangle.

$$\overrightarrow{OA} = 2\mathbf{a}$$

$$\overrightarrow{OB} = 3\mathbf{b}$$

(a) Find AB in terms of **a** and **b**.

P is the point on AB such that AP : PB = 2 : 3

(b) Show that  $\overrightarrow{OP}$  is parallel to the vector  $\mathbf{a} + \mathbf{b}$ .

**(3)** 

(4 marks)