महाराष्ट्र आपयांत्रिकी (स्थापत्य) सेवा मुख्य परीक्षा

प्रश्नपुस्तिका क्रमांक BOOKLET No.

2012 Code: V01

परीक्षा दिः १५ व १६ डिसेंबर २०१2

प्रश्नपुस्तिका

वेळ : 2 (दोन) तास

स्थापत्य अभियांत्रिकी पेपर - 11

SKUDENTBOUNTS, COM एकुण प्रश्न : 100

एकुण गुण: 200

### सूचना

सदर प्रश्नपुस्तिकेत 100 अनिवार्य प्रश्न आहेत. उमेदवारांनी प्रश्नांची उत्तरे लिहिण्यास सुरुवात करण्यापूर्वी या प्रश्नपुस्तिकेत सर्व प्रश्न आहेत किंवा नाहीत याची खात्री करून घ्यावी. असा तसेच अन्य काही दोष आढळल्यास ही प्रश्नपुस्तिका समवेक्षकांकड्न लगेच बदल्न घ्यावी.

आपला परीक्षा-क्रमांक ह्या चौकोनांत न विसरता बॉलपेनने लिहावा.

परीक्षा-क्रमांक शेवटचा अंक केंद्राची संकेताक्षरे

- वर छापलेला प्रश्नपुस्तिका क्रमांक तुमच्या उत्तरपत्रिकेवर विशिष्ट जागी उत्तरपत्रिकेवरील सुचनेप्रमाणे न विसरता नमुद करावा.
- या प्रश्नपुस्तिकेतील प्रत्येक प्रश्नाला 4 पर्यायी उत्तरे सुचिवली असून त्यांना 1, 2, 3 आणि 4 असे क्रमांक दिलेले आहेत. त्या चार उत्तरांपैकी सर्वात योग्य उत्तराचा क्रमांक उत्तरपत्रिकेवरील सूचनेप्रमाणे तुमच्या उत्तरपत्रिकेवर नमूद करावा. अशा प्रकारे उत्तरपत्रिकेवर उत्तरक्रमांक नमुद करताना तो संबंधित प्रश्नक्रमांकासमीर छायांकित करून दर्शविला जाईल याची काळजी घ्यावी. ह्याकरिता फक्त काळ्या शाईचे बॉलपेन वापरावे, पेन्सिल वा शाईचे पेन वापरू नये.
- सर्व प्रश्नांना समान गुण आहेत. यास्तव सर्व प्रश्नांची उत्तरे द्यावीत. घाईमुळे चुका होणार नाहीत याची दक्षता घेऊनच शक्य तितक्या वेगाने प्रश्न सोडवावेत. क्रमाने प्रश्न सोडविणे श्रेयस्कर आहे पण एखादा प्रश्न कठीण वाटल्यास त्यावर वेळ न घालविता पुढील प्रश्नाकडे वळावे. अशा प्रकारे शेवटच्या प्रश्नापर्यंत पोहोचल्यानंतर वेळ शिल्लक राहिल्यास कठीण म्हणून वगळलेल्या प्रश्नांकडे परतणे सोईस्कर ठरेल.
- (6) उत्तरपत्रिकेत एकदा नमूद केलेले उत्तर खोडता येणार नाही. नमूद केलेले उत्तर खोडून नव्याने उत्तर दिल्यास ते तपासले जाणार नाही.
- प्रस्तुत परीक्षेच्या उत्तरपत्रिकांचे मुल्यांकन करताना उमेदवाराच्या उत्तरपत्रिकेतील योग्य उत्तरांनाच गुण दिले जातील. तसेच ''उमेदवाराने वस्तुनिष्ठ बहुपर्यायी स्वरूपाच्या प्रश्नांची अचक उत्तरेच उत्तरपत्रिकेत नमुद करावीत. अन्यथा त्यांच्या उत्तरपत्रिकेत सोडविलेल्या प्रत्येक चार चुकीच्या उत्तरांसाठी एका प्रश्नाचे गुण वजा करण्यात येतील''.

### ताकीद

ह्या प्रश्नपत्रिकेसाठी आयोगाने विहित केलेली वेळ संपेपर्यंत ही प्रश्नपुस्तिका आयोगाची मालमत्ता असून ती परीक्षाकक्षात उमेदवाराला परीक्षेसाठी वापरण्यास देण्यात येत आहे. ही वेळ संपेपर्यंत सदर प्रश्नप्रस्तिकेची प्रत/प्रती, किंवा सदर प्रश्नपुस्तिकेतील काही आशय कोणत्याही स्वरूपात प्रत्यक्ष वा अप्रत्यक्षपणे कोणत्याही व्यक्तीस पुरविणे, तसेच प्रसिद्ध करणे हा गुन्हा असून अशी कृती करणाऱ्या व्यक्तीवर शासनाने जारी केलेल्या ''परीक्षांमध्ये होणाऱ्या गैरप्रकारांना प्रतिबंध करण्याबाबतचा अधिनियम-82'' यातील तरतुदीनुसार तसेच प्रचलित कायद्याच्या तरतुदीनुसार कारवाई करण्यात येईल व दोषी व्यक्ती कमाल एक वर्षाच्या कारावासाच्या आणि/किंवा रुपये एक हजार रकमेच्या दंडाच्या शिक्षेस पात्र होईल.

तसेच ह्या प्रश्नपत्रिकेसाठी विहित केलेली वेळ संपण्याआधी ही प्रश्नपुस्तिका अनिधकृतपणे बाळगणे हा सुद्धा गुन्हा असून तसे करणारी व्यक्ती आयोगाच्या कर्मचारीवृंदापैकी, तसेच परीक्षेच्या पर्यवेक्षकीयवृंदापैकी असली तरीही अशा व्यक्तीविरुद्ध उक्त अधिनियमानुसार कारवाई करण्यात येईल व दोषी व्यक्ती शिक्षेस पात्र होईल.

पुढील सूचना प्रश्नपुस्तिकेच्या अंतिम पृष्ठावर पहा

पर्यवेक्षकांच्या

कच्च्या कामासाठी जागा / SPACE FOR ROUGH WORK

The special of the street and in the Balling transfer and profession and the

may be deposed from the complete to find the first the first of the fi


times the tip the time and the times which

- 1. A survey which consists of observations of the heavenly bodies such as Sun of fixed star, is known as
  - (1) Celestial Survey

(2) Astrological Survey

(3) Heaven Survey

- (4) Astronomical Survey
- 2. If the radius of simple circular curve is 300 m and intersection angle between two straight lines is 120°, the tangent length of curve is



(1) 173·105 m

(2) 174·305 m

(3) 173·205 m

- (4) 175·050 m
- 3. In the change point procedure, change point is the point of
  - (1) the initial position of dumpy level.
  - (2) the portion of staff where instrument is shifted.
  - (3) the final position of dumpy level.
  - (4) None of the above
- 4. The process of establishing number of intermediate points between two fixed end points on ground is known as
  - (1) Ranging

(2) Offsets

(3) Station points

- (4) Auxiliary points
- 5. The latitude of a line of closed traverse is its length multiplied by
  - (1) tangent of reduced bearing
- (2) sine of reduced bearing
- (3) cosine of reduced bearing
- (4) secant of reduced bearing
- 6. When lines come close together in a contour map, it indicates
  - (1) Hill

(2) Reservoir

(3) Steep slope

(4) Flat slope

SPACE FOR ROUGH WORK

				12/
V01			4	refraction is and the angle of depression and the angle of depression
				100
7.	In g	geodetical observations, the correction	on for 1	refraction is
	(1)	subtractive to both the angle of el	evation	and the angle of depression
	(2)	additive to both the angle of eleva	ation a	nd the angle of depression
	(3)	subtractive to the angle of elevati	on and	additive to the angle of depression
	(4)	additive to the angle of elevation	and su	btractive to the angle of depression
8.				a vertical photograph. The focal length rly level, then the flying height will be
	(1)	40 m	(2)	4000 m
	(3)	40 km	(4)	400 km
9.		process of determining the locatione table is	n of th	e station (on the map) occupied by the
	(1)	Intersection	(2)	Two-point problem
	(3)	Resection	(4)	Traversing
10.		area of irregular plotted figure coned as	an be	easily determined by using instrument
	(1)	Pentagraph	(2)	Planimeter
	(3)	Subtense bar	(4)	Vernier
11.		case of a truly vertical photogra	aphic	survey, which of the following points
	I.	Principal point		
	II.	Isocentre		The state of the s
	III.	Plumb point		
	(1)	I and II only	(2)	I and III only
	(3)	II and III only	(4)	I, II and III
12.	Mea	asurement of discharge of river usu	ally for	rms a part of
	(1)	Topographic surveying	(2)	Hydrographic surveying
	(3)	Geodetic surveying	(4)	Route surveying
13.	A to	otal station is an instrument consis	ting of	the combination of
	(1)	prismatic compass, theodolite and	dump	y level
	(2)	auto level, tacheometer and comp	ass	
	(3)	electronic theodolite and electronic	ic dista	nce meter

(4)

digital planimeter with auto level

- 14. The most reliable estimate is
  - (1) Detailed estimate

- (2) Preliminary estimate
- (3) Plinth area estimate
- (4) None of these
- 15. While computing masonry work, no deductions are generally made for
  - (1) opening each up to 0.10 sq. m
  - (2) ends of beam up to 0.05 sq. m
  - (3) bed plates and wall plates up to 10 cm
  - (4) All the above
- 16. The estimated quantity of cement required per m<sup>3</sup> in a compacted cement concrete of 1:2:4 nominal mix is
  - (1) 305 kg

(2) 330 kg

(3) 285 kg

- (4) 255 kg
- 17. Identity correct statements from the following:
  - a. Centre line method is the most common method for calculating the quantities of walls.
  - b. Centre line method is suitable for determining quantities of walls which are curved in plan.
  - c. Out-to-out and in-to-in method is the most common method for calculating quantities of walls.
  - (1) a and b

(2) a and c

(3) a only

- (4) b and c
- 18. Annual income from a property is ₹ 25,000. The capitalized value of this property for a prevailing rate of 12.5% interest is
  - (1) ₹ 5,00,000

(2) ₹ 2,00,000

(3) ₹ 2,50,000

(4) ₹ 3,12,000

				15
				Tide!
V01			6	138
19.	can		ner he likes	ssession of the property, and the subject to the rules and regulation.  Saleable property
	(1)	Leasehold property	(2)	Saleable property
	(3)	Freehold property	(4)	Absolute property
20.	Which		ents will no	ot be required for drafting the tender
	(1)	Nature of work and its locat	tion	
	(2)	Estimated cost of the work		
	(3)	Mode of submitting tender	Adamata	an age to return to be excised at 1913.
21.	(4)	Schedule 'A' of the proposed ase of beams, the ratio of brea		h is usually taken as
21.				h is usually taken as  0.9 to 1.0  1.8 to 2.0
21.	(1) (3)	ase of beams, the ratio of bread 0.5 to 0.7 1.2 to 1.4	adth to dept (2) (4) is carried o	0.9 to 1.0
	(1) (3)  Assee	ase of beams, the ratio of bread 0.5 to 0.7  1.2 to 1.4  ertion (A): Rate analysis structure or but	adth to dept (2) (4) is carried onliding.	0.9 to 1.0 1.8 to 2.0
	In ca (1) (3)  Asse	ase of beams, the ratio of bread 0.5 to 0.7  1.2 to 1.4  ertion (A): Rate analysis structure or but	adth to dept (2) (4) is carried onliding.	0.9 to 1.0 1.8 to 2.0  ut to work out the actual cost of the
	In ca (1) (3)  Asse	ase of beams, the ratio of bread 0.5 to 0.7  1.2 to 1.4  ertion (A): Rate analysis structure or but son (R): Rate analysis is	adth to dept (2) (4) is carried onliding.	0.9 to 1.0 1.8 to 2.0  ut to work out the actual cost of the
	In ca (1) (3)  Asse	ase of beams, the ratio of bread $0.5$ to $0.7$ $1.2$ to $1.4$ Pertion (A): Rate analysis structure or but son (R): Rate analysis it	adth to dept (2) (4) is carried ouilding. is carried ou	0.9 to 1.0  1.8 to 2.0  ut to work out the actual cost of the to revise the schedule of rates.
	In ca (1) (3)  Asse  Reas  Stat (1) (3)	ase of beams, the ratio of bread $0.5$ to $0.7$ $1.2$ to $1.4$ Pertion (A): Rate analysis structure or but son (R): Rate analysis is the whether  Both A and R are true	adth to dept (2) (4) is carried of ailding. is carried out (2) (4)	0.9 to 1.0  1.8 to 2.0  tut to work out the actual cost of the to revise the schedule of rates.  A is true and R is false  Both A and R are false
22	In ca (1) (3)  Asse  Reas  Stat (1) (3)	ase of beams, the ratio of breaction 0.5 to 0.7  1.2 to 1.4  ertion (A): Rate analysis structure or but son (R): Rate analysis it whether  Both A and R are true  A is false and R is true	adth to dept (2) (4) is carried of ailding. is carried out (2) (4)	0.9 to 1.0  1.8 to 2.0  tut to work out the actual cost of the to revise the schedule of rates.  A is true and R is false  Both A and R are false

- 24. Main improvement of Indian Standard Soil Classification system over Unifie Classification system was
  - (1) division of fine-grained into four groups and inclusion of peat.
  - (2) division of fine-grained soil portion into six groups.
  - (3) division of fine-grained soil portion into six groups and inclusion of peat.
  - (4) division of fine-grained soil based on compressibility.
- 25. The maximum vertical stress occurs when the angle made by the polar ray attains a value corresponding to value of  $\frac{r}{2}$  equal to
  - (1) 39° 13′ 53·5" and 0·817
- (2) 39° 13′ 53·5″ and 0·488
- (3) 33° 33′ 33″ and 0.817
- (4) 33° 33′ 33″ and 1.000
- 26. The shear strength of loamy soil depends upon
  - (1) internal friction
  - (2) cohesion
  - (3) both internal friction and cohesion
  - (4) neither internal friction nor cohesion
- 27. The mechanics of consolidation was demonstrated by Terzaghi by means of
  - (1) Newmark's influence chart
- (2) Spring analogy

(3) Isobar diagrams

- (4) Pressure bulb
- 28. Bearing capacity of soil is not influenced by
  - (1) shape and depth of footing
- (2) position of water table
- (3) overcoming load on footing
- (4) type of soil

SPACE FOR ROUGH WORK

	- SE
V01	8 Talent A
29.	Large movement of retaining structure is required to produce  (1) active earth pressure  (2) passive earth pressure  (3) both active and passive earth pressures  (4) at rest pressure
30.	When the allowable soil pressure is low or building loads are heavy, suitable type of foundation is  (1) Strap footing  (2) Raft footing  (3) Spread feeting
	(3) Spread footing (4) Combined footing
	effective overburden pressure before and after construction was 25 KPa and 250 KPa. The laboratory tests on this strata indicated: natural moisture content of 50%, specific gravity of '3' and liquid limit of 54%. The consolidation settlement of this layer will be nearly equal to  (1) 0.4 m  (2) 0.8 m  (3) 1.6 m  (4) 2.0 m
32.	The allowable load on a pile from pile load test is calculated as  (1) 50% load corresponding to a settlement of 10% pile diameter  (2) $\frac{2}{3}$ of load corresponding to a settlement of 12 mm  (3) 50% load corresponding to a settlement of 25 mm  (4) lesser of (1) and (2)
33.	Pneumatic cassions are preferred in situations where the soil flow into the excavated area is than it can be removed.  (1) slower (2) faster
	(3) initially faster (4) initially slower

- 34. Surface tension is a phenomenon due to
  - (1) cohesion only
  - (2) viscous force
  - (3) adhesion between liquid and solid molecules
  - (4) difference in magnitude between the forces due to adhesion and cohesion
- 35. An object weighs 100 N in air and 75 N in water when fully submerged in it. The specific gravity of the object is
  - (1) 4.0

(2) 4.5

(3) 2.5

- (4) 1.25
- 36. A flow of fluid has diverging straight streamlines. If the flow is steady, the flow
  - (1) is a uniform flow with local acceleration
  - (2) has convective normal acceleration
  - (3) has convective tangential acceleration
  - (4) has convective normal as well as tangential accelerations
- 37. The head over a 90° V-notch increases from 0.20 m to 0.40 m. The ratio of the new discharge to the original discharge is
  - (1) 1.414

(2) 2.000

(3) 4.000

- (4) more than 4.000
- 38. For a given open channel carrying a certain discharge, the critical depth depends on
  - (1) the geometry of the channel
- (2) the viscosity of the liquid
- (3) the roughness of the channel
- (4) the longitudinal slope of the channel
- 39. In flow through pipe bends, the pressures on inner and outer radii
  - (1) do not vary and are same as at center of pipe
  - (2) vary, it being more on the inner one
  - (3) are different; pressure increases with increase in radius and is more on outer radius
  - (4) stand at same level, increasing towards centre

SPACE FOR ROUGH WORK

- Shindenribounty.com The fluid flow in the model and the prototype will be dynamically similar in 40.
  - (1) the forces in the two systems are same
  - (2)the two systems are geometrically similar
  - the two systems are kinematically similar (3)
  - the forces at similar points in the two systems have same ratio throughout the flow field
- 41. The main function of the surge tank is to
  - restrict the water hammer effects to small length of penstock (1)
  - (2)provide a free water surface near turbines
  - (3)act as a reservoir
  - (4) protect the penstock from bursting
- 42. In all reaction turbines, the following conditions should be satisfied for maximum efficiency:
  - The velocity of whirl at entrance must be zero (1)
  - (2)The velocity of flow at outlet must zero
  - Velocity of whirl at outlet must be zero (3)
  - Velocity of flow at entrance must be zero (4)
- 43. In centrifugal pump, the inlet angle will be designed to have
  - relative velocity vector in radial direction
  - absolute velocity vector in radial direction (2)
  - velocity of flow to be zero (3)
  - peripheral velocity to be zero (4)

- 44. In a hydrological cycle, the average residence time of water in the global
  - (1) atmospheric moisture is larger than that in the global rivers
  - (2) oceans is smaller than that of the global groundwater
  - (3) rivers is larger than that of the global groundwater
  - (4) oceans is larger than that of the global groundwater
- 45. An isohyet is a line joining points having
  - (1) equal evaporation value
  - (2) equal barometric pressure
  - (3) equal height above the MSL
  - (4) equal rainfall depth in a given duration
- 46. Anticyclone is a
  - (1) low pressure zone that occurs in the northern hemisphere only
  - (2) high pressure zone with moderate winds
  - (3) zone of low pressure with clockwise winds in the northern hemisphere
  - (4) zone of low pressure with anticlockwise winds in the northern hemisphere
- 47. Hydrograph is a graph which shows the variation of discharge with
  - (1) rainfall

(2) time

(3) runoff coefficient

- (4) rainfall excess
- 48. If the maximum depth of a 50 years 15h rainfall depth at Bhubaneshwar is 260 mm, the 50 year-3h-maximum rainfall depth at the same place is
  - (1) < 260 mm

(2) > 260 mm

(3) = 260 mm

- (4) None of the above
- 49. A catchment was found to have a φ-index of 0.6 cm/h in winter season. If a rainfall of 3 cm occurs in that season at a uniform rate in a 6 h storm, the resulting direct runoff is
  - (1) 0.6 cm

(2) -0.6 cm

(3) 0 cm

- (4) 6.6 cm
- **50.** Indicate the *incorrect* statement out of following four statements in which PET stands for Potential Evapotranspiration :
  - (1) PET depends essentially on climatic factors and is not critically dependent on soil and plant factors.
  - (2) PET is same as the consumptive use of an irrigated crop.
  - (3) Decrease in PET of an area on the basis of mean annual value reflects an increase in runoff.
  - (4) The ratio of PET to lake evaporation is always greater than unity.

- Student Bounty.com 51. The process by which plants dissipate water from the surface of their lea and trunks in known as
  - evaporation (1)

evapo-transpiration

(3)delta

- (4) conjunctive use
- Match the following lists: 52.

List I (Plot of)

- Accumulated precipitation vs time in chronological order
- Rainfall intensity vs time b.
- Stream flow vs time in C. chronological order
- Steam discharge vs percent time d. the flow is equalled or exceeded

a	b	C	d
IV	II	I	III
IV	II	III	I
II	·IV	I	III
	IV IV	IV II IV II	IV II III

IV

- List II (Name)
- I. Hydrograph
- Hyetograph II.
- Flow-duration curve III.
- IV.

- If a soil has an infiltration capacity of f<sub>c</sub>, actual infiltration rate f is given by 53.
  - (1)  $f < f_c$  when i < f

II

(4)

(2) f = i when  $i > f_c$ 

 $f = f_c$  when  $i < f_c$ 

 $f < f_c$  when i > f

(where i = Rainfall intensity in above options)

III

- The chemical that is found to be most suitable as water evaporation inhibitor is 54.
  - ethyl alcohol (1)

methyl alcohol (2)

cetyl alcohol (3)

- butyl alcohol (4)
- A peak ordinate of a 4-h unit hydrograph for a catchment is 80 m<sup>3</sup>/s. The peak ordinate of an 8-h unit hydrograph for the same catchment will be
  - $> 80 \text{ m}^3/\text{s}$

 $= 80 \text{ m}^3/\text{s}$ 

(3) < 80 m<sup>3</sup>/s

Data inadequate (4)

<b>56.</b> Conjunctive use of water in a basin means	56.	Conjunctive	use	of	water	in	a	basin	means
--	-----	-------------	-----	----	-------	----	---	-------	-------

- (1) the sum of evapo-transpiration and the amount of water used up in planetabolism.
- (2) combined use of surface and ground water resources.
- (3) combined use of water for irrigation and hydropower generation.
- (4) the sum of evapo-transpiration and infiltration losses.

57.	The moisture content	of the soil	after free	drainage	removes	most of	the gravity	water
	is known as							

(1) Wilting point

- (2) Available moisture
- (3) Saturation capacity

(4) Field capacity

#### 58. If the duty on crop is reduced the irrigated area will be

(1) less

- (2) more
- (3) does not depend on duty
- (4) None of the above

## 59. For the irrigation of a crop, the base period is 100 days and delta is 150 cm. Then the duty in ha/m<sup>3</sup>. s on the field is

- (1) 5.76
- (2) 576
- (3) 0.576
- (4) 13.06

# 60. The ratio of the quantity of water stored in the root zone of the crop to the quantity of water actually delivered in the field is known as

- (1) water conveyance efficiency
- (2) water application efficiency
- (3) water use efficiency
- (4) water storage efficiency

### 61. Consumptive use for a particular crop is defined as

- (1) water used by plant in transpiration only
- (2) water used in evaporation from adjacent soils and plant leaves
- (3) water used by plant in transpiration and evaporation also
- (4) None of the above

### 62. Which of the statements given below are correct?

In the check-basin method of irrigation

- a. the ridges interfere with the movement of tractor drawn implements.
- b. considerable land is wasted by ridges and lateral channels.
- c. the surface drainage is unhindered and as such, is excellent.
- d. is unsuitable for growing crops which are sensitive to wet-soil conditions around their stem.
- (1) a, b and c
- (2) a, b and d
- (3) a, c and d
- (4) b, c and d

SPACE FOR ROUGH WORK

V01	14 Chr. A
63.	The maximum application rate of sprinklers is limited by  (1) the infiltration capacity of the soil  (2) the prevailing wind velocity
	(1) the infiltration capacity of the soil
	(2) the prevailing wind velocity
	(3) the quantity of water available
	(4) the prevailing humidity and radiation
64.	Leaching is the process in which
	(1) water table is lowered by using pumps
	(2) land is flooded with adequate depth of water to reduce salts in the top layer
	(3) land is flooded with adequate depth of water to reduce salts in the bottom layer
	(4) None of the above
65.	An irrigant has the ionic concentrations of Na <sup>+</sup> , Ca <sup>+2</sup> and Mg <sup>+2</sup> as 30, 10 and 8 meq/L respectively. The Sodium Adsorption Ratio (SAR) of this water is  (1) 0·10 (2) 3·33 (3) 10 (4) 1·66
66.	A land is known as waterlogged when
	(1) gravity drainage has ceased
	(2) permanent wilting point is reached
	(3) the soil becomes completely saturated
	(4) capillary fringe reaches the root zone of the plants
67.	An aqueduct means
	(1) passing canal below the drainage
	(2) passing canal below the road
	(3) passing the drain through the canal
	(4) negging the senal ever the drainers

The uplift pressure is reduced \_\_ \_ in a gravity dam when a drainage gallery 68. with its drainage pipe system is provided.

- at all levels below the upstream level (1)
- at all levels below the drainage gallery (2)
- at all levels below the downstream level (3)
- at the foundation level only (4)

- 69. In planning surveys for highways, which of the following studies is concerned collection of details about the trend of population growth?
  - (1) Engineering studies
- (2) Economic studies

(3) Financial studies

- (4) Traffic studies
- 70. Which of the following statements gives the most suitable meaning of highway alignment?
  - (1) Fixing the direction of highway
  - (2) Deciding the radius of horizontal and vertical curves
  - (3) Determining the gradient of volley and summit curves
  - (4) Layout of the centre line of the highway on ground
- 71. Which of the following values is recommended by IRC as longitudinal friction coefficient for calculation of the stopping sight distance?
  - (1) 0.05 to 0.10

(2) 0.15 to 0.20

(3) 0.25 to 0.30

- (4) 0.35 to 0.40
- 72. Which of the following terms represents cross slope provided to the road surface to drain off the rainwater?
  - (1) Shoulder

(2) Camber

(3) Kerb

- (4) Drain
- 73. Width of the carriageway for single lane as standardised by IRC is
  - (1) 2·44 m

(2) 2·50 m

(3) 3.50 m

- (4) 3.75 m
- 74. The mechanical widening of pavement required on horizontal curve along a two traffic lane road is given by which of the following equations?
  - (1)  $W_m = l^2/2R$

 $(2) \quad W_{\rm m} = l^2/R$ 

 $(3) \quad \mathbf{W}_{\mathbf{m}} = 2l^2/\mathbf{R}$ 

 $(4) \quad W_{\rm m} = l^2/\sqrt{R}$ 

				Still
V01			16	Care A
75.		s not desirable to provide transives?	tion cur	ve on which of the following
	(1)	Summit curves	(2)	Valley curves
	(3)	Sharp curves	(4)	Steep curves
76.		traffic engineering, which of the erview method?	following	g information is collected by road side
	(1)	Origin and destination data	(2)	Traffic capacity data
	(3)	Traffic volume data	(4)	Parking studies
77.	CBI	R test is developed to evaluate wh	nich of th	he following?
	(1)	Shearing resistance of soil	(2)	Modulus of subgrade reaction
	(3)	Stability of soil subgrade	(4)	Stress – strain relationship of soil
78.	To s	A 10 H 10 TH HARVER IN HER	ggregate	e, which of the following tests is carried
78.		A 10 H 10 TH HARVER IN HER	ggregate	e, which of the following tests is carried
78.	out	? poof and of applicating additionant	E I SAN	and the state of the state of the state of
oth	out (1) (3)	? Abrasion test Impact test	(2)	Crushing test Soundness test
78.	out (1) (3) Gui	? Abrasion test Impact test	(2)	Crushing test Soundness test
oth	out (1) (3) Gui	? Abrasion test Impact test delines of design of flexible pavem	(2)	Crushing test Soundness test
oth	out (1) (3) Gui	? Abrasion test Impact test  delines of design of flexible pavements codes ?	(2) (4)	Crushing test Soundness test recommended in which of the following
oth	out (1) (3) Gui IRC (1) (3) As 1	Abrasion test Impact test  delines of design of flexible pavem codes?  IRC 29  IRC 58	(2) (4) nent are (2) (4) gn of con	Crushing test Soundness test recommended in which of the following IRC 37 IRC 86
79.	out (1) (3) Gui IRC (1) (3) As 1	Abrasion test Impact test  delines of design of flexible pavement codes?  IRC 29  IRC 58  per IRC recommendations for design of test	(2) (4) nent are (2) (4) gn of con	Crushing test Soundness test recommended in which of the following IRC 37 IRC 86

81.		mall bridged passage for the conveya roadway to the other side is known		water, under the road, from one sit
	(1)	Underground drain	(2)	Channel
	(3)	Aqueduct	(4)	Culvert
82.	If a	fflux is more, scour depth		The proof of the second second
	(1)	will be less	(2)	will be more
	(3)	will have no effect on it	(4)	None of the above
83.	IRC (1)	recommendations for minimum wide 1.0 m (2) 1.5 m		Footpath on bridge is 2.0 m (4) 2.5 m
84.	IRC (1)	standard loading for bridge designs Class A, Class B, Class AB and Cl		-R
	(2)	Class A, Class B, Class AB and Cl	lass 90	-R
	(3)	Class A, Class B, Class BB and Cl	lass 70	-R
	(4)	Class A, Class B, Class AA and Cl	lass 70	-R
85.	The	type of bearing used on a bridge, d	epends	s on
	(1)	Amount of movement of the bridge	e ends	
	(2)	Temperature variations		
	(3)	Load carried		al las desires a survey as a contact
	(4)	All of the above		i the state of
86.		tment piers are provided in multipl	The State of the S	
	(1)	Arch bridges	(2)	Submersible bridges
	(3)	Temporary bridges	(4)	Suspension bridges
87.				llowing for afflux, if any, and the level the bridges or its approaches, is known
	(1)	Head room	(2)	Free room
	(3)	Highest water level	(4)	Free board
88.	Cul	verts are provided for linear waterw	ay upt	to maximum of
	(1)	6 m (2) 9 m	The second second	12 m (4) 15 m
89.	A tl	hin wall used as a shield or protecti	on aga	inst scouring action of stem is called
	(1)	Baffle wall	(2)	Dwarf wall
	(3)	Curtain wall	(4)	Any of the above
90.	Floa	ats are used to measure		
	(1)	Discharge of stream	(2)	Velocity of stream
	(3)	Flood discharge	(4)	Afflux

	2009			tional Ambient Air Quality					
	(1)	Ozone	(2)	Benzene					
	(3)	Mercury	(4)	Arsenic					
92.	-	fire demand for a popula 668: 1990 is	ation of 1.5	lakh as per the recommendation of					
	(1)	1800 litre/min	(2)	3600 litre/min					
	(3)	5400 litre/min	. (4)	7200 litre/min					
93.	The	following characteristics per	tain to the s	and filters in water treatment:					
	a. The effective size of filter medium is 0.25 mm to 0.35 mm.								
	b. Backwashing is carried out by air scouring followed by water washing.								
	c. The suspended solids are removed at the surface on biofilm mat.								
	Which of these are related to slow sand filters?								
	(1)	a and b	*(2)	a, b and e					
	(3)	a and c	(4)	b and c					
94.	What are the Ambient Air Quality Standards in respect of noise in daytime for industrial and commercial areas respectively?								
	(1)	75, 65 dB(A) Leq.	(2)	75, 70 dB(A) Leq.					
	(3)	75, 55 dB(A) Leq.	(4)	65, 55 dB(A) Leq.					
95.	The following data pertain to a sewage sample at 20°C:								
	Initial dissolved oxygen = 6 mg/L								
	Final dissolved oxygen after 5 days = 3.5 mg/L								
	Dilu	ation ratio = .0.02		The Control of the Co					
	Dilu	ation ratio = $0.02$ BOD <sub>5</sub> of the above sample a	at 20°C is						

SPACE FOR ROUGH WORK

175 mg/L

(3)

(4)

12.5 mg/L

		The state of the s
A		19 CEINE
96.	Whi	ch of the following is attached growth process used for waste water treatment
	(1)	Rotating Biological Contactor (2) Activated Sludge Process
	(3)	th of the following is attached growth process used for waste water treatmer Rotating Biological Contactor (2) Activated Sludge Process  Aerated Lagoon (4) Waste Stabilization Pond
97.	Whi	ch of the following pairs is/are correctly matched?
	a.	Trickling filter - Attached growth anaerobic treatment system
3000	b.	Activated sludge process – Suspended growth aerobic treatment system
	c.	Oxidation pond – Suspended growth aerobic treatment system
	d.	Oxidation ditch - Modified activated sludge process
	(1)	a, b and c (2) b, c and d
	(3)	b and d (4) a, b, c and d
	(1) (2) (3) (4)	size, viscosity, density and temperature of water surface overflow rate, detention time inlet and outlet characteristics, depth of settling All the above
99.	Whi	ch of the following statements are correct?
	a.	The burning of gasoline fuel emits carbon monoxide.
	b.	Sulphur dioxide is formed from coal burning.
	c.	The burning of tyres results in hydrocarbons.
	(1)	a and b (2) a and c
	(3)	b and c (4) a, b and c
100.		at is the standard for $E.\ coli$ as per Drinking Water Quality Standards 10500 ?
	(1)	10/100 mL (2) 5/100 mL
	(3)	0/100 mL or absent (4) 1/100 mL

## सूचना - (पृष्ठ 1 वरुन पुढे....)

- Student Bounty.com प्रश्नपुस्तिकेमध्ये विहित केलेल्या विशिष्ट जागीच कच्चे काम (रफ वर्क) करावे. प्रश्नपुस्तिकेव्यितिरिक्त उत्तरपत्रिकेवर वा इतर कागदावर कच्चे काम केल्यास ते कॉपी करण्याच्या उद्देशाने केले आहे, असे मानले जाईल व त्यानुसार उमेदवारावर शासनाने जारी केलेल्या "परीक्षांमध्ये होणाऱ्या गैरप्रकारांना प्रतिबंध करण्याबाबतचे अधिनियम-82'' यातील तरत्दीनुसार कारवाई करण्यात येईल व दोषी व्यक्ती कमाल एक वर्षाच्या कारावासाच्या आणि/किंवा रुपये एक हजार रकमेच्या दंडाच्या शिक्षेस पात्र होईल.
- सदर प्रश्नपत्रिकेसाठी आयोगाने विहित केलेली वेळ संपल्यानंतर उमेदवाराला ही प्रश्नपुस्तिका स्वतः बरोबर परीक्षाकक्षाबाहेर घेऊन जाण्यास परवानगी आहे. मात्र परीक्षा कक्षाबाहेर जाण्यापूर्वी उमेदवाराने आपल्या उत्तरपत्रिकेचा भाग-1 समवेक्षकाकडे न विसरता परत करणे आवश्यक आहे.

### नम्ना प्रश्न

Pick out the correct word to fill in the blank:	Pick	out	the	correct	word	to	fill	in	the	blank		
---	------	-----	-----	---------	------	----	------	----	-----	-------	--	--

Q. No. 201. I congratulate you \_ your grand success.

(2) at (3) on ह्या प्रश्नाचे योग्य उत्तर "(3) on" असे आहे. त्यामुळे या प्रश्नाचे उत्तर "(3)" होईल. यास्तव

खालीलप्रमाणे प्र.क्र. 201 समोरील उत्तर-क्रमांक "3" हे वर्तुळ पूर्णपणे छायांकित करून दाखविणे आवश्यक आहे.

प्रश्न क्र. 201. (1) (2)

अशा पद्धतीने प्रस्तृत प्रश्नप्स्तिकेतील प्रत्येक प्रश्नाचा तुमचा उत्तरक्रमांक हा तुम्हाला स्वतंत्ररीत्या प्रविलेल्या उत्तरपत्रिकेवरील त्या त्या प्रश्नक्रमांकासमोरील संबंधित वर्तुळ पूर्णपणे छायांकित करून दाखवावा. ह्याकरिता फक्त काळ्या शाईचे बॉलपेन वापरावे, पेन्सिल वा शाईचे पेन वापरू नये.

कच्च्या कामासाठी जागा / SPACE FOR ROUGH WORK