Earth, Atmospheric, Ocean and Planetary Sciences Paper II

Time Allowed: 75 Minutes [Maximum Marks: 100

Note: This Paper contains Fifty (50) multiple choice questions. Each question carries Two (2) marks. Attempt All questions.

- 1. is a plutonic igneous body that has an areal extent greater than 100 km² and was originally thought to extend to considerable depth.
 - (A) Plug
 - (B) Batholith
 - (C) Lopolith
 - (D) Laccolith
- 2. Which of the following is not true of REEs?
 - (A) Most of the REEs from stable 3⁺ ions of same size
 - (B) REEs with even atomic numbers are less stable than those with odd atomic numbers
 - (C) REEs with even atomic nos. are more abundant than those with odd atomic numbers
 - (D) Ce and Eu exist in "other than" 3⁺ oxidation state

- 3. The singhbhum mobile belt is delimited by the copper belt thrust zone in the south and the on the north.
 - (A) Chotanagpur granite-gneiss
 - (B) Sukinda thrust
 - (C) Great boundary fault
 - (D) Singhbhum granite
- 4. An overdraft of groundwater causes of ground surface over the depleted aquifer constituted of unconsolidated or poorly consolidated sediments.
 - (A) Sinking
 - (B) Rupture
 - (C) Depression
 - (D) Subsidence or sagging

- Slow downslope movement of the 5. slope forming material is known as:
 - (A) Creep
 - (B) Flow
 - (C) Topple
 - (D) Slide
- 6. One of the following properties is *not* applicable to braided rivers:
 - (A) Bedload to total load is high
 - (B) Suspended load to total load is high
 - (C) The bedload is dominated by silt and clay
 - (D) The bedload to suspended load ratio is less than 1

- Banded Iron Formations (BIFs) in the Archaean greenstone belts are best witness for:
 - (A) Archaean sedimentary basin development
 - (B) Shift from anoxic to oxygenated environments
 - (C) Archaean tectonics
 - (D) Archaean weathering processes
- 8. The true distribution of mass inside the earth is expressed by:
 - (A) Gravity Anomaly
 - (B) Density
 - (C) Topography
 - (D) Geoid

9.	Functions of a compass, clinometer					
	and	hand	level	are	combined	
	in	which	of	the	following	
	instruments?					
	(A)	Clinome	eter			
	(B)	Altimet	er			
	(C)	Hand h	eld G	PS		

- 10. A thrust is a:
 - (A) Low-angle reverse fault

(D) Brunton Compass

- (B) Normal fault
- (C) Wrench fault
- (D) Transform fault
- 11. Mangrove forests fall in one of the following coastal regulation zones (CRZs):
 - (A) CRZ-I
 - (B) CRZ-II
 - (C) CRZ-III
 - (D) CRZ-IV

- 12. A dam composed of a single concrete
 wall curved in plan with its convex
 face upstream, and where the parts
 of the water load is transmitted to
 the adjacent rock abutments is
 called:
 - (A) Buttress dam
 - (B) Gravity dam
 - (C) Arch dam
 - (D) Penstocks
- 13. Chambers are arranged in a fashion as in the genus spiroloculina.
 - (A) Triloculine
 - (B) Spiroloculine
 - (C) Biserial
 - (D) Triserial

- 14. 'Snow ball garnet' is a good indicator.
 - (A) Pre-tectonic
 - (B) Post-tectonic
 - (C) Syntectonic
 - (D) Inter-tectonic
- 15. Indicate the *correct* heavy mineral assemblages of the major source rocks:
 - (A) Fluorite, garnet, muscovite, monazite, topaz, kyanite — Granite pegmatite
 - (B) Rounded grain common, barite, rutile, hematite, olivine — Basalt
 - (C) Augite, diopside, hypersthene, chromite, olivine, quartz — Basic Igneous rock
 - (D) Andalusite, garnet, staurolite, zoisite, epidote, kyanite, sillimanite — Metamorphic rock

- 16. Glaucophane-Lawsonite association is the characteristic of:
 - (A) Blueschist facies
 - (B) Amphibolite facies
 - (C) Hornfels facies
 - (D) Eclogite facies
- 17. SiO₂ and Al₂O₃ in shale constitute nearly respectively.
 - (A) 58.10% and 15.40%
 - (B) 45.2% and 10.3%
 - (C) 10.3% and 26.4%
 - (D) 14.6% and 10.3%
- The ratio of quartz to the relatively 18. unstable components, feldspar and rock fragments is used as an indicator of:
 - (A) Petrographic criteria
 - (B) Mineralogical maturity of sandstone
 - (C) Source of the minerals
 - (D) Diagenetic process of sandstone

AUG - 35211/II

- 19. Metaluminous granites in which the mole proportions of $Al_2O_3/(K_2O + Na_2O + CaO) < 1$ appear to have formed from the melting of mafic igneous rocks and may even involve a mantle derived component are designated as:
 - (A) S-type granites
 - (B) A-type granites
 - (C) M-type granites
 - (D) I-type granites
- 20. In the seismic body waves, the surface in which all particles vibrate with the same phase is called:
 - (A) Wave front
 - (B) Wave length
 - (C) Attenuation surface
 - (D) Rayleigh surface

- 21. Moving objects on the rotating

 Earth experience additional

 accelerations related to the velocity

 at which they are moving is

 explained by:
 - (A) Geoid acceleration
 - (B) Nutation
 - (C) Angular drift
 - (D) Coriolis effect
- 22. The region of overlap between the epivalve and hypovalve of a frustule is called:
 - (A) Polar nodule
 - (B) Epivalve
 - (C) Raphe
 - (D) Girdle

- 23. The earliest member of our own genus Homo is Homo habilis, which lived million years ago.
 - (A) 2.0 to 3.0
 - (B) 1.6 to 1.8
 - (C) 0.8 to 1.0
 - (D) 2.5 to 1.6
- 24. Arrange the following flood basalt provinces in the right chronological order (oldest to youngest):
 - (a) Deccan Basalt Province
 - (b) Siberian Traps
 - (c) Parana Province
 - (d) Columbia River Basalt
 - (A) a b c d
 - (B) b c a d
 - (C) d a b c
 - (D) d c b a

- 25. Aseismic or passive margins are also called as continental margins.
 - (A) Atlantic type
 - (B) Pacific type
 - (C) Mariana type
 - (D) Chilean type
- A zone in the Earth extending from depths of approximately 70 to 250 km in which shear-wave velocities markedly decrease; this zone is known as the:
 - (A) D"
 - (B) Mohorovicic discontinuity
 - (C) Low-velocity layer
 - (D) Brittle-ductile transition

AUG - 35211/II

27. The following is the *correct* stratigraphic order for the Paleozoic Tethyan sequence in the Spiti basin:

- (A) Haimanta—Vaikrita—Lilang
- (B) Vaikrita—Haimanta—Lilang
- (C) Lilang—Kuling—Haimanta
- (D) Haimanta—Lilang—Kuling
- 28. The Jurassic-Cretaceous boundary in the Kachchh basin is represented by :
 - (A) Katrol-Umia F.
 - (B) Pachcham-Chari F.
 - (C) Chari-Katrol F.
 - (D) Katrol-Chari F.

29. The modified mercalli scale used in expressing intensity of Earthquake varies between :

- (A) -1 and +1
- (B) 0 and 10
- (C) 1 and 12
- (D) -10 and +10
- 30. Stream that does *not* exhibit any control of the underlying bed rock structures is known as:
 - (A) Subsequent stream
 - (B) Consequent stream
 - (C) Insequent stream
 - (D) Obsequent stream

- 31. One of the following drainage patterns is generally associated with folded sedimentary rocks:
 - (A) Dendritic
 - (B) Trellis
 - (C) Rectangular
 - (D) Barbed
- 32. BOD represents the activity of dissolved oxygen:
 - (A) Required during oxidation of decomposable organic matter
 - (B) Released during reduction of non-decomposable organic matter
 - (C) Released during chemical reaction
 - (D) Absorbed during decomposition of non-organic matter

- 33. Soils containing large amount of clay which shrink upon drying and swell with addition of water belongs to one of the following world soil orders:
 - (A) Oxisols
 - (B) Spodosols
 - (C) Ultisols
 - (D) Vertisols
- 34. One of the following is not a mechanical weathering process:
 - (A) Frost wedging
 - (B) Hydration
 - (C) Salt Crystal Growth
 - (D) Unloading

- 35. Rock bursts during tunnel excavations is an evidence of:

 (A) Pressure relief

 (B) Temperature relief

 (C) Microseismicity

 (D) Faulting
- 36. The region of India which receives enhanced rainfall during break monsoon is :
 - (A) Uttar Pradesh
 - (B) Tamil Nadu
 - (C) Rajasthan
 - (D) Orissa

- 37. During winter, the northern regions of India receive precipitation due to:
 - (A) Tropical Cyclones
 - (B) Western Disturbances
 - (C) Mid Tropospheric Cyclones
 - (D) Easterly Waves
- 38. As per Koppen's climatic classification, the tropical regions are designated as:
 - (A) Region C
 - (B) Region A
 - (C) Region F
 - (D) Region E

- 39. A piezometric surface is found in:
 - (A) Unconfined aquifer
 - (B) Confined aquifer
 - (C) Perched aquifer
 - (D) Leaky aquifer
- 40. Excessive rain within a short period is called:
 - (A) Thunder burst
 - (B) Cloud burst
 - (C) Cloud fall
 - (D) Flash flood

- 41. The mass difference between any two pairs of radiogenic isotopes is:
 - (A) too big
 - (B) too small
 - (C) no mass difference
 - (D) mass changes
- Which of the following group of elements is known as alkaline earth?
 - (A) Be, Mg, Ca, Sr, Ba and Ra
 - (B) Na, K, Al, Rb, Si and Th
 - (C) Mn, Fe, Cu, B, Br and I
 - (D) Co, Zr, Y, La, Ce and Nd

	(A) Cu-Zn deposits				
	(B) Diamond				
	(C) Chromite				
	(D) Gold				
14.	The only working gold mine in				
	India is :				
	(A) Kolar Gold Field				
	(B) Hutti Gold Mine				
	(C) Ajjanahalli Gold Mine				
	(D) G.R. Halli Gold Mine				

43. Sukinda Complex is famous for :

- Student Bounty.com 45. Pratt and Airy's models of isostasy had serious deficiencies for regional compensation as the equalization is made by:
 - (A) Vertical columns under topographic load
 - (B) Vertical columns of density
 - (C) Mantle substratum
 - (D) Crustal Roots
- Material in which magnetization develops in the opposite direction to the applied field is called:
 - (A) Diamagnetic
 - (B) Paramagnetic
 - (C) Ferromagnetic
 - (D) Antiferromagnetic

47.	Identify the uniaxial (+ve) mineral		Which of the following is <i>not</i> a type	
	from those listed below:		of resolution that is important in	
	(A) Quartz		image analysis ?	
48.	(B) Calcite		(A) Spatial	
	(C) Chlorite		(B) Spectral	
			(C) Temporal	
	(D) Olivine		(D) Parallax	
	The magnesium rich variety of 50. olivine is called: (A) Larnite (B) Tephroite (C) Fayalite (D) Forsterite		Which of the following is the best	
			measure of central tendency ?	
			(A) Mean	
			(B) Mode	
			(C) Standard Deviation	
			(D) Range	

Student Bounty.com

ROUGH WORK

AUG - 35211/II

ROUGH WORK