

Pearson Edexcel Level 3 Certificate

Mathematics in Context

Paper 2: Applications

Wednesday 23 May 2018 – Morning
Source booklet

Paper Reference
7MC0/02

Do not return this source booklet with the question paper.

Turn over ►

P55871A

©2018 Pearson Education Ltd.

1/1/1/1/1/



Pearson

Formulae sheet

There will be no credit for anything you write on this formulae sheet.

$$\text{Mean of a frequency distribution} = \frac{\sum fx}{\sum f}$$

$$\text{Mean of a grouped frequency distribution} = \frac{\sum fx}{\sum f}, \text{ where } x \text{ is the mid-interval value}$$

$$\text{Variance} = \frac{\sum (x - \bar{x})^2}{n}$$

$$\text{Standard deviation (set of numbers)} = \sqrt{\left[\frac{\sum x^2}{n} - \left(\frac{\sum x}{n} \right)^2 \right]}$$

$$\text{or} = \sqrt{\left[\frac{\sum (x - \bar{x})^2}{n} \right]}$$

where \bar{x} is the mean of the set of values

$$\text{Standard deviation (discrete frequency distribution)} = \sqrt{\left[\frac{\sum fx^2}{\sum f} - \left(\frac{\sum fx}{\sum f} \right)^2 \right]}$$

$$\text{or} = \sqrt{\left[\frac{\sum f(x - \bar{x})^2}{\sum f} \right]}$$

$$\text{Spearman's rank correlation coefficient} = 1 - \frac{6\sum d^2}{n(n^2 - 1)}$$

The product moment correlation coefficient is

$$r = \frac{S_{xy}}{\sqrt{S_{xx}S_{yy}}} = \frac{\sum x_i y_i - \frac{(\sum x_i)(\sum y_i)}{n}}{\sqrt{\left(\sum x_i^2 - \frac{(\sum x_i)^2}{n}\right)\left(\sum y_i^2 - \frac{(\sum y_i)^2}{n}\right)}}$$

The regression coefficient of y on x is $b = \frac{S_{xy}}{S_{xx}}$

Least squares regression line of y on x is $y = a + bx$ where $a = \bar{y} - b\bar{x}$

Arithmetic series

$$u_n = a + (n - 1)d$$

$$S_n = \frac{1}{2}n(a + l) = \frac{1}{2}n[2a + (n - 1)d]$$

Geometric series

$$u_n = ar^{n-1}$$

$$S_n = \frac{a(1 - r^n)}{1 - r}$$

$$S_\infty = \frac{a}{1 - r} \text{ for } |r| < 1$$

There will be no credit for anything you write in this source booklet.

SECTION A: OBESITY

A recent study in America into the relationship between diabetes and BMI found the following results.

BMI category	Respondents without diabetes	Respondents with diabetes	All respondents
underweight	6403	128	6531
normal weight	36 136	1586	37 722
overweight	38 524	3267	41 791
obese	27 455	5662	33 117
Totals	108 518	10 643	119 161

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4423198/#__sec10title

Every effort has been made to contact copyright holders to obtain their permission for the use of copyright material. Pearson Education Ltd. will, if notified, be happy to rectify any errors or omissions and include any such rectifications in future editions.