MARK SCHEME for the October/November 2011 question paper

for the guidance of teachers

5090 BIOLOGY

5090/62

Paper 6 (Alternative to Practical), maximum raw mark 40

MMM. Hiremepapers.com

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2011 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Page 2		2		Mark Scheme: Teachers' version Syllab				Syllabus	Paper	r	
		_	Ģ	GCE O LEVEL – October/November 2011			5090	62			
1 (a	a) (i)	1. te 2. a 3. p	 Graph marks: 1. temperature on <i>x</i> axis, depth on <i>y</i> axis with correct linear scales ; 2. axes labelled: temperature/°C, depth/mm ; 3. plots clear and accurate ; 4. good smooth line of best fit ; 								
	(ii)	optir dept		36 °C – 40 43 – 45 mi		(answe	ers accord	ing to grapl	n drawn)		[2]
(iii) no foam / no bubbles / no reaction enzyme <u>denatured</u> / <u>deactivated</u>					•	-		-	[2]		
(b	o) (i)) increase friction / abrasion AW ; to break cells open / release cell contents / release enzyme ;				ne ;		[2]			
	(ii)	glowing / smouldering splint ; relights / rekindles / burns more brightly ;						[2]			
(c	c) (i)	use	repeat (investigation) and find mean / average result ; use temperatures near the optimum / between 35°C – 45°C ; take measurements at smaller temperature intervals ; [max					x 2]			
	(ii)	2. b 3. u 4. u 5. e 6. a	etter m se con se con ach te ccurate	nethod of me istant volum istant volum mperature k e time meas	easurir le or co le or co cept co sureme	ng gas e oncentra oncentra nstant ; ent / time	volved / u tion of su tion of en ed for sam	se gas pipe ostrate ; zyme ; e length of		ghout; [max	x 4]
										[Total:	18]
2 (a	a) (i)	B <u>q</u> C re D w	<u>uard c</u> ed bloc	od cell / eryt lood cell /	hrocyte	э;	lymorph	/ phagocyte	R. rbc e / granulocyte R. wbc	/ lymphocyt	te / [4]
	(ii)	B (0 C tr D p	control anspo hagoc	rt / carry oxy	r closin ygen ; stroy b	ig of stor	ma / gase / destroy	pathogens	ige / transpiratio		uce [4]
(b	5) 1. 2. 3. 4. 5.	place on (microscope) slide with mountant / stain ; R. ink use cover slip ; prevent air bubbles forming ;				vax); [max	: 3]				

Page 3	Page 3 Mark Scheme: Teachers' version		Paper	
	GCE O LEVEL – October/November 2011	5090	62	

(c) (i) Drawing marks: both cells drawn with clean lines and realistic shape at least 4.0 cms; thinner area indicated in C + good lobed nucleus in D; Label mark: either depression in C or nucleus in D + cytoplasm or cell membrane in either; R. if nucleus in C or chloroplast in D [3] (ii) 2 measurements with correct units (once) with indication of where taken (on Fig. 2.2 or

(ii) 2 measurements with correct units (once) with indication of where taken (on Fig. 2.2 or on drawing) (max. length of D on Fig. 2.2 = 15 – 17 mm); correct method of calculation; evidence of correct allowance for ×800; magnification correct and well expressed;

(d)

feature	cell A	cell D	
(cell) size	large	small	
shape	irregular / indefinite / AW	regular / oval / definite AW	
nucleus (size)	small	large	
nucleus (shape)	round / circular / AW	lobed / irregular / AW	
arrangement	joined to other cells / AW	separate / AW	
(numbers)	one of many similar / AW	only one of its kind / AW	

One mark per line

[max 4]

[Total: 22]