

Cambridge International Examinations

Cambridge O Level	Cambridge International Examinations Cambridge Ordinary Level	WWW. Papo	Cambridge com
CANDIDATE NAME			
CENTRE NUMBER		CANDIDATE NUMBER	

BIOLOGY 5090/32

Paper 3 Practical Test

May/June 2015

1 hour 15 minutes

Candidates answer on the Question Paper.

Additional Materials: As specified in the Confidential Instructions.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer **all** questions.

Write your answers in the spaces provided on the Question Paper.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Exam	iner's Use
1	
2	
3	
Total	

This document consists of 9 printed pages and 3 blank pages.



In order to plan the best use of your time, read through all the questions on this paper before starting work.

- 1 You are provided with several bean seeds which have been soaked in water.
 - (a) Carefully cut one of the beans vertically into two halves. In the space below, make a drawing of one of the halves. On your drawing, label the cotyledon and the testa.

[3]

(b) Catalase is an enzyme found in many different tissues. Catalase breaks down hydrogen peroxide, forming water and oxygen.

You are required to carry out an experiment to compare the amounts of catalase in the cotyledons and testa of a bean seed.

- Put 5 cm³ of hydrogen peroxide into each of two test-tubes.
- Carefully separate the testa from the cotyledons of a bean seed.
- Keeping the testa and the cotyledons separate, cut both into small pieces.
- Add the pieces of testa to one test-tube containing hydrogen peroxide and the pieces of cotyledon to the other test-tube containing hydrogen peroxide.
- Observe any changes in the test-tubes for two minutes.

Table 1.1

(i) Record your observ	3 vations in Table 1.1. Table 1.1	MANN, PAPAC CAMBRIDGE, COM
part of bean seed testa	observations	age com
cotyledons		
,		[0]

							[2]
(ii)	State what you cond from your observation			of catalase in	n the testa an	d in the coty	rledons
							[2]
(iii)	Suggest an explana and in the cotyledor		difference	in the amour	nt of catalase	found in th	e testa
							[1]
(iv)	Suggest one way in	which this ex	xperiment (could be imp	roved.		
							[1]

[Turn over © UCLES 2015

(c)	Using another soaked bean seed, carry out a test to show whether its testa and
	contain starch.

	my
	4
Usii con	d another soaked bean seed, carry out a test to show whether its testa and its tain starch. Describe how you carried out this test.
(i)	Describe how you carried out this test.
	Ton Ton
	[2]
(ii)	After completing this test, state your conclusions.
	[1]

(d) Cereal grains, such as maize and barley, store carbohydrates.

An investigation was carried out to measure the activity of the enzyme amylase in barley grains during germination.

The results are shown in Table 1.2.

Table 1.2

germination / days	amylase activity / arbitrary units
0	0.2
2	0.8
4	2.0
6	3.0
8	8.0
10	6.5

www.PapaCambridge.com Construct a line graph of the data in Table 1.2 on the grid below. Join your points with ruled, straight lines. [4] (ii) Use your graph to find the amylase activity after 5 days of germination. arbitrary units [1] (iii) Suggest the role of amylase in germinating barley grains.

[Total: 19]

[Turn over © UCLES 2015

www.PapaCambridge.com (a) Fig. 2.1 shows two palisade cells in a section through a leaf, as seen using a mix



Fig. 2.1

(i) In the space below, make an accurate drawing of these two cells. Your drawing should be $2.0 \times$ larger than the cells in Fig. 2.1. You do not need to label your drawing.

		[5]
(ii)	State two visible features of the cells in Fig. 2.1 which are not present in animal cells	
	1	
	2	[2]

2

www.PapaCambridge.com (b) Fig. 2.2 shows a transverse section through a vascular bundle found in the stem seen using a microscope.




Fig. 2.2

(i)	Identify the part labelled A in Fig. 2.2.	
		[1]
(ii)	State two functions of part A .	
	1	
	2	
		[0]

[Turn over © UCLES 2015

(c)	Describe an investigation you could carry out in the laboratory to show the pawater in a cut stem of a plant.
	[4]

[Total: 14]

Fig. 3.1 shows the bones of the forelimb of a rabbit. The radius is labelled. 3




Fig. 3.1

(a)	Identify the bones labelled P, Q and R.
	P
	Q
	R[3]
(b)	State the type of joint formed between bones Q and R .
	[1]
(c)	Describe how, in a living rabbit, the lower part of the forelimb would be moved in the direction indicated by the arrow in Fig. 3.1.
	[3]

BLANK PAGE

www.PanaCambridge.com

11

BLANK PAGE

www.PanaCambridge.com

12

BLANK PAGE

www.PapaCambridge.com

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.