

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

General Certificate of Education O Level

MARK SCHEME for the November 2004 question paper

5070 CHEMISTRY

5070/04

Paper 4 (Alternative to Practical), maximum mark 60

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which Examiners were initially instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began. Any substantial changes to the mark scheme that arose from these discussions will be recorded in the published *Report on the Examination*.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the *Report on the Examination*.

- CIE will not enter into discussion or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the November 2004 question papers for most IGCSE and GCE Advanced Level syllabuses.



NOVEMBER 2004

GCE O Level

MARK SCHEME

MAXIMUM MARK: 60

SYLLABUS/COMPONENT: 5070/04

CHEMISTRY
Paper 4 (Alternative to Practical)



Page 1	Mark Scheme	Syllabus	Paper
	O LEVEL – NOVEMBER 2004	5070	4

- 1 24(1) cm³ [1]
- 2 (a) (i) ethanol (1), C₂H₅OH (1) (e.c.f. allowed or mark separately for ethanol or correct formula)
- (b) yeast (1)
- (c) when the thermometer showed an increase, or temperature rises above the boiling point of ethanol (1)
- not no more distillate produced.
- (d) (i) orange (1) to green (1) (mark separately within reason)
- (ii) ethanoic acid (1)
- (e) (i) ethyl ethanoate (1), CH₃COOC₂H₅ (1) no e.c.f except for an ester. Not C₄H₈O₂
- (ii) esters (1) e.c.f allowed here from (e) (i)
- (carboxylic acids not organic acids if appropriate e.c.f.) [10]
- 3 (a) chromatography (1)
- (b) line drawn below base line (1) (must be straight, using a ruler, and parallel with the base line)
- (c) ink consists of different colours, dyes, components (1) which would be separated (1)
- (d) X contains S and U. (1)
- Y contains R, S, and T. (1) (all in each case for 1 mark)
- (e) distance travelled by t = 4 cm
- distance travelled by solvent front = 5.5 cm (both 1)
- (No other values are acceptable as they are drawn exactly at 4.0 and 5.5 cm.)
- R_f = 4/5.5 = 0.72 or 0.73 (1) (to two d.p.) (not 0.7)
- Accept any e.c.f. for R_f even if >1 [8]
- Question 4 to 7 (a), (b), (c). 1 mark each [4]**
- 8 (a) 1.55 g (1)
- (b) to allow gas to escape (1) or to prevent pressure build up.
- (c) red or pink or orange to yellow (1)

Page 2	Mark Scheme	Syllabus	Paper
	O LEVEL – NOVEMBER 2004	5070	4

- (d) 24.1 41.1 28.5 1 mark for
0.0 17.6 4.8 correct row or
24.1 23.5 23.7 column (3)

mean value = 23.6 (1) cm³

- (e) 0.00236 (1) (i) 0.0264 (1)
(f) 0.00236 (1) (j) 0.0132 (1)
(g) 0.0236 (1) (k) (i) 100 g (1)
(h) 0.05 (1) (ii) 1.32 g (1)
(iii) 85.2% (1)

[16]

9 1 colourless solution (1) (no substances or solids.)

2 (a) white ppt. (1)

(b) soluble in excess (1)

3 (a) white ppt. (1)

(b) insoluble in excess (1)

4 Al foil (1), aq NaOH and heat (1), NH₃ or
gas evolved (1), test for NH₃ (1).

Al foil (1) followed by incorrect chemistry loses the second mark and the ammonia or gas evolved mark. The test for ammonia may be scored if correct.

or 'Brown Ring' test:

aq. FeSO₄ (1), conc. H₂SO₄ (1), aq. and conc. (1)

brown ring (1)

Formula Al(NO₃)₃ (1)

[10]

10 (a) hydrogen (1)

(b) 18, 40, 54, 60 (2) all correct (one error 1 mark)

(c) all points, recorded in the table, plotted correctly (1) two smooth curves (1), any attempt to draw reasonable curves (no straight lines between points) both passing through zero (1)

Page 3	Mark Scheme	Syllabus	Paper
	O LEVEL – NOVEMBER 2004	5070	4

(d) (i) 48 (1) cm³

(ii) 2.6 (1) minutes (in both cases read candidates graph and insist **to** half a small square)

(e) (i) powdered (1)

25 cm³ of 0.200 mol/dm³ or equivalent (2 or 0)

or double the concentration and halve the volume (2)

or increase the concentration and reduce the volume to give the same number of moles (2)

(increase concentration and reduce volume worth 1)

[11]