

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS GCE Ordinary Level

## MARK SCHEME for the May/June 2011 question paper

## for the guidance of teachers

# **5070 CHEMISTRY**

5070/31

Paper 3 (Practical Test), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2011 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



	Page 2		Mark Scheme: Teachers' version	Syllabus	Paper
			GCE O LEVEL – May/June 2011	5070	31
1	(a)	Titration	1		[12]
		Accuracy	<u>/</u> 8 marks		
		4 ma 2 ma	wo best titres give: arks for a value within 0.2 cm <sup>3</sup> of Supervisor arks for a value within 0.3 cm <sup>3</sup> of Supervisor ark for a value within 0.4 cm <sup>3</sup> of Supervisor		
		Concord	ance 3 marks		
		2 ma	arks if all the ticked values are within 0.2 cm <sup>3</sup> arks if all the ticked values are within 0.3 cm <sup>3</sup> ark if all the ticked values are within 0.4 cm <sup>3</sup>		
		<u>Average</u>	1 mark		
		Give 1 m the ticke	ark if the candidate calculates a correct average (erro d values.	r not greater tha	n 0.05) of all
	Ass	suming a 2	25 cm <sup>3</sup> pipette and a titre of 24.8 cm <sup>3</sup> :		
	(b)	concentr	ation of iodine in <b>P</b>		[2]
		$=\frac{24.8\times}{2\times2}$	0.1 5 (1)		
		= 0.0496	mol/dm <sup>3</sup> (1)		
		Answers	should be correct to $+$ or $-1$ in the third significant fig	ure.	
	(c)	mass of	iodine in 1 dm <sup>3</sup> of <b>P</b>		[1]
		= 0.0496	× 254		
		= 12.6g			
	(d)	amount	of iodine present in seaweed		[1]
		= 12.6 ×	1000000 / 15000		
		= 840 pp	m		
					[Total: 16]

Page 3	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE O LEVEL – May/June 2011	5070	31

### 2 R is hydrochloric acid S is sodium hydroxide

Test	Notes							
General points For ppt Allow solid, suspension, powder								
For gases Name of gas requires test to be at least partially correct. Effervesces = bubbles = gas vigorously evolved but not gas evolved								
Solutions Colourless not equivalent to clear, clear not equivalent to colourless								
Solution R								
Test 1								
effervescence gas turns limewater milky carbon dioxide solid disappears	(1) (1) (1) (1)							
Test 2								
(a) white ppt	(1)							
(b) soluble in excess colourless solution	(1) (1)							
Test 3								
<ul> <li>(a) effervescence</li> <li>gas pops with a lighted splint</li> <li>hydrogen</li> <li>liquid gets hot</li> <li>solid disappears</li> </ul>	(1) (1) (1) (1) (1)							
(b) white ppt insoluble in excess	(1) (1)							
Test 4								
white ppt soluble in excess colourless solution	(1) (1) (1)							
Test 5								
(a) green ppt soluble in excess green solution	(1) (1) (1)							
(b) green ppt soluble in excess green solution	(1) (1) (1)							

Page 4	Page 4 Mark Scheme: Teachers' version		Paper
	GCE O LEVEL – May/June	2011 5070	31
Test 6			
gas turns damp l ammonia	itmus blue (1) (1)		

#### Conclusions

Cation in **R** is hydrogen (indication of gas in test **1** or **3(a)**) (1) Anion in **R** is chloride (white ppt in test **2(a)**) (1) Anion in **S** is hydroxide (ammonia in test **6** or ppt in test **3(b)**, **4** or **5**) (1) [3]

Note: 28 marking points, maximum 24.

[Total: 24]