

## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS General Certificate of Education Ordinary Level

CANDIDATE NAME			
CENTRE NUMBER		CANDIDATE NUMBER	
COMPINED SO	CIENCE	_	5120/03

479252713

COMBINED SCIENCE

5129/02

Paper 2

May/June 2007

2 hours 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

## **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

A copy of the Periodic Table is printed on page 20.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

For Examiner's Use

This document consists of 18 printed pages and 2 blank pages.



1	A nucleus of <sup>24</sup> Na emits a beta-particle to form a nucleus of magnesium, Mg.
	(a) For the <sup>24</sup> Na nucleus,
	(i) state the number of protons,
	(ii) calculate the number of neutrons. [2]
	<b>(b)</b> The decay of <sup>24</sup> <sub>11</sub> Na is described by the equation
	$^{24}_{11}$ Na $\longrightarrow$ $^{0}_{-1}$ $\beta$ + $^{A}_{Z}$ Mg.
	Calculate the values of A and Z.
	A =
	Z =[2]
2	Sound and light are both waves. Sound is a longitudinal wave.
	Complete the following sentences.
	Light waves are not longitudinal but are
	In a vacuum, light travels at a speed of m/s.
	The distance between one crest of a wave and the next crest is called the
	of the wave.
	The number of complete waves produced in one second is called the
	of the wave. [4]

**3** Fig. 3.1 shows an experiment about the rusting of iron filings. As the iron rusts, the level of the water rises in the inverted test-tube.





Fig. 3.1

(a)	USE	erig. 3.1 to calculate now far up the test-tube the water rises.	
			[1]
(b)	Whi	ch gas in the air is used up during rusting?	
			[1]
(c)	In a	ddition to this gas, what other substance is required for iron to rust?	
			[1]
(d)	(i)	Iron may be prevented from rusting by galvanising.  Explain the meaning of the term <i>galvanising</i> .	
			[2]
	(ii)	State <b>one</b> other way by which iron may be prevented from rusting.	
			[1]

4 Hydrogen carbonate indicator solution is used to show the amount of carbon dioxide, CO<sub>2</sub>, passed through it. The solution changes colour as shown below.

For Examiner's Use



(a) Fig. 4.1 shows a bottle containing hydrogen carbonate indicator solution.




Fig. 4.1

A person breathes out through tube **P** five or six times.

What colour does the indicator solution become? ......[1]

**(b)** Fig. 4.2 shows apparatus used in an experiment.




Fig. 4.2

Bottle A contains hydrogen carbonate indicator solution.

Bottle **B** contains a green plant.

Bottle C contains a candle.

The candle is lit and a black cloth is placed over bottle  ${\bf B}.$ 

The air pump moves air through all three bottles in the direction shown by the arrows. The hydrogen carbonate indicator solution is orange at the start of the experiment.

(i)	State the colour change that will occur in the indicator solution in bottle <b>A</b> during the experiment.						
		[1]					
(ii)		e candle in bottle <b>C</b> is extinguished and the black cloth is removed from bottle <b>B</b> . e air continues to circulate.					
	1.	Name the process that starts when the plant is in the light.					
	2.	Write a word or symbol equation for this process.					
		[2]					
	3.	What colour change now occurs slowly in the indicator solution?					
		[1]					
(iii)	The	process named in (b)(ii) has a waste product that may be excreted.					
	1.	State what is meant by excretion.					
		[2]					
	2.	Name the waste product and explain why it may <b>not</b> be excreted.					
		name					
		explanation					
		[2]					

**5** Fig. 5.1 shows a lighting circuit.

For Examiner's Use




Fig. 5.1

(a)	Switches <b>A</b> and <b>B</b> are closed. Switch <b>C</b> remains open.	
(a)	Switches A and B are closed. Switch C remains open.	

State which lamp or lamps, if any, are lit.

.....[1]

- **(b)** When all the switches are closed, the voltage across lamp **Q** is 230 V and the current through it is 0.5 A.
  - (i) Calculate the resistance of lamp **Q**.

[3]

- (ii) State the voltage across lamp P. .....
- (iii) Lamps P and Q are identical and are at normal brightness. Calculate the current through the fuse.

..... A [1]

(c) State the energy changes taking place inside a lamp at normal brightness.

..... energy is being changed into

...... and ...... [2]

© UCLES 2007

6			en carbon dioxide and carbon are heated together, carbon monoxide is produced. equation for the reaction is					
				$C + CO_2 \longrightarrow 2CO$				
	(a)	Cal	culate the relative mole	ecular mass of				
		(i)	carbon dioxide,					
		(ii)	carbon monoxide.		[2]			
	(b)	Cal	culate the mass of carl	oon monoxide produced from 2.2 g of carbon dioxide.				
					[2]			
	(c)	Car	bon monoxide is a pol	lutant of the air.				
		(i)	Explain how carbon r	nonoxide gets into the air.				
					[1]			
		(ii)	Why is pollution of the	e air by carbon monoxide harmful?				

7 Fig. 7.1 is a diagram of a plant cell.






Fig. 7.1

(a)	(i)	State the letters of <b>two</b> parts of the cell in Fig. 7.1 that show it is a plant cell.	
		and	[2]
	(ii)	State the names of these two parts.	
		and	[2]
(b)	Sta	te the names of three parts that are found in <b>both</b> plant cells <b>and</b> animal cells.	
	1		
	2		
	3		. [3]

**8** Fig. 8.1 shows a pin in front of a plane mirror. The position of the image of the pin is also shown.

For Examiner's Use




Fig. 8.1 also shows a ray of light incident on the mirror.

(a) On Fig. 8.1, draw the reflected ray.

[2]

**(b)** Fig. 8.2 shows a ray of light entering a block of plastic.




Fig. 8.2

The angle of incidence is **X** and the angle of refraction is 35°.

(i) State the equation used to calculate refractive index.

[1]

(ii) The plastic has a refractive index of 1.45. Calculate angle **X**.

angle = ..... [2]

9	(a)	fractional The boxe	distillation of petroleus on the right show the	m (crude oil). e uses of these	nes of some fractions fractions. tion with its correct use		
			fractions		uses		
			paraffin		making roads		
			bitumen		jet aircraft fuel		
			heavy oils		fuel for cars		
			petrol		waxes and polishes		
	Fig. 9.1						
	(b)	The fracti		de oil contain h	ydrocarbons from the	homologous series	
		(i) State	e <b>one</b> characteristic of	a homologous	series.		
		(ii) Octa	ne is an alkane with e		ms.	[1]	

State the molecular formula of octane. [1]

**10** Fig. 10.1 shows a bar magnet pushed slowly into a coil of wire. The ammeter measures a very small current in the positive direction.

For Examiner's Use




Fig. 10.1

Use the following phrases when answering the questions below.

current in opposite direction larger current smaller current no current (a) State what happens when the North pole of the magnet is pushed more quickly into the coil, ..... (ii) the South pole of the magnet is pushed into the coil, ..... (iii) the magnet is inside the coil but is **not** moving. .....[3] **(b)** The number of turns of wire on the coil is decreased. The North pole of the magnet is pushed slowly into the coil. How is the ammeter reading different from that shown in Fig. 10.1? .....[1]

11 Equal volumes of the same hydrochloric acid solution are placed into three separate test-tubes. Equal sized pieces of the metals, copper, iron and magnesium, are dropped into the test-tubes.

For Examiner's Use

The results are shown in Fig. 11.1.




Fig. 11.1

(a)	Nar	Name the gas produced in tubes <b>A</b> and <b>B</b> [1]							
(b)	Des	Describe a test which shows that hydrochloric acid is acidic.							
	test								
	resi	ult		[2]					
(c)	(i)	Which tube contains copper?							
	(ii)	Which tube contains magnesium?		[2]					

12 (a) Fig. 12.1 represents blood flowing from the heart to the lungs and back to the heart.

For Examiner's Use




Fig. 12.1

	(i)	State the type of blood vessel that carries blood from the heart to the lungs.
		[1]
	(ii)	Describe two changes that take place in the blood as it passes through the lungs.
		1
		2
		[4]
(b)		narp stone cuts a person's foot, which then bleeds. lain the role of each of the following components of blood, as a result of the cut.
	plat	elets
	whit	e blood cells
		[4]

13	•		arked.	two bar mag	ieis and	и а ріесе с	n iion. C	The Of the Dai The	agnets has its t	lwo
					N		S		]	
				nmarked bar agnet	1	bar magne	t	piece of iron		
						Fig. 13.1				
	(a)	(i)		o bar magnets . 13.1, mark th	•	•		ed bar magnet.		
		(ii)		on becomes m . 13.1, mark th	•			to the bar magne firon.	t next to it.	[2]
	(b)	Iron	ı is a ma	ignetic materia	al.					
		Nar	ne anotl	ner magnetic ı	naterial.					[1]
	(c)		•	nets are some ays in which t				magnets. agnet may be cha	anged.	
		1								
		2								[2]
14				metal in Grou um chloride.	up I of t	the Periodi	c Table.	It reacts violent	ly with chlorine	to
	(a)	Hov	w many	electrons are i	n the ou	ıter shell of	a potas	ssium atom?		
										[1]
	(b)	Wri	te a bala	anced equatio	n for the	reaction b	etween	potassium and ch	nlorine.	
										[2]
	(c)	Sta	te the ty	pe of bonding	present	in potassii	um chloi	ride.		
										[1]
	(d)			reacts with car e products of t		•	cing a w	hite solid and a b	lack solid.	
		whi	te solid							
		blad	ck solid							[2]

**15** A student carries out an experiment using a spring to produce the load-extension graph of Fig. 15.1.

For Examiner's Use






Fig. 15.1

(	a)	Use Fig. 15.1	to find the	extension o	of the spring f	for a loa	ad of 5.0 N.

.....cm [1]

(b) Before the spring is stretched, its length is 10.2 cm. Calculate the length of the spring when the load is 5.0 N.

[1]

(c) State the apparatus that may be used in the experiment to measure

(i) the length of the spring, .....

(ii) the load on the spring. [2]

16	Ato	oms of <sup>10</sup> B and <sup>11</sup> B have different nucleon numbers.					
	(a)	What name is given to atoms of the same element with different nucleon numbers?					
			. [1]				
	(b)	Fig. 16.1 represents the nucleus of a <sup>11</sup> B atom.					
		Fig. 16.1					
		(i) Name the particles represented by					
		O	[2]				
		(ii) Complete the diagram below to represent the electronic structure of boron.					
		B	[1]				

17 Fig. 17.1 shows changes in the thickness of the wall of the uterus during the human menstrual cycle.

For Examiner's Use




	Fig. 17.1					
(a)	(a) How long is the menstrual cycle in humans?					
		[1]	J			
(b)	(b) On Fig. 17.1, write					
	(i) O at the time when ovulation is likely to occur,					
	(ii) M at the time when menstruation is likely to occur.					
(c)	Use words from the following list to complete the sentences below. Each word may be used once, or not at all.					
	abstinence condoms hormones infertility					
	sperm vagina vasectomy					
	A natural method of contraception is					
	A mechanical method of contraception is using w					
	prevent from entering the					

## **BLANK PAGE**

## **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

DATA SHEET
The Periodic Table of the Elements

		0	4 <b>He</b> lium 2	20 <b>Ne</b> Neon 10	40 <b>Ar</b> Argon	98	131 <b>Xe</b> Xenon 54	<b>Rn</b> Radon 86	
		IIA		19 Fluorine	35.5 <b>C1</b> Chlorine	80 <b>Br</b> Bromine 35	127 <b>I</b> lodine 53	At Astatine 85	
		IN		16 Oxygen	32 <b>S</b> Sulphur	79 Selenium 34	128 <b>Te</b> Tellurium 52	Po Polonium 84	
		^		14 <b>N</b> itrogen 7	31 Phosphorus	75 <b>As</b> Arsenic 33	122 <b>Sb</b> Antimony 51	209 <b>Bi</b> Bismuth	
		ΛΙ		12 Carbon 6	28 <b>Si</b> Silicon	73 <b>Ge</b> Germanium 32	119 <b>Sn</b> Tin	207 <b>Pb</b> Lead	
		III		11 Boron 5	27 <b>A1</b> Aluminium	70 <b>Ga</b> Gallium 31	115 <b>In</b> Indium 49	204 <b>T1</b> Thallium	
S						65 <b>Zn</b> Zinc 30	112 <b>Cd</b> Cadmium 48	201 <b>Hg</b> Mercury 80	
The Periodic Lable of the Elements						64 Copper	108 <b>Ag</b> Silver 47	197 <b>Au</b> Gold	
e or the	dn					59 <b>Ni</b> Nickel	106 Pd Palladium 46	195 <b>Pt</b> Platinum 78	
dic I abl	Group					59 <b>Co</b> Cobalt	103 <b>Rh</b> Rhodium 45	192 <b>Ir</b> Iridium	
e Perio			1 Hydrogen			56 <b>Fe</b> Iron	101 <b>Ru</b> Ruthenium 44	190 <b>Os</b> Osmium 76	
=				J		55 <b>Wn</b> Manganese 25	Tc Technetium 43	186 <b>Re</b> Rhenium 75	
						52 <b>Cr</b> Chromium 24	96 <b>Mo</b> Molybdenum 42	184 W W Tungsten 74	
						51 <b>V</b> Vanadium 23	93 <b>Nb</b> Niobium 41	181 <b>Ta</b> Tantalum 73	
						48 <b>#</b> Titanium 22	91 <b>Zr</b> Zirconium 40	178 <b>Hf</b> Hafnium 72	
						45 Scandium Scandium	89 <b>Y</b> Yttrium 39	139 <b>La</b> Lanthanum 57 *	227 <b>Ac</b> Actinium 89
		Ш		9 <b>Be</b>	24 Magnesium	40 <b>Ca</b> Calcium	Sr Strontium	137 <b>Ba</b> Barium 56	226 <b>Ra</b> Radium 88
		-		7 Lithium	23 <b>Na</b> Sodium	39 <b>K</b> Potassium	Rb Rubidium 37	133 <b>Cs</b> Caesium 55	Fr Francium 87
l CL	ES 2	007	<u> </u>	1	I		2/M/J/07	1	

175 **Lu** Lutetium Ľ 173 **Yb** Ytterbium Nobelium Mendelevium Thulium 169 **F** ğ **Fa** Fermium 167 **Er**bium 165 **Holmium** Es 162 **Q** ರ **Berkelium** 159 **Tb** Terbium Gadolinium Curium 157 **Gd** 152 **Eu** Europium **Am** Americium **Pu** Plutonium 150 **Sm** Samarium Pm Neodymium 14 **A** Praseodymium 59 Ра 140 **Cerium** Thorium 232 **T** 28 06

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).

b = proton (atomic) number

q

a = relative atomic massX = atomic symbol

а **×** 

Key

\*58-71 Lanthanoid series †90-103 Actinoid series