

**MARK SCHEME for the May/June 2012 question paper  
for the guidance of teachers**

**4024 MATHEMATICS (SYLLABUS D)**

**4024/12**

Paper 1, maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

- Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2012 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

<b>Page 2</b>	<b>Mark Scheme: Teachers' version</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>GCE O LEVEL – May/June 2012</b>	<b>4024</b>	<b>12</b>

### Abbreviations

cao	correct answer only
cso	correct solution only
dep	dependent
ft	follow through after error
isw	ignore subsequent working
oe	or equivalent
SC	Special Case
www	without wrong working
soi	seen or implied

Qu	Answers	Mark	Part marks
<b>1</b>	<b>(a)</b> $\frac{18}{25}$ cao	1	
	<b>(b)</b> $\frac{2k_1}{5k_1}$ and $\frac{2k_2}{5k_2}$	1	
<b>2</b>	<b>(a)</b> 42	1	
	<b>(b)</b> 4	1	
<b>3</b>	<b>(a)</b> Drawing of kite or isosceles trapezium	1	
	<b>(b)</b> 2 0	1	
<b>4</b>	<b>(a)</b> 9	1	
	<b>(b)</b> 144	1	
<b>5</b>	18	2	<b>B1</b> for $x^2y = k$ soi or for $2 \times 6^2 = y \times 2^2$ soi
<b>6</b>	$64 - 9\pi$ cao isw	2	<b>B1</b> for $\pi \times 3^2$ or for $64 - \pi r^2$
<b>7</b>	<b>(a)</b> $(x) \leq 4$	1	
	<b>(b)</b> -1, 0, 1	1	
<b>8</b>	<b>(a)</b> 0.95	1	
	<b>(b)</b> 2.8(0)	1	<b>SC1</b> for both 95 and 280
<b>9</b>	<b>(a)</b> $\frac{31}{40}$ oe	1	
	<b>(b)</b> $3\frac{3}{4}$ cao	2	<b>B1</b> for $\frac{5}{3} \times \frac{9}{4}$ oe

Page 3	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE O LEVEL – May/June 2012	4024	12

10 (a)	22	1	
(b)	300	2	<b>B1</b> for two of 20, 9, 0.6 seen
11 (a)	-3 cao	1	
(b)	$a = \frac{b^2}{b-c}$	2	<b>B1</b> for $ac = b(a-b)$ or $c = b - \frac{b^2}{a}$
12 (a)	$\begin{pmatrix} 5 \\ -10 \end{pmatrix}$ oe	1	
(b)	(s =) 5 (t =) 2	2	<b>C1</b> for one correct or <b>M1</b> for $\begin{pmatrix} 3s \\ -2s \end{pmatrix} + \begin{pmatrix} -3 \\ 12 \end{pmatrix} = \begin{pmatrix} 12 \\ t \end{pmatrix}$ oe
13 (a)	$\begin{pmatrix} 2 \\ -4 \end{pmatrix}$ oe	1	
(b)	Correct triangle	2	<b>B1</b> for two vertices correct or triangle correct size and orientation
14 (a)	(-3, 2.5) oe	1	
(b)	$y = \frac{1}{2}x + 4$ isw	2	<b>B1</b> for $m = \frac{1}{2}$ or $c = 4$ soi
15	28	3	<b>M1</b> for $CD^2 = \text{their } (\sqrt{65})^2 - 4^2$ oe and <b>A1</b> for $CD = 7$ or <b>B1</b> for their $CD \times 4$ After 0 <b>SC1</b> for $(\sqrt{65})^2 = 65$
16 (a)	150°	2	<b>B1</b> for $\frac{360}{12}$ soi or $(12 - 2) \times 180$ soi
(b)	Equilateral triangle	1	
17 (a)	1.85	1	
(b) (i)	10 15 oe	1	
(ii)	10 hours 5 minutes	2	<b>B1</b> for 17 55 or 23 30 seen or <b>M1</b> for $24\ 00 - (13\ 25 + 4\ 30) + 4$ oe
18 (a) (i)	11	1	
(ii)	-3	1	
(b)	$5^{-1}, 4^0, 2^3, 3^2$ oe	1	
(c)	64	1	

Page 4	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE O LEVEL – May/June 2012	4024	12

19	(a) (i)	-12	1	<b>B1</b> for $(a-2)^2 - 3(a-2) + 1$
	(ii)	$\sqrt[3]{x+4}$ oe	1	
	(b)	$a^2 - 7a + 11$	2	
20	(a)	$1.1 \times 10^8$	1	<b>C1</b> for one correct in the correct place
	(b)	Senegal South Korea	2	
	(c)	$3.4 \times 10^7$	1	
21	(a)	Tree diagram correct	2	<b>B1</b> for both $\frac{10}{25}, \frac{15}{25}$ oe correct or both $\frac{20}{30}, \frac{10}{30}$ oe correct
	(b)	$\frac{8}{15}$ cao	2	<b>M1</b> for $\frac{10}{25} \times \frac{10}{30} + \frac{15}{25} \times \frac{20}{30}$ oe
22	(a)	11, 14, 17	1	<b>M1</b> for $3p + 2 = 83$ ft
	(b)	$3n + 2$	1	
	(c)	27 cao	2	
23	(a)	Correct frequency polygon	2	Frequency axis scaled to show 4, 8, 7, 4, 2 Plots at midpoints 2, 6, 10, 14, 18 and joined by straight lines  <b>B1</b> for 1 mis plot, everything else correct or if plots not joined, everything else correct or if there is no vertical scale, everything else correct or  for 5 correct frequencies not at midpoints but correctly spaced, everything else correct. or  <b>SC1</b> for a completely accurate frequency polygon seen alongside other graphs on the same diagram.
	(b)	$4 < t \leq 8$	1	
	(c)	13	1	
	(d)	Convincing explanation	1	e.g. longest time is in the group $16 < t \leq 20$ , but may not be 20

<b>Page 5</b>	<b>Mark Scheme: Teachers' version</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>GCE O LEVEL – May/June 2012</b>	<b>4024</b>	<b>12</b>

<b>24</b>	<b>(a)</b>	245	1	<b>B2</b> for 4965 or <b>M2</b> for $\frac{25}{100} \times 4500 + 320 \times 12 - 4500$ or <b>B1</b> for 1125 or 3840 seen
	<b>(b)</b>	220	1	
	<b>(c)</b>	465	3	
<b>25</b>	<b>(a) (i)</b>	$(x + 4)(x - 3)$	1	<b>C2</b> for one correct or <b>M1</b> for correct method to eliminate one variable
	<b>(ii)</b>	$(5x + 2y)(5x - 2y)$	1	
	<b>(b)</b>	$\frac{3}{2p}$ oe	1	
	<b>(c)</b>	$x = 4 \quad y = -2$	3	