CAMBRIDGE INTERNATIONAL EXAMINATIONS Cambridge Ordinary Level



## MARK SCHEME for the May/June 2015 series

## 4024 MATHEMATICS (SYLLABUS D)

4024/21

Paper 2 (Paper 2), maximum raw mark 100

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2015 series for most Cambridge IGCSE<sup>®</sup>, Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.



Page 2	Mark Scheme	Syllabus	Paper
	Cambridge O Level – May/June 2015	4024	21

	Qu	Answers	Mark	Part Marks
1	(a) (i)	28236	2	<b>B1</b> for $\frac{22}{100}$ or $\frac{78}{100} \times 36200$ or 7964
	(ii)	140 000	3	M1 for $\frac{8}{100}x = 36200 - 25000$ or figs $\frac{36200 - 25000}{8}$ Or B1 for figs (36200 - 25000) ÷8 or 11200
	(iii)	30	2	<b>M1</b> for figs $\frac{1080 - 756}{1080}$
	(b)	600	3	<b>B1</b> for 0.135 soi <b>M1</b> for figs $\frac{681}{113.5 \text{ or } 104.5}$
2	(a)	8.94	2	<b>M1</b> for $\sqrt{(-1-3)^2 + (2-10)^2}$
	(b)	- 0.447	2	M1 for $\frac{4}{\sqrt{80}}$
	(c)	x + 2y = 13 oe correctly obtained	2	<b>M1</b> for $(x - (1))^2 + (y - 2)^2 = (x - 3)^2 + (y - 10)^2$
	(d)	(-1, 7)	1	
3	(a) (i)	Convincing proof	1	
	(ii) (a)	HFG	1	
	(b)	HEF + HFK = HEF + HFG	1	
	(b) (i)	(vertically) opposite same segment	2	B1 for either
	(ii)	$P\hat{L}M = 180 - y$ $P\hat{R}M = 180 - (180 - y) = y$	2	<b>B1</b> for either
	(iii)	Similar justified	3	<b>B1</b> for Similar <b>B1</b> for both $M\hat{S}Q$ and $P\hat{M}R$
4	(a)	63.6 to 63.62	2	<b>M1</b> for $\pi r^2$
	(b)	352 to 353	2	<b>B1</b> for 161(.2) or 190.9 or 191
	(c)	10	2	<b>M1</b> for $\frac{1}{3}\pi 5^2 h$ or $\frac{2}{3}\pi 5^3$

	Page 3		Scheme		Syllabus Paper		
	Cambridge O Lev		vel – May/June 2015		4024 21		
5	(a)	Correctly shown	2	<b>M1</b> for $\tan x = \frac{4}{11}$			
	(b)	Complete explanation	1	$B\hat{C}A = C\hat{D}F$ correspondi and $y + B\hat{C}A = 90 = x + Ch$	-		
	(c)	4.256 to 4.26(0)	3	M2 for $(AC =) \frac{4}{\cos y}$ Or M1 for $\frac{4}{AC} = \cos y$			
	(d)	55.8 to 55.9	4ft	<b>M3</b> for $\frac{1}{2}$ (their (c) + their Or <b>B2</b> for ( <i>FD</i> =) 11.7 or Or <b>B1</b> for ( <i>DF</i> <sup>2</sup> ) = 4 <sup>2</sup> + 1	$\sqrt{137}$ or $\sqrt{4^2 + 11^2}$		
6	(a)	$x^3 - 1$	2	<b>M1</b> for $x^3 + x^2 + x - x^2 - x$	- 1		
	(b)	0.4	3	M1 for $\frac{3x(x-2) - 4(x+2)}{(x+2)(x-2)}$ B1 for $3x^2 - 6x - 4x - 8$ o			
	(c)	(x = ) -0.5 $(y = ) -2$	4	<b>B3</b> for one correct value w Or <b>B2</b> for a pair of values s Or <b>M1</b> for attempt to equat	satisfying one equation		
7	(a) (i)	20.9 to 21(.0)	1				
	(ii)	4.6(0) to 4.61	1				
	(b) (i)	$3x^2 + 9x - 247 (= 0)$ correctly obtained	4	<b>B3</b> for $16^2 = x^2 + 4x^2 + 12$ . Or <b>M2</b> for $16^2 = x^2 + (2x + 12)$ . Or <b>M1</b> for $(16^2 = )x^2 + (2x + 12)$ .	$(-3)^2 - 2x(2x+3)\cos 60$		
	(ii)	7.70 and -10.70	3	<b>B2</b> for one correct solution Or 7.69 to 7.70 and -10 Or if in the form $\frac{p \pm \sqrt{q}}{r}$ , for $q = 3045$ (55.18)			
	(iii)	7.70 18.40	1ft				
	(iv)	61.3 to 62(.0)	2ft	<b>M1</b> for $\frac{1}{2} \times$ <i>their</i> 7.70 $\times$ <i>th</i>	<i>eir</i> 18.40 × sin60		
8	(a) (i)	42.18 to 42.22	2	<b>M1</b> for $\frac{260}{360}$ or $2\pi \times 9.3$			

Ρ	age 4			Scheme		Syllabus 4024	Paper
			Cambridge O Level – May/June 2015				21
	(ii)		196 to 196.32	2	<b>M1</b> for $\frac{260}{360} \times \pi \times 9.3^2$		
()	b) (i)		194 to 195	2	M1 for subtraction of two a	areas	
	(ii)	(a)	0.578 confirmed	2	<b>M1</b> for $(2\pi r =) \frac{260}{360} \times 2\pi \times$	0.8	
		(b)	18.1 to 18.2	2	<b>M1</b> for $2\pi \times 0.578 \times 5$		
		(c)	5.24 to 5.25	2	<b>M1</b> for $\pi \times 0.578^2 \times 5$		
9 (8	a)		-27 -8 -1 0 1 8 27	1			
(1	b)		7 correct plots and smooth curve	2	<b>B1</b> for 5 plots		
(0	c) (i)		- 2.4 to - 2.6	1			
	(ii)		4 to 6	1			
	(iii)		$t = u^3$	1			
	(iv)		10 to 13	2	<b>M1</b> for a tangent at $x = 2$		
(0	d) (i)		Correct line	2	<b>B1</b> for correct intercept (0,	3) or gradient	t 5
	(ii)		(-1.95 to -1.7) (- 0.8 to -0.5) (2.4 to 2.6)	2	<b>B1</b> for one correct		
10 (8	a) (i)		$\frac{1}{3}$ oe	1			
	(ii)		$\frac{48}{1495}$ oe	2	<b>M1</b> for $(2 \times) \frac{60}{300} \times \frac{24}{299}$ After <b>0</b> , allow <b>SC1</b> for 2 × 4	$\frac{60}{300} \times \frac{24}{300}$	
(1	b)		50.8	3	M1 for 15240, or 2640+1880+2352+3744 44×60+47×40+49×48 B1 for division by 300		
(0	c) (i)		100 148 220 276	1			
	(ii)		7 correct plots and smooth curve	2	<b>B1</b> for 5 correct plots		
(0	d) (i)		50 to 50.5	1			
	(ii)		7.25 to 8.00	2	<b>B1</b> for 46.5 to 47.0 or 54.1 or <i>their</i> reading at 225, or 7		een

Page 5	Mark Scheme Cambridge O Level – May/June 2015					Paper 21
					4024	21
11 (a) (i)		b	1			
(ii)		2 <b>b</b> correctly obtained	2	<b>M1</b> for $\overrightarrow{GB}$ + $\overrightarrow{BA}$ + $\overrightarrow{AE}$ +	<i>ED</i> soi	
(iii)	(a)	$\frac{8}{5}\mathbf{a} - \frac{8}{5}\mathbf{b}$	2	<b>B1</b> for $\overrightarrow{DC} = 2\mathbf{c} - 2\mathbf{b}$		
	(b)	$1:\frac{8}{5}$ oe	1			
(b) (i)	(a)	Reflection in $y = x$	2	<b>B1</b> for reflection		
	(b)	$\begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix}$	2	M1 for either column		
(ii)		Vertices (-3, 6) (-3, 0) (0, -2)	1			
(iii)		90	1			