

Candidate Name \_\_\_\_\_

Centre Number

Candidate  
Number

--	--

**CAMBRIDGE INTERNATIONAL EXAMINATIONS**  
**Joint Examination for the School Certificate**  
**and General Certificate of Education Ordinary Level**

**PHYSICS**

PAPER 3 Practical Test

ANSWER BOOKLET

**5054/3**

**OCTOBER/NOVEMBER SESSION 2002**

2 hours

**TIME** 2 hours

**INSTRUCTIONS TO CANDIDATES**

Write your name, Centre number and candidate number in the spaces at the top of this page.

Answer **all** questions.

Write your answers in the spaces provided in this answer booklet.

**FOR EXAMINER'S USE**

<b>1</b>	
<b>2</b>	
<b>3</b>	
<b>4</b>	
<b>TOTAL</b>	

---

**This answer booklet consists of 7 printed pages and 1 blank page.**



**Section A**

1 (a) record of the position of the centre of mass of the metre rule

(b) record of the measurements used to determine  $x$  and  $y$

calculation of  $x$  and  $y$

(c) calculation of  $M$  using  $M = \frac{x}{y} \times 100$  grams

(d) (i) record of  $l$

(ii) record of  $w$

(iii) record of  $t$

(e) (i) calculation of  $V$  using  $V = lwt$

(ii) calculation of  $\rho$  using  $\rho = M/V$

2 (a) record of  $\theta_1$

record of  $V_1$

(b) record of  $\theta_2$

(c) record of  $V_2$

(d) (i) record of  $m_W$

(ii) record of  $m_1$

(e) calculation of  $L$  using  $m_1L + m_1c\theta_2 = m_Wc(\theta_1 - \theta_2)$

where  $c = 4.2 \text{ J/(g } ^\circ\text{C)}$

(f) statement of precautions taken to ensure that your value of  $L$  was as precise as possible

3 (a) diagram of the circuit that has been set up for you

(b) (i) record of  $V_{AB}$

(ii) record of  $V_{BC}$

(iii) record of  $V_{AC}$

(c) calculation of  $I$  using  $I = \frac{V_{AB}}{R}$   
where  $R = 1000 \Omega$

(d) record of  $V_{AB}$

record of  $V_{BC}$

record of  $V_{AC}$

(e) explanation of how your observations indicate that the resistance of the LDR increases when covered

5  
Section B

For  
Examiner's  
Use

4

A \_\_\_\_\_ B

**(b) (c) and (d)** table of values of  $i$ ,  $r$ ,  $\sin i$  and  $\sin r$

$i/^\circ$	$r/^\circ$	$\sin i$	$\sin r$

**(e)** using the grid on page 7, plot a graph of  $\sin i$  against  $\sin r$

**(f)** determination of  $G$



