

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS General Certificate of Education Ordinary Level

ANOVELLIDOO	NLL I		2 hours							
ANSWER BOO	NKI FT									
Paper 3 Praction	cal Test	October/November 2007								
PHYSICS			5054/03							
CENTRE NUMBER		CANDIDATE NUMBER								
CANDIDATE NAME										

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

All of your answers should be written in this Answer Booklet: scrap paper must **not** be used.

Graph paper is provided in this Answer Booklet. Additional sheets of graph paper should be used only if it is necessary to do so.

At the end of the examination, fasten all your work securely together.

For Examiner's Use									
1									
2									
3									
4									
Total									

UNIVERSITY of CAMBRIDGE International Examinations

Section A

For Examiner's Use

- 1 (a) determination of d
 - (b) diagram of the block in the water

(c) determination of $d_{\rm s}$

explanation of how you made sure that your value for $\textit{d}_{_{\rm S}}$ was accurate

(d) calculation of $\frac{d_s}{d}$

M

2 (a) to (d)

For Examiner's Use

(e) record of r

(f) calculation of *n* given that $n = \frac{\sin i}{\sin r}$

		4	
3	(a) to (c)	At the end of the examination, attach your card to the Answer Booklet between pages 4 and 5 with a piece of string.	For Examiner' Use
	(d) reco	ord of the measurement of BX	
	(e) desc	cription of a different experiment to confirm that X is the centre of mass	

Section B

For Examiner's Use

4 (a) circuit diagram

For Examiner's Use

(b)	record of V_0			
(c)	record of R			
	record of V			
(d)	table of values	of <i>R</i> and <i>V</i>		
(e)	using the grid o	on page 7 plot a graph o	f V/V on the y -axis aga	inst $R/k\Omega$ on the x -axis
(f)	(i) value of <i>R</i>	corresponding to 0.5 V_0		
(-)	(-)	zzsopoag to o.o v	J	
	(ii) resistance	of X with explanation		

For Examiner's Use

			_						П			Τ		П		Ī	Т				Τ		П			П	I				I				T				_		_		П			\Box
\blacksquare	Ŧ	П	Ξ	П	\mp	П	\blacksquare	Ŧ	П	Ŧ		F	Ŧ	H	I	1	I	H	Ŧ		F	\pm	П	F		П	F		\prod	Ħ	I	Ŧ	H		Ŧ	H	\blacksquare	П	Ŧ	H	Ŧ		\blacksquare	\blacksquare	Ξ	\exists
Ш		Н	\pm	Ш		Н	$\pm I$		Ħ	+	Н	Ė	H	Н	\pm	f	\pm	Н	\pm		+		Н	\pm	H	Н	Ė	Ш	Н	Ħ			Ш		+	Н	Н	Н	+	Ħ	\pm	Н	Н	Н		\pm
		Ш	\pm		\pm				Н	\pm				Ħ	\pm								Н	ŧ		Ħ			Н	Ħ					#		Ħ		\pm	Ħ	\pm					\pm
			\pm		\pm					#				Ħ	\pm								Ħ	t						\pm					#		\pm		#		\pm					\exists
		Ħ	$^{+}$		\pm	Н	\pm	$^{+}$	Н	+				Ħ	\pm		\pm		$^{+}$				Ħ	†		H	t			Ħ					#		\pm	H	$^{+}$		$^{+}$		\dagger	†		\pm
		H			\pm	Н			Н	t				Ħ	\pm								Н	t		Н			Н	Ħ					1	Ħ		Н	#		†		Ħ			\pm
		\parallel	\pm		\pm				Н	#				Ħ	\pm		\pm						Ħ	$^{\pm}$		H				\parallel					#		\pm		\pm		\pm					\pm
		\pm	\pm		\pm					\pm				†	\pm	#	\pm		\pm	\pm		\pm	Ħ	\pm		Ħ	t		Ħ	\pm					#		\pm		\pm		\pm					\pm
					\pm				Н	#				Ħ	\pm								Ħ	\pm						\pm					#		\pm		#		\pm		\pm	\pm		\pm
		Ħ	+		t				Н	+		t		Ħ	†		†	Ħ	t		t		Ħ	t		Ħ	t		Ħ	Ħ					#		+		+	Ħ	t		\Box			\pm
		\parallel	+	Ш					Н	+				Ħ	\pm				†				Н	$^{\pm}$		Н	t		Н	Ħ					#		#		#		+					\pm
	+	\parallel	#		\pm		\parallel		Ħ	#				Ħ	\pm	#	\pm		$^{+}$	\pm	t	#	Ħ	#		Ħ	t		Ħ	\sharp					#				#	\pm	#					\pm
		\parallel	+		\pm		\parallel			#				Ħ	\pm								Ħ	#		Ħ	t			Ħ					#		\pm		#		#					\pm
		Ħ			\pm				Н	t		t		Ħ	\pm						t		H	t		H	t			Ħ					#		Ħ		#		t					\pm
		\forall	+		$^{+}$		\parallel		Ħ	#				Ħ	\pm		\pm	Ħ	$^{+}$			\pm	Ħ	#		Ħ	+		Ħ	\dagger					#		\pm		#	\forall	#					\pm
	+	\sharp	#	Ш	#	Ħ	\parallel		Ħ	#	Ħ	#	Ħ	Ħ	\ddagger	#	Ħ	Ħ	+	#	#	Ħ	Ħ	#	Ħ	Ħ	#		\parallel	Ħ	+	Ħ		Ш	‡	Ħ	\parallel	\Box	#	†	+	Ħ	\parallel	\parallel	Ħ	#
	+	\parallel	#	\parallel	†	Ħ	\parallel	+	Ħ	#	\parallel	#	#	\sharp	†	#	Ħ	Ħ	+	#	ļ	#	Ħ	Ŧ	Ħ	\parallel	#		Ħ	Ħ	+			Ш	#	Ħ	\parallel	\parallel	#	\parallel	#	H	\parallel	\parallel	+	#
H	+	\parallel	+	Н	#	Ħ	\sharp		Ħ	+	H	+	Ħ	Ħ	Ħ	#	Ħ	Ħ	+	#	ļ	Ħ	Ħ	#	Ħ	Ħ	+		Ħ	Ħ	1	H		H	+	Ħ	\parallel	\parallel	#	Ħ	+	H	\parallel	\parallel	Ħ	#
	+	\parallel	#	\parallel	+	Ħ	\parallel	+	H	#	Ħ	‡	Ħ	#	Ħ	1	Ħ	Ħ	+	Ħ	ļ	#	Ħ	#	Ħ	\parallel	ļ		Ħ	Ħ	+	H		Ш	#	\parallel	+	\parallel	+	\parallel	#	H	\parallel	+		#
	+	Ħ	#	H	+	Ħ	\parallel	+	Ħ	+	Ħ	ŧ	Ħ	Ħ	Ħ	#	Ħ	Ħ	H	Ħ	ŧ	Ħ	Ħ	Ħ	Ħ	Ħ	ŧ	Ħ	Ħ	Ħ	+	Ħ			‡	Ħ	\parallel	Ħ	#	\parallel	+	Ħ	\parallel	\parallel	Ħ	#
	+	Ħ	+	H	Ħ	Ħ	\parallel	+	Ħ	+	Ħ	ŧ	Ħ	Ħ	Ħ	#	Ħ	Ħ	Ħ	+	İ	Ħ	Ħ	Ŧ	Ħ	Ħ	ŧ		Ħ	Ħ		Ħ		H	‡	Ħ	Ħ	Ħ	#	Ħ	+	H	\parallel	\parallel	Ħ	\sharp
	+	Ħ	+	H	+	Ħ	\parallel	+	H	+	H	ŧ	Ħ	Ħ	Ħ	1	Ħ	Ħ	Ŧ	Ħ	ļ	H	Ħ	Ŧ	Ħ	Ħ	ŧ		Ħ	Ħ		Ħ		H	‡	Ħ	†	H	#	Ħ	+	H	\forall	+		\sharp
	+	H	+	H	H	H	\mathbb{H}	H	H	+	H	Ŧ	H	Ħ	Ħ	+	Ħ	H	H	H	H	H	H	Ŧ	H	Ħ	F		H	Ħ	-	H		H	+	H	H	H	+	H	+	H	H	H	H	#
\blacksquare		H	+		+	H	\blacksquare		Н	Ŧ	H	F	H	H	+		H	H	+	H	F	+	H	Ŧ	H	H	F		H	H					+	H	+	H	+	H	Ŧ	H	+	\blacksquare		\dashv
	+	H	\mp	Н	\mp	Н	\blacksquare	+	Н	Ŧ	\blacksquare	F	H	H	\mp	+	H	H	Ŧ	\mp	F	+	H	Ŧ	H	Н	F	H	Н	H					Ŧ	H	\blacksquare	\blacksquare	Ŧ	H	Ŧ	H	\blacksquare	\blacksquare		\dashv
		H	+		+	H	H		Н	Ŧ	Н	F		H	H		H	H	Ŧ		F		H	Ŧ		H	F		Н	H					Ŧ	H	H	Н	Ŧ	H	Ŧ		H	H		\mp
		\mathbb{H}	+		+		\blacksquare		Н	+	+	+		H	+		\blacksquare	H	+				H	+		H			H	H					+		+	\blacksquare	+	H	+		\parallel			\dashv
		H	+		+	Н	\blacksquare	+	Н	+	H	F		H	+		\blacksquare	H	+				H	Ŧ		Н	F		Н	H					Ŧ	H	\blacksquare	Н	\mp	H	Ŧ		\blacksquare	H		\exists
		Н					\blacksquare		Н	+	\blacksquare			H	\blacksquare		\blacksquare		\blacksquare				H	Ŧ		\blacksquare			Н	\blacksquare					\mp	H	\blacksquare	Н	\mp	H	\pm		H	H		\exists
		\mathbb{H}					\blacksquare		Н		Н		H	Н	+			Н	+				Н	+		Н			Н	Н					+	H	+	\blacksquare	+	\blacksquare	+	Н	\blacksquare			+
		Н	\pm		\pm				Н	\pm				Н	\pm			Н					Н	\pm		Н			Н	${}$					\pm		Н		\pm		\pm		Н			\pm
		\pm			\pm		\pm		Н	\pm				H	\pm								H	\pm		Н	t			\pm					\pm		\pm		\pm	\pm	\pm		H			\pm
		Н		Ш					Н					H	\pm								Н	\pm		Н			H	Ħ					#		Ħ	Н	+	Н	\pm		H			\pm
		Ш	+		\pm				Н	+				Н	\pm								Н	⇟											$^{\pm}$		Н		#		$^{+}$					\pm
		H	t						П	1		t		Ħ				Ħ	t				Н	#		Н	t			Ħ					#		#		#	H	t		Ш			∄
		\parallel	#		#					#				Ħ	\pm		\pm			\pm		#	Ħ	ŧ		Ħ	ŧ			\parallel					#		\pm		#		#					\pm
		Ħ							Н					Ħ	Ħ		Ħ	Ħ						t		Ħ			H	Ħ					#		#		+	Ħ	+					\pm
		Ħ	t						Н				\parallel	Ħ	Ħ		Ħ		+		F		H	ŧ		Ħ	F			Ħ					#		Ħ		#	Ħ	ŧ					\exists
	+	Ħ	+	H	+	Ħ	+	+	H	+	H	ŧ	Ħ	Ħ	Ħ	#	Ħ	Ħ	+	Ħ	ļ	H	Ħ	#	H	Ħ	ļ		H	Ħ	+	H		H	#	Ħ	+	H	+	+	+	H	+	+	+	#
	\mp	Ħ	\mp	H	\mp	H	\mp	+	Ħ	+	Ħ	Ŧ	Ħ	Ħ	Ħ	#	Ħ	Ħ	Ŧ	Ħ	Ŧ	Ħ	Ħ	Ŧ	Ħ	Ħ	Ŧ	H	Ħ	Ħ	Ŧ	Ħ	H	H	Ŧ	Ħ	#	Ħ	Ŧ	Ħ	+	Ħ	\forall	\forall	Ħ	\mp
	+	Ħ	+	H	+	H	H	+	Ħ	+	H	Ŧ	Ħ	Ħ	Ħ	#	Ħ	H	H	Ħ	Ŧ	H	Ħ	Ŧ	H	Ħ	Ŧ	H	H	Ħ		H	H	H	‡	Ħ	Ħ	H	Ŧ	Ħ	+	H	Ħ	Ħ	H	\mp
	Ŧ	H	Ŧ	H	Ŧ	Н	H	Ŧ	H	Ŧ	П	F	Ħ	H	H	7	Ħ	Ħ	F	Ŧ	F	H	H	Ŧ	Ħ	Ħ	F	H	П	Ħ	Ŧ		H	H	Ŧ	H	Ħ	П	Ŧ	Ħ	Ŧ	H	Ħ	Ħ	Н	\mp
\blacksquare	Ŧ	H	Ŧ	H	\pm	Ħ	H	\pm	H	Ŧ	H	F		H	F	J	H	H	F	J	F	H	H	F	H	H	F		Ħ	H	ŀ	H			Ŧ	H	H	Н	Ŧ	H	\pm	Ħ	H	H	H	\mathbb{H}
\blacksquare	Ŧ	H	Ŧ	H	F	H	H	Ŧ	F	Ŧ	H	F		H	F	J	F	H	F	F	F	F	H	F		H	F		H	H	Ŧ	H	H		Ŧ	H	H	H	Ŧ	H	Ŧ	H	H	H	F	\exists
	Ι	\exists	Ŧ		\pm		\blacksquare	Ξ	H	Ξ	\coprod	E	$oxed{\mathbb{H}}$	\coprod	\exists	Ι	E	\mathbb{H}	Ε	\pm	E	\pm	\coprod	Ε		H	E		\coprod	oxdot	Ε				\pm		\coprod	Н	Ξ	H	Ŧ	$oxed{\mathbb{H}}$	\blacksquare	\blacksquare	Ε	\exists
		H	Ε	Ш	\pm	H	H		H	Ε	\coprod	Ē	H	H	H		H	Н	Ŧ		Ē	H	H	£	H	H	Ē	H	\coprod	H	E	H		ΗТ	Ŧ	H	H	H	\mathbf{f}	H	Ŧ	Н	H	H	Ŧ	$\exists \exists$
	f	\coprod	Ŧ	Ш	H	Н	\blacksquare	H	Ħ	£		£	H	H		f	\exists	Н	\pm	H	£	H	Н	\pm	H	Ħ	£	H	H	Ħ	£	H		Ш	+	H	\coprod	\Box	f	Ħ	£	H	H	Ħ	\pm	#
		\exists	\pm	Ш	\pm	Н	\pm		Ħ	\pm		+		\coprod	\pm	#	\pm	H	\pm	\pm	+	\pm	H	\pm		Ħ	ŧ		\coprod	Ħ					+	\coprod	\coprod	\pm	+	Ħ	\pm	H	\coprod	\coprod		\pm
\parallel	\downarrow	\forall	+	Н	+	H	\pm	+	H	+	\parallel	t	\parallel	†	\pm	+	Ħ	H	+	+	+		Ħ	\pm	H	Ħ	t		Ħ	Ħ	+		H	Н	+	Ħ	†	\dagger	+	†	\pm	H	\dagger	†	\pm	#
	+	\parallel	#	Н	\pm	H	\parallel	†	H	+	H	+	H	\parallel	†	#	Ħ	H	+		t		Ħ	#	H	Ħ	+		Ħ	Ħ	+			Ш	+	Ħ	\parallel	\parallel	+	Ħ	+	H	\parallel	\parallel	\pm	#
	$^{+}$	\parallel	+	Ш	$^{+}$	\parallel	\parallel		H	#	\parallel	Ĺ	\parallel	\parallel	†	#	Ħ	H	†		ļ	\parallel	Ħ	#	\parallel	\forall	t		\parallel	Ħ	+			Ш	‡	\parallel	+	\parallel	#	\forall	+	H	\parallel	+	+	#
	1	\sharp	#	Ш	#	Ħ	\parallel		Ħ	#	\parallel	ŧ	Ħ	\parallel	\dagger	#	Ħ	Ħ		#	+	Ħ	Ħ	ŧ	Ħ	Ħ	ŧ		\parallel	Ħ		Ħ		Ш	‡	Ħ	\parallel	\parallel	#	†	+	Ħ	\parallel	\parallel		\pm
	+	\parallel	#	\parallel	\dagger	Ħ	\parallel	+	Ħ	#	\parallel	+	\parallel	\sharp	\dagger	#	Ħ	Ħ	+	#	ļ	H	Ħ	Ŧ	Ħ	Ħ	#		Ħ	Ħ	+			Ш	#	Ħ	\parallel	\parallel	#	\parallel	+	H	\parallel	\parallel	+	#
\parallel	+	Ħ	#	H	+	\parallel	\dagger	+	Ħ	+	\parallel	ŧ	\parallel	\dagger	Ħ	#	Ħ	Ħ	\dagger	Ħ	ļ	\parallel	Ħ	+	\parallel	\parallel	ŧ		Ħ	Ħ	+			H	‡	\dagger	\dagger	\dagger	#	\dagger	+	Ħ	\dagger	\dagger	\dagger	#
	+	Ħ	#	Ш	+	Ħ	\parallel	+	Ħ	#	Ħ	#	Ħ	Ħ	Ħ	1	Ħ	Ħ	#	#	ļ	Ħ	Ħ	#	Ħ	\forall	ļ		\parallel	Ħ	+	Ħ		H	#	Ħ	#	Ħ	#	\forall	#	H	#	#	+	#
	+	Ħ	+	Н	+	Ħ	\parallel	+	Ħ	#	\parallel	ŧ	Ħ	Ħ	Ħ	#	Ħ	Ħ	Ħ	#	ŧ	Ħ	Ħ	Ŧ	Ħ	Ħ	ŧ		\parallel	Ħ	+	Ħ		H	‡	Ħ	#	\parallel	#	\forall	+	Ħ	\parallel	+	+	#
	+	Ħ	#	H	Ŧ	Ħ	\parallel		Ħ	+	H	ŧ	Ħ	Ħ	Ħ	#	Ħ	Ħ	+	Ħ	ļ	Ħ	Ħ	Ŧ	Ħ	Ħ	ŧ		Ħ	Ħ	+	Ħ		\parallel	‡	Ħ	\parallel	Ħ	#	Ħ	+	Ħ	\parallel	\parallel	Ħ	\mp
	+	Ħ	+	H	+	Ħ	\parallel	+	Ħ	+	H	ŧ	Ħ	Ħ	Ħ	+	Ħ	Ħ	Ŧ	Ħ	F	H	H	Ŧ	Ħ	Ħ	ŧ	H	H	Ħ		H		H	#	Ħ	Ħ	Ħ	#	Ħ	+	Ħ		\forall	Ħ	#
														_										_			_														_					

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.