UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS GCE Ordinary Level

MARK SCHEME for the October/November 2010 question paper for the guidance of teachers

5054 PHYSICS

5054/31

Paper 3 (Practical Test), maximum raw mark 30

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2010 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Page 2		Mark Scheme: Teachers' version GCE O LEVEL – October/November 2010	Syllabus 5054	Papei 31	r	
			3034	<u> </u>		
		Section A				
(a)) (i) θ_1 in	n range 15 °C to 35 °C, recorded with unit seen here or	in (ii) .	B1		
	(ii) θ_1 +	$20 ^{\circ}\text{C} \ge \theta_2 \ge \theta_1 + 5 ^{\circ}\text{C}$, recorded with unit seen here or	in (i).	B1	[2]	
(b		rect calculation of heat gained by the water ore unit) (numerically 210 × temperature difference).		M1		
	(nui	rect calculation of the fall in temperature with unit merically $50 \times \text{initial temperature difference}$. ore θ_{B}).		A1		
	` `	ply unit penalty once only in (a) and (b)).			[2]	
(c)	,	owing thermal energy changes are not taken into accounts	ınt:			
	heat trai	heat transferred to the tongs when the mass is out of the flame /				
		t during transfer / nsferred to the air when the mass is out of the flame /				
		t to the surroundings. allow 'heat lost' on its own).		B1	[1	
	(201100	anon noatiost on its own,		[Tota	al: 5]	
(a)) Normal	and O correct by eye.		B1	[1]	
(b		s on one side of normal ≥ 5.0 cm apart, s of pins clear from the holes in the paper and in sensib	ole direction.	B1		
	Two pin	s on opposite side of normal in sensible direction and o	correctly labelled.	B1		
		wo pins $\geq 5.0\text{cm}$ apart, of pins clear from the holes in the paper and in sensibl	e direction.	B1		
		$y \le 11.0\text{cm}$ with I shown correctly and from correct diast mm or better with unit.	agram,	B1	[4]	
				[Tota	al: 5]	
(a)	•	iagram showing power supply, resistor and capacitor in meter in parallel.	n series, with switc	ch, capa B1	citor [1]	
(b) t_2 in the	range 40s to 99s with unit seen here or in (c).		В1	[1	
(c)	•	range 10s to 30s with unit seen here or in (b) .		B1	[2]	

(d) Correct calculation of ratio to 2/3 s.f. and no unit with value ≥ 2.0.(Allow min/s for unit if appropriate).

B1

[Total: 5]

[2]

A minimum of 2 readings seen in **(b) and (c)**.

Page 3	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE O LEVEL – October/November 2010	5054	31

Section B

4 Preliminary Results

(a) Must be a diagram to show set square between floor and rule or a diagram to show rule aligned with vertical object e.g. door frame or window frame.(b) y recorded to the nearest mm or better with unit.

(c) $M = 200 \,\mathrm{g}$ with unit. B1 y value in range $1.50 \times$ to $2.50 \times$ the previous value, recorded to the nearest mm or better with unit. B1 [2]

(Apply unit penalty for y once only)

Scale readings shown here or in (c)

Table

(d) Table with units for *M* and *y*.
(Ignore missing units on scale readings).
In awarding the next marks good results should be judged by checking y + 0.5 cm from the examiner's best straight line or curve.
3 good values for y.
4th good value for y.
B1

Graph

5th good value for y.

(e) Axes labelled with units and correct orientation.
(Allow e.c.f. from wrong unit in table but not no units)

Suitable scale, not based on 3, 6, 7 etc.
with plotted data occupying ≥ half the page in both directions.

B1
(Allow the graph to start at the origin.)

Two points plotted correctly – check the two points furthest from the line.

This mark can only be scored if the scale is easy to follow.

(Points must be within ½ small square of the correct position)

Best fit fine line and fine points or crosses.

(Line thickness to be no greater than the thickest lines on the grid)

Calculations

(f)Straight line drawn on graph or tangent drawn to curve.M0Use of large triangle with base ≥ 8 cm.A1(Base should be ≥ 12 cm if grid is used landscape rather than portrait.)A1Correct calculation 2/3 s.f. (ignore unit).A1

[Total: 15]

B1

B1

B1

B1

B1

[4]

[1]

[2]