
FOR OFFICIAL USE	 		



0300/401

NATIONAL QUALIFICATIONS 2010

THURSDAY, 27 MAY 9.00 AM - 10.30 AM BIOLOGY STANDARD GRADE General Level

Fill in these boxes and read what is printed below.	
Full name of centre	Town
Forename(s)	Surname
Day Month Year Scottish candidate numb Image: Image of Difficult Image of Difficult Image of Difficult	er Number of seat
 All questions should be attempted. The questions may be answered in any order but 	ut all answers are to be written in the

3 Rough work, if any should be necessary, as well as the fair copy, is to be written in this book. Additional spaces for answers and for rough work will be found at the end of the book. Rough work should be scored through when the fair copy has been written.

spaces provided in this answer book, and must be written clearly and legibly in ink.

4 Before leaving the examination room you must give this book to the Invigilator. If you do not, you may lose all the marks for this paper.





			Marks	DO N WRIT TH MAR	FE IN HIS RGIN
			1VI UTRS	KU	PS
<i>(a)</i>	The f	following diagram shows part of a food web from the North Sea.			
		cod			
herrir	λα	mackerel sand eel			
a h	\				
SI	rimp	animal plankton			
		plant plankton			
	тт .1				
		he food web to answer the following questions.			
	(i)	Name the producer.	1		
		Give a complete food chain consisting of three organisms from the food web.			
		→	1		
	. ,	Name two animals from the food web which are competing for the same food.			
		and	1		
<i>(b)</i>	What	term is used to describe all organisms which are not producers?			
(0)	vv nat	term is used to describe an organisms which are not producers.			
			1		
(<i>c</i>)		The herring from the North Sea are an example of a population.			
		What is meant by the term "population"?			
			1		
	(ii)	State a factor which can affect the size of a population.			
	. /		1		
			1		

2. (a) A quadrat was used to sample four species of plants growing in a field. The abundance of each plant species was measured by counting the number of squares of the quadrat which contained that species.

The diagram below shows the species found in one throw of the quadrat.

- 0 0 ☆ 0 Δ \$°° 0 0 0 0 õ o Δ 0 ☆ O Daisy 0 ☆ Δ ☆ Δ 00 ☆ ☆ △ Dandelion Δ □ Plantain ☆ Δ 00 Δ ☆ Buttercup ☆ ☆ Δ 0 Δ ο Δ ☆ Δ Δ Δ ^ 0⁰ 0 $\Delta \Delta$ 0 Δ^{\Box} Δ ☆ 0 Δ Δ Δ
- (i) Complete the following table to show the abundance of the four plant species found in the quadrat.

One result has been completed for you.

Plant species	Abundance
Daisy	10
Dandelion	
Plantain	
Buttercup	

(ii) Give an example of a different sampling technique and name an organism it could be used for.

Technique _____

Organism _____

(b) Give an example of an abiotic factor and describe a method of measuring it.

Abiotic factor _____

How to measure it _____

1

2


1

DO NOT WRITE IN THIS MARGIN

 \mathbf{PS}


KU

Marks



					TH	NOT FE IN HIS RGIN	
				Marks	KU	PS]
3.	(co	ntinu	ed)				
	(<i>c</i>)		nals produce several proteins which break down food into products which small particles.				
		The	small particles can then be absorbed into the bloodstream.				
		(i)	What name is given to the proteins which cause the breakdown of food?				
				1			
		(ii)	What is the name of this breakdown process?				
				1			
		(iii)	In what part of the alimentary canal are the products of food breakdown absorbed into the bloodstream?				
				1			
			[Turn over				


DO NOT WRITE IN THIS MARGIN Marks KU \mathbf{PS} ·C 2 peapod



Complete the table with the names and functions of the parts labelled on the diagram.

Letter	Name	Function
А		provides energy for growth
В	seed coat	
С		


(*b*) A peapod is the fruit of the pea plant.



Underline one word in each bracket to complete the following sentences correctly.


A fruit contains
$$\begin{cases} seeds \\ ovules \end{cases}$$
 formed from fertilised $\begin{cases} ovules \\ pollen \end{cases}$.
The outer layer of the fruit is formed from the $\begin{cases} ovary \\ stigma \end{pmatrix}$.


2



Page seven

DO NOT WRITE IN THIS MARGIN Marks KU \mathbf{PS} 6. In an investigation into the factors needed for photosynthesis, three Wandering Sailor plants were destarched. The three plants were put into clear glass jars with lids. The jars were then placed in different conditions. Plant Condition А On a laboratory window sill On a laboratory window sill with a chemical in the jar to В remove carbon dioxide С In a dark cupboard After 48 hours, a leaf from each plant was tested for starch. The test produces a blue-black colour when starch is present. The following diagrams show the results. **Before testing** white white green green Plant A Plant B Plant C vellow vellow After testing blue-black Plant A Plant B Plant C (a) Use these results to identify the **two** plants which show that light is needed for photosynthesis. Tick (\checkmark) **two** boxes. Plant A Plant B Plant C 1 (b) Which plant showed that chlorophyll is needed for photosynthesis? 1 Plant _____





the ra	ate of photos	ynthesis.					
							2
	is the activity tigation?	lvantage of	having s	ix groups	carry	out the	
							1
	_						
		which allow a	ases to na	ss in or out	of the	leaves of	
	e openings v nts.	vilicii allow g	uses to pu	00 111 01 044			
		which allow g	uses to pu				_
							1
and plar	nts.	list to descr	_				
land plar Use wor plants.	nts.		_				
land plar Use wor plants. List	ds from the leaves sugar	list to descr phloem	ibe one o roots xylem	of the trans			
land plar Use wor plants. List Name of	ds from the leaves sugar	list to descr phloem water	ibe one o roots xylem	of the trans			
land plar Use wor plants. List Name of Material	ds from the leaves sugar transport sy	list to descr phloem water stem	ibe one o roots xylem	of the trans			

(iv) Six groups of pupils carried out the investigation. The averages of their results are shown in the table.

Light intensity (units)	2	4	6	8	10	12	14
Average rate of photosynthesis (bubbles/minute)	4	9	12	20	22	24	24


(continued)

8. (a)

(b)


 \mathbf{PS}

[Turn over



							WRI' TI	NOT TE IN HIS RGIN
						Mark	s KU	PS
9.	(co	ntinued)						
	<i>(b)</i>	Use words	s from the list to	o complete the	e following sentences.			
		Each word	d may be used o	nce, more th	an once or not at all.			
		List		nucleus yolk	membrane amniotic			
		Fertilisati	on occurs when	the	of a sperr	n cell fuses		
		with the _			of an egg cell. In mammal	s this		
		happens in	nside the female	body. In mo	st fish, sperm are deposited	l in the		
		surroundi	ng		close to the eggs.			
		In mamm	als the fertilised	l egg develops	inside a fluid-filled memb	rane called		
		the		sac.		2		

[Turn over



10.

Marke Red Read the following passage and answer the questions based on it. <i>Bugs R Us</i> If we are not using our mouths to chew or swallow food, we are talking, drinking our teeth. Even so, some microbes do manage to hang on in there. Most of the time they do no harm but sometimes they can cause problems. The worst of these is a gum disease called peridontitis. This is the most widespread infectious disease in humans. The disease begins when bacteria, which are normally harmless, are allowed to build up. They form a sticky layer of plaque at the junction of the teeth and gum. This provides ideal conditions for anaerobic bacteria to grow. These bacteria produce enzymes which can break down the surrounding gum tissue. This causes inflammation which can eventually weaken the jawbone in which the teeth are beld. People over thirty are more likely to lose teeth through this type of gum disease than through the formation of cavities in the teath. (a) Give three examples of activities from the passage which could make it difficult for bacteria to live in the mouth. 2 2 2 (b) Where in the mouth would you expect to find high levels of anaerobic bacteria growing? 1 (c) Which type of chemical attacks the gums in peridontitis? 1 (d) Name one harmful condition mentioned in the passage, other than peridontitis, which results from the activity of bacteria. 1 (d) Name one harmful condition mentioned in the passage, other than peridontitis, which results from the activity of bacteria. 1				DO I WRIT TH MAR	ΓΕ IN HIS
Bugs R Us If we are not using our mouths to chew or swallow food, we are talking, drinking for brushing our teeth. Even so, some microbes do manage to hang on in there. Now for the time they do no harm but sometimes they can cause problems. They norms to f these is a gum disease called peridontitis. This is the most widespread. The disease begins when bacteria, which are normally harmless, are allowed to. This provides ideal conditions for nanerobic bacteria to grow. These bacteria rouge on the teeth and gum. This provides ideal conditions for nanerobic bacteria to grow. These bacteria reacteria to grow. These bacteria reacteria to grow these subacteria to grow these subacteria to grow these subacteria to grow these bacteria to grow these bacteria to grow these bacteria to grow these bacteria to grow these to through this type of gum tissue. This causes nflammation which can eventually weaken the jawbone in which the teeth are bacteria to order over thirty are more likely to loss teeth through this type of gum tissue. This acid attacks the enamel of the tooth, resulting in cavities. Cavities are formed when particular bacteria in the plaque use sugary food in the outh for bacteria to live in the mouth. 2 1 2 2 3 2 2 6) Where in the mouth would you expect to find high levels of anaerobic bacteria growing: 1 1 1 1 2 1 1 3 1 1 4) Where in the mouth would you expect to find high levels of anaerobic in the protexpect reagrowing: 1			Marks		PS
f we are not using our mouths to chew or swallow food, we are talking, drinking r brushing our teeth. Even so, some microbes do manage to hang on in there. Jost of the time they do no harm but sometimes they can cause problems. The vorst of these is a gum disease called peridontitis. This is the most widespread Infectious disease in humans. Che disease begins when bacteria, which are normally harmless, are allowed to uild up. They form a sticky layer of plaque at the junction of the teeth and gum. Inis provides ideal conditions for anaerobic bacteria to grow. These bacteria roduce enzymes which can break down the surrounding gum tissue. This causes nflammation which can eventually weaken the jawbone in which the teeth are reld. People over thirty are more likely to lose tech through this type of gum issease than through the formation of cavities in the teeth. lawities are formed when particular bacteria in the plaque use sugary food in the nouth for energy. They do this without using oxygen, producing lactic acid as a vaste product. This acid attacks the enamel of the tooth, resulting in cavities. a) Give three examples of activities from the passage which could make it difficult for bacteria to live in the mouth. 1	ead	the following passage and answer the questions based on it.			
r brushing our teeth. Even so, some microbes do manage to hang on in there. Most of the time they do no harm but sometimes they can cause problems. The vorst of these is a gum disease called peridontitis. This is the most widespread infectious disease in humans. The disease begins when bacteria, which are normally harmless, are allowed to build up. They form a sticky layer of plaque at the junction of the teeth and gum. This provides ideal conditions for anaerobic bacteria to grow. These bacteria produce enzymes which can break down the surrounding gum tissue. This causes inflammation which can eventually weaken the jawbone in which the teeth are teled. People over thirty are more likely to lose teeth through this type of gum lisease than through the formation of cavities in the teeth. 2avities are formed when particular bacteria in the plaque use sugary food in the nouth for energy. They do this without using oxygen, producing lactic acid as a vaste product. This acid attacks the enamel of the tooth, resulting in cavities. a) Give three examples of activities from the passage which could make it difficult for bacteria to live in the mouth. 1 2 3 4 b) Where in the mouth would you expect to find high levels of anaerobic bacteria growing? 4 d) Name one harmful condition mentioned in the passage, other than peridontitis, which results from the activity of bacteria. 1 4 1 2 3 4 1 4 1 4 1 4 1 4 1 5 1 1 1 1 1 1 1 1 1 1 1 1 1		Bugs R Us			
wild up. They form a sticky layer of plaque at the junction of the teeth and gum. This provides ideal conditions for anaerobic bacteria to grow. These bacteria for grow. These bacteria in grow tissue. This causes inflammation which can eventually weaken the jawbone in which the teeth are reled. People over thirty are more likely to lose teeth through this type of gum lissues than through the formation of cavities in the teeth. Cavities are formed when particular bacteria in the plaque use sugary food in the nouth for energy. They do this without using oxygen, producing lactic acid as a vaste product. This acid attacks the enamel of the tooth, resulting in cavities. a) Give three examples of activities from the passage which could make it difficult for bacteria to live in the mouth. 1 1	r br Iost orst	rushing our teeth. Even so, some microbes do manage to hang on in there. to of the time they do no harm but sometimes they can cause problems. The t of these is a gum disease called peridontitis. This is the most widespread			
nouth for energy. They do this without using oxygen, producing lactic acid as a vaste product. This acid attacks the enamel of the tooth, resulting in cavities. a) Give three examples of activities from the passage which could make it difficult for bacteria to live in the mouth. 1 2 3 b) Where in the mouth would you expect to find high levels of anaerobic bacteria growing? 1 c) Which type of chemical attacks the gums in peridontitis? 1 d) Name one harmful condition mentioned in the passage, other than peridontitis, which results from the activity of bacteria. 1	uild his rodu flar eld.	up. They form a sticky layer of plaque at the junction of the teeth and gum. provides ideal conditions for anaerobic bacteria to grow. These bacteria uce enzymes which can break down the surrounding gum tissue. This causes mmation which can eventually weaken the jawbone in which the teeth are People over thirty are more likely to lose teeth through this type of gum			
difficult for bacteria to live in the mouth. 1 2 3 3 b) Where in the mouth would you expect to find high levels of anaerobic bacteria growing?	out	h for energy. They do this without using oxygen, producing lactic acid as a			
3	·				
3	1	1			
b) Where in the mouth would you expect to find high levels of anaerobic bacteria growing? 1 c) Which type of chemical attacks the gums in peridontitis? 4) Name one harmful condition mentioned in the passage, other than peridontitis, which results from the activity of bacteria. 1 1	2	2			
bacteria growing? I I C) Which type of chemical attacks the gums in peridontitis? I I I I I I I I I I I I I I I I I I I		3	2		
 c) Which type of chemical attacks the gums in peridontitis? d) Name one harmful condition mentioned in the passage, other than peridontitis, which results from the activity of bacteria. 1 					
	_		1		
d) Name one harmful condition mentioned in the passage, other than peridontitis, which results from the activity of bacteria. 1) 1	Which type of chemical attacks the gums in peridontitis?			
peridontitis, which results from the activity of bacteria.	-		1		
	·				
[Turn over	-		1		
[Turn over					
		[Turn over			

11.

			7.6	DO NOT WRITE IN THIS MARGIN	N
			Marks	KU PS	3
2. (<i>a</i>)	The	diagram below represents the human ear.			
	(i)	B Name the parts labelled A to D on the diagram. A B			
			_		
	(ii)	C D Use the letters from the diagram to identify the parts with the following functions.	2		
		1 Carry vibrations across the middle ear. Letter			
		2 Converts vibrations into electrical impulses. Letter	1		
	(iii)	Describe the function of the part labelled E on the diagram.			
			1		
(b)	Wha	t is the advantage of hearing with two ears rather than one?			
			1		

					Marks	HIS RGIN PS
	eric sulphur di		ribution of lichens in ls and the pH of ra	-		1.5
	Distance from city centre (km)	Number of lichen species per km ²	$\begin{array}{c} Atmospheric \ SO_2\\ concentration\\ (\mu g/m^3) \end{array}$	pH of rainwater		
	0 – 1.5	0	240	4.6		
	1.6 - 3.0	1	220	4.8		
	$3 \cdot 1 - 4 \cdot 5$	7	185	5.0		
	4.6 - 6.0	13	120	5.5		
(ii)			atmospheric SO ₂ conce		1	
(iii)	atmospheric S	O ₂ concentration an	ud rainwater pH.		1	
(111)	As the atmosp	oheric SO_2 concent	trations increases,			
(111)					1	
Fron		ntion in the table thin 1.5 km of the o	e, suggest a reason city centre.	n why there were		ļ
Fron				n why there were	1	
Fron no lie Calcu kilon	chens found wit ulate the aver netre over the 6	thin 1.5 km of the o rage decrease in 5 km from the city o	atmospheric SO ₂		1	
Fron no lie Calcu kilon	chens found wit	thin 1.5 km of the o rage decrease in 5 km from the city o	atmospheric SO ₂		1	

13.


Page seventeen

DO NOT WRITE IN THIS MARGIN Marks KU \mathbf{PS} (a) The grid below refers to cell structures. А В С cell wall cell cytoplasm D Ε F nucleus chloroplast vacuole Choose letters from the grid to match the following statements. The basic unit of living organisms. (i) 1 1 (ii) Contains chromosomes within a membrane. 1 (iii) Contains pigments for photosynthesis. (b) The diagram below shows two chromosomes from a child. Genes for eye colour, tongue-rolling ability and type of ear lobes are found on the chromosomes. The forms of each gene are represented by letters. The capital letter represents the dominant form of the gene. B Ε t non tongue-rolling unattached ear lobes brown eyes Т b blue eyes tongue-rolling attached ear lobes Complete the following sentence by underlining the correct option in each bracket. The child will have $\begin{cases} blue \\ brown \end{cases}$ eyes, $\begin{cases} will \\ will not \end{cases}$ be able to roll their tongue and will have $\begin{cases} attached \\ unattached \end{cases}$ ear lobes. 2

14.

				DO N WRITI THI MARC	E IS
(c	ontinu	ed)	Marks	KU	F
(c)) (i)	What sex will a child be if an X chromosome is inherited from one parent and a Y chromosome from the other?			
	(ii)	If the same parents have a second child, what are the chances that it will be the same sex as the first?	1		
			1		
(d) A cro	oss between two true-breeding pea plants is shown below.			
		\mathbf{P} Tall $ imes$ Dwarf			
		F ₁ all Tall			
	(i)	Identify the dominant characteristic and give a reason for your answer.			
		Dominant characteristic			
		Reason	1		
	(ii)	Some of the tall plants produced from the cross were bred with each other to produce another generation of pea plants.			
		What symbol is used to identify this generation?			
			1		
	(iii)	The result of this final cross was that 240 tall plants were produced and 60 dwarf ones.			
		What is the simple whole number ratio of tall to dwarf plants in this cross?			
		Space for calculation			
		Tall : Dwarf	1		
(e)		many complete sets of chromosomes are found in a pollen grain from a plant?			
			1		
(<i>f</i>)) Sugg bree	gest one feature of pea plants which could be improved by selective ding.			

1



15. (continued)


Time (days)	Rise in temperature (°C)
0	0.0
1	0.2
2	2.0
3	4.0
4	5.0
5	5.4
6	5.6
7	5.6

(c) The results of the investigation are shown in the table below.

Use the results to complete the line graph by:

- (i) completing the scale on the y axis;
- (ii) adding a label to the y axis;
- (iii) plotting the graph.

(An additional grid, if required, will be found on Page twenty-six.)



DO NOT WRITE IN THIS MARGIN

 \mathbf{PS}

KU

Marks

1

1

1

16. Fitness can be measured using an exercise bike as shown below.

An athlete exercised for eight minutes during which time his oxygen consumption, pulse rate and lactic acid concentration were monitored. The exercise level was increased every two minutes by tightening the brake on the wheel.

The results are shown in the table below.

Time from start (minutes)	Oxygen consumption (litres/minute)	Pulse rate (beats/minute)	Lactic acid concentration (mMol/litre)
2	2.00	120	1.25
4	2.25	129	2.50
6	2.50	147	5.00
8	2.75	168	10.00

(a) (i) What is the percentage increase in the pulse rate from 2 minutes to 8 minutes?

Space for calculation

(ii) What is the simple whole number ratio of the lactic acid concentration at 8 minutes to the concentration at 2 minutes?

Space for calculation

_____%

8 minutes : 2 minutes

1

1

DO NOT WRITE IN THIS MARGIN

 \mathbf{PS}

ΚU

Marks

					DO I WRIT TH MAR	FE IN IIS
				Marks	KU	PS
16.	(a)	(con	tinued)			
		(iii)	How much more oxygen does the athlete use up each time the lactic acid concentration doubles?			
			Space for calculation			
			litres/minute	1		
	(b)	(i)	Why would the athlete's pulse rate and breathing rate both rise as the level of exercise increased?			
				1		
		(ii)	What term is used to describe the effect of a high concentration of lactic acid on muscles?			
				1		
		(iii)	Give one way in which the athlete's recovery time could be measured when he stopped exercising.			
				1		
	(c)	exerc conc	months later the athlete's fitness was measured again by doing identical cise. This time his pulse peaked at 175 beats/minute and his lactic acid entration reached 12 mMol/litre. Was he fitter or less fit than before?			
		Fitte	r/less fit			
		Reas	on	1		
			[Turn over			

DO NOT WRITE IN THIS Marks Margin

KU


1

1

1

 \mathbf{PS}

17. Five groups of pupils carried out an investigation into flour types. Dough was made by mixing flour, sugar, water and yeast. It was then rolled into a ball which was put into a glass container and its height measured. After 24 hours the height of the dough was remeasured.





The table below shows the average results for the five groups.

Type of flour	Average increase in height of dough (%)
stoneground	34
self raising	76
wholemeal	68
plain	42
organic	56


- (*a*) Use the results to complete the bar chart by:
 - (i) labelling the vertical axis;
 - (ii) adding a suitable scale to the vertical axis;
 - (iii) plotting the remaining bars.

(An additional grid, if required, will be found on Page twenty-six.)





				Marks	WRIT TH MAR	NOT FE IN HIS RGIN
				<i>Marks</i>	KU	PS
•	(co)	ntinu	ed)			
	(<i>b</i>)	(i)	What was the advantage of expressing the increase in height as a percentage, rather than in millimetres?			
				1		
		(ii)	One pupil recorded the initial height of his dough as 30 mm and the final height as 42 mm. What was the percentage increase in height of his sample?			
			Space for calculation			
			%o	1		
	(<i>c</i>)	(i)	Name two factors which would have to be kept the same for each dough mixture to make the investigation valid.			
			1			
			2	1		
		(ii)	Which ingredient of the dough mixture would provide most of the yeast's energy?			
				1		
		(iii)	Name the gas released by the yeast which made the dough rise.			
				1		
	(d)	(i)	Name one product, other than bread, which is made using yeast.			
				1		
		(ii)	Give an example of a food which is made using bacteria.			
				1		
			[END OF QUESTION PAPER]			



4

5

7

6

ADDITIONAL GRID FOR QUESTION 17(a)


0 + 0 = 0

1

2

3

Time (days)



DO NOT WRITE IN THIS MARGIN KU PS

SPACE FOR ANSWERS AND FOR ROUGH WORKING

DO NOT WRITE IN THIS MARGIN

SPACE FOR ANSWERS AND FOR ROUGH WORKING

DO NOT WRITE IN THIS MARGIN