Total Marks

X069/10/02

NATIONAL MONDAY, 27 MAY QUALIFICATIONS 9.00 AM - 10.30 AM 2013

PHYSICS INTERMEDIATE 1

Fill in these boxes and read what is printed below.	
Full name of centre	Town
Forename(s)	Surname
Date of birth Day Month Year Scottish candidate numb	er Number of seat

Reference may be made to the Physics Data Booklet.

Section A – Questions 1–20 (20 marks)

Instructions for completion of **Section A** are given on page two. For this section of the examination you must use an **HB pencil**.

Section B (60 marks)

All questions should be attempted.

The questions may be answered in any order but all answers are to be written in the spaces provided in this answer book, **and must be written clearly and legibly in ink**.

Rough work, if any should be necessary, should be written in this book, and then scored through when the fair copy has been written. If further space is required, a supplementary sheet for rough work may be obtained from the Invigilator.

Additional space for answers will be found at the end of the book. If further space is required, supplementary sheets may be obtained from the Invigilator and should be inserted inside the **front** cover of this booklet.

Before leaving the examination room you must give this book to the Invigilator. If you do not, you may lose all the marks for this paper.





SECTION A


- 1 Check that the answer sheet provided is for Physics Intermediate 1 (Section A).
- 2 For this section of the examination you must use an **HB pencil** and, where necessary, an eraser.
- Check that the answer sheet you have been given has your name, date of birth, SCN (Scottish Candidate Number) and Centre Name printed on it.
 Do not change any of these details.
- 4 If any of this information is wrong, tell the Invigilator immediately.
- 5 If this information is correct, **print** your name and seat number in the boxes provided.
- 6 The answer to each question is **either** A, B, C, D or E. Decide what your answer is, then, using your pencil, put a horizontal line in the space provided (see sample question below).
- 7 There is **only one correct** answer to each question.
- 8 Any rough working should be done on the question paper or the rough working sheet, **not** on your answer sheet.
- 9 At the end of the exam, put the **answer sheet for Section A inside the front cover of this answer book**.

Sample Question

The energy unit measured by the electricity meter in your home is the

- A kilowatt-hour
- B ampere
- C watt
- D coulomb
- E volt.

The correct answer is **A**—kilowatt-hour. The answer **A** has been clearly marked in **pencil** with a horizontal line (see below).




Changing an answer

If you decide to change your answer, carefully erase your first answer and, using your pencil, fill in the answer you want. The answer below has been changed to E.

SECTION A

Answer questions 1–20 on the answer sheet.

- 1. Which three colours are used to produce a white area on a television screen?
 - A Blue, green and yellow
 - B Blue, green and red
 - C Yellow, blue and green
 - D Yellow, green and red
 - E Blue, red and yellow
- 2. Television signals from a satellite are received by a curved reflector as shown.




A curved reflector is used to


- A make the signal received at the aerial stronger
- B protect the aerial from the wind
- C select one signal from the many signals received at the reflector
- D convert electrical energy into light energy
- E convert light energy into electrical energy.

[Turn over

3. A student directs a ray of light onto a mirror.



Which line on the diagram shows the ray after reflection?



- 4. A student makes the following statements about optical fibres.
 - I Optical fibres transmit light signals at a speed of 200 million metres per second.
 - II Optical fibres are used for telecommunication links.
 - III Optical fibres are used mainly to transmit sound signals.

Which of the statements is/are true?


- A I only
- B I and II only
- C I and III only
- D II and III only
- E I, II and III

5. A microphone and loudspeaker are parts of a telephone.


Which row in the table shows the useful energy change in the microphone and the loudspeaker?

	Energy change in the microphone	Energy change in the loudspeaker
А	sound to light	light to sound
В	electrical to sound	electrical to sound
C	sound to electrical	electrical to sound
D	sound to electrical	sound to electrical
Е	electrical to sound	sound to electrical

6. Which circuit shows resistors P and Q connected in parallel with each other?



7. A circuit is set up as shown.



The reading on the ammeter is 3.0 amperes.


The reading on the voltmeter is 12 volts.

The resistance of the variable resistor is now increased.

Which row in the table gives possible new readings on the ammeter and voltmeter?

	Reading on the ammeter in amperes	Reading on the voltmeter in volts
А	2	12
В	2	14
С	3	14
D	3	12
Е	4	12


8. A circuit is set up as shown.



The energy change in the resistor is


- A electrical to heat
- B electrical to light
- C heat to electrical
- D light to electrical
- E electrical to sound.

9. A circuit is set up as shown.



A student holds a copper rod in each hand and notes the reading on the ammeter. Which of the following produces a larger reading on the ammeter?

- A Changing the 3.0 volt battery to a 1.5 volt battery
- B Changing the 1000 ohm resistor to a 2000 ohm resistor
- C Repeating the experiment with wet hands
- D Replacing the ammeter with a voltmeter
- E Changing the fuse to a 5 ampere fuse
- **10.** Which of the following best describes a laser beam?
 - A A narrow beam of white light
 - B A wide beam of white light
 - C A wide beam of red light
 - D A narrow beam of green light
 - E A wide beam of green light
- **11.** The diagram shows light rays from a far away object entering a person's eye.



The person is short sighted.

The light rays would focus at

- A point V
- B point W
- C point X
- D point Y
- E point Z.

12. In the following passage, three words have been replaced by the letters X, Y and Z.Gamma radiation is X to the naked eye.

Gamma radiation Y kill living cells.

The strength of a source of gamma radiation Z with time.

Which row in the table gives the correct words for X, Y and Z?

	X	Y	Z
А	visible	can	increases
В	invisible	cannot	decreases
С	visible	can	decreases
D	visible	cannot	increases
Е	invisible	can	decreases

13. An electronic keyboard is connected to a speaker.

A key is pressed to produce a note of 400 hertz.

Another key is now pressed to produce a note one octave higher.


The frequency of the new note is

- A 600 hertz
- B 800 hertz
- C 1000 hertz
- D 1200 hertz
- E 1600 hertz.
- **14.** A student makes the following statements about how the frequency of a vibrating string can be increased.
 - I Make the string longer.
 - II Make the string shorter.
 - III Make the string tighter.

Which of the statements is/are correct?

- A I only
- B II only
- C III only
- D I and III only
- E II and III only

15. An alarm clock is inside a jar as shown.




The sound from the alarm is heard clearly.


All of the air in the jar is now pumped out.

The alarm cannot be heard clearly because sound cannot pass through

- A the string
- B a vacuum
- C the glass
- D air
- E the rubber stopper.
- 16. Five cars are acted on by different forces.Which car is speeding up to the right?




17. A ball is kicked at an angle *x* as shown.



The angle is then changed.

The graph shows how the horizontal distance travelled by the ball changes as the angle is changed.




The ball travels the greatest horizontal distance when it is kicked at an angle of

- A 15 degrees
- B 40 degrees
- C 45 degrees
- D 50 degrees
- E 75 degrees.


18. Which of the following rows contains two output devices and one input device?

- A Loudspeaker, lamp, LED
- B Microphone, LDR, switch
- C Thermistor, switch, buzzer
- D Electric motor, buzzer, lamp
- E Loudspeaker, buzzer, thermistor


19. Which of the following is a symbol for an OR gate?



20. A digital signal is applied to the input of a logic gate as shown.



The output signal from the logic gate is



Candidates are reminded that the answer sheet for Section A MUST be placed INSIDE the front cover of the answer book.

[Turn over for Section B on Page thirteen

[BLANK PAGE]

DO NOT WRITE IN THIS MARGIN

Marks

1

SECTION B

Answer questions 21–34 in the spaces provided.

- **21.** Radio stations transmit signals at different frequencies.
 - (a) What is meant by the frequency of a radio signal?

(*b*) The table below lists the frequency of different radio stations.

AM (amplitude	e modulated)	FM (frequency modulated)		
Station	Frequency (kilohertz)	Station	Frequency (megahertz)	
Clyde 2	1152	Argyll	106.5	
Forth Two	1548	Clyde 1	102.5	
Moray Firth Radio	1107	Forth One	97.3	
Northsound	1035	Real Radio	100.3	
Tay	1584	Smooth Radio	105.2	
Radio 5	909	Waves Radio	101.2	

One kilohertz = 1000 hertz

One megahertz = 1 000 000 hertz

(i) In the sentence below, circle **one** word in the box to make the statement correct.

FM radio stations have a AM radio stations.

HIGHER/LOWER fre

frequency than

1

1

(ii) Which station has a frequency that is between Northsound and Clyde 2?

[Turn over

Marks

DO NOT WRITE IN THIS MARGIN


22. The Earth rotates once every 24 hours.

The table below shows the time taken for a satellite to orbit the Earth at different heights above the surface of the Earth.


Time to complete one orbit (hours)	Approximate height above the surface of the Earth (kilometres)
12	20 000
18	28 000
24	36 000
30	44 000

(a) Use the table to find the height, in kilometres, of a Geostationary satellite.





- DO NOT WRITE IN THIS MARGIN
- Marks
- **23.** Luggage scanners at airports use radiation to check bags before they are put onto aircraft. An image on the TV screen can then show up anything that contains metal.



- (a) What type of radiation is used in the luggage scanner?
- (b) The radiation generator used in the scanner operates at a current of 4.0 amperes and a voltage of 220 volts. Calculate the resistance of this generator.


2

1

DO NOT WRITE IN THIS MARGIN

23. (continued)

(c) Airport body scanners are used to detect whether a person is carrying weapons.



A person going through the scanner receives a radiation dose of 0.03 microsieverts every time it is used.

A person could have 5000 scans a year before there would be any risk to their health.

(i) Calculate the total radiation dose value, in microsieverts, that would create a health risk to passengers.

(ii) The security staff taking the scan sit behind a lead glass screen. What is the purpose of the screen? 2

1

DO NOT WRITE IN THIS MARGIN Marks **24.** A vacuum cleaner and its rating plate are shown below. Model VCUIUP 230 Volts 50 Hertz 1725 Watts (a) Calculate the current in the vacuum cleaner when it is switched on. 2 (b) A plug is connected to the flex of the vacuum cleaner. Earth Live Fuse Neutral -Ø Ø Complete the table below to identify the colours of the insulation on the wires inside the plug. **Terminal** Colour Earth Live Neutral 1

24. (continued)

- Marks
- (c) The power rating and fuse values of some appliances are shown in the table below.

Appliance	Power (watts)	<i>Fuse value</i> (amperes)	
Bedside lamp	60	3	
Deep-fat fryer	3000	13	
Desktop computer	150	X	
Dishwasher	1200	Y	
Sandwich maker	1000	13	
Television	300	3	

(i) State the value of fuse X.

_____ amperes

(ii) State the value of fuse Y.

_____ amperes

[Turn over

2

DO NOT WRITE IN THIS MARGIN


1

1

1

DO NOT

25. To investigate the resistance of different wires, four wires, W, X, Y and Z are tested in turn. All the wires are the same length.



- (a) At which position in the circuit should an ammeter be placed, D or E?
- (b) The table shows the current in each wire.

Wire	Current (amperes)
W	0.50
X	0.60
Y	0.22
Z	0.80

- (i) Which wire has the smallest resistance?
- (ii) Explain your answer.

DO NOT WRITE IN THIS MARGIN Marks Ultrasound is used to determine the depth of the sea. P reflected sound transmitted sound (*a*) State what the term *ultrasound* means. 1 (b) A pulse of ultrasound is transmitted and the echo is detected 1.2 seconds later. (i) Calculate the time taken for the pulse of ultrasound to reach the sea bed. 1 (ii) The sea bed is 900 metres below the surface. Calculate the speed of sound in water. 2

26.

WRITE IN THIS MARGIN Marks 27. Rescue workers use thermal imaging cameras to detect people who are trapped in collapsed buildings. (a) Describe how these cameras detect people trapped in a collapsed building. 1 (b) The camera contains the lens shown below. (i) Name this type of lens. 1 (ii) Complete the diagram above to show the path of the rays once they have passed through the lens. 1

DO NOT

DO NOT WRITE IN THIS MARGIN

Marks

27. (continued)

(c) The list below gives different types of radiation.

Microwaves	X-rays	5	Visible light
	Infrared	Ultraviolet	

Use some of these radiations to complete the table.

Type of Radiation	Application
	Used to detect flaws in metal structures
Gamma rays	Can be used as a tracer
	Helps to speed up muscle healing
	Can be used to identify security markings on banknotes

[Turn over

2


Marks

2

1

- **28.** A student investigates how musical instruments produce sounds.
 - (a) A guitar is fitted with an electric pick up so that the signal can be amplified.

The signal from the pick up to the input of the amplifier is shown on an oscilloscope below.




On the grid below draw the output signal from the amplifier. The settings on the oscilloscope have not been changed.

(b) The student wears ear protectors to prevent damage to her hearing.Explain how the ear protectors work.

							DO NOT WRITE IN THIS
20	1-					Marks	MARGIN
28.		ntinued)	1		C . 1		
	(<i>c</i>)	Complete the following sentences al in the list.	ibout sour	id using some of	t the words		
		amplitude decibels en	nergy	frequency	7		
		hertz noise	vibr	rates			
		Sound is a wave, which transfers			. Sounds		
		are produced when an object		. Т	The		
		frequency of the wave is measured in	in		and		
		the loudness of the sound is measure	red in			2	
				[Turn over		

DO NOT WRITE IN THIS MARGIN Marks 29. A concert is being broadcast live on radio. (a) The signal from the singer's microphone is amplified before being broadcast. Voltage in = 0.02 volts amplifier Voltage out = $5 \cdot 0$ volts Calculate the voltage gain of the amplifier. 2 (b) A person is listening to the broadcast on a radio receiver. The block diagram below shows the main parts of a radio receiver. Complete the diagram by filling in the missing labels. Aerial Decoder Loudspeaker Electricity supply 2



Marks

The student uses a tennis ball and samples of three different types of surface (carpet, laminate, vinyl).

Describe a method the student could use to carry out this experiment.

Your description should include:

Additional equipment the student would require.


The measurements the student should make.


How the student would ensure the test is fair.

3

							Marks	DO NOT WRITE IN THIS MARGIN
2.	(<i>a</i>)	Complete	the sentences	below using son	ne of these words.		11111785	
		Earth	force	kilogram	newtons	weight		
		Weight is	the force due t	to gravity and it	is measured in			
		Weight is	the pull of the		on an object.		1	
	(<i>b</i>)	A ball has	a mass of 0.5	kilograms.				
		Calculate	the weight of t	he ball.				
							7	
							2	
	(<i>c</i>)	The ball r	olls down a hil	11.				
				X	~			
		There is a	force due to fr	riction acting or	the ball.			
				e force of friction				
							7	
							1	
	(<i>d</i>)		ball reaches tl ss 1·5 kilogram		e hill it collides w	ith a stationary	7	
		After the oper second		econd ball move	es off with a spee	d of $2 \cdot 0$ metres	3	
			nd ball is now periment is re		other ball of mass	s 2·5 kilograms	5	
			peed of the $2 \cdot$ an $2 \cdot 0$ metres		be greater than	, the same as	6	
							7	
							1	

22			Marks	DO NOT WRITE IN THIS MARGIN				
33.	An electr	in a hospital is used to store medicines at a low temperature. conic system is used to sound an alarm when the temperature of the ecomes too high.						
		electronic system can be represented by a block diagram as shown.						
		Process	1					
	(b) The below							
	buzz	zer lamp microphone switch thermistor						
	(i)	Which device from the list is suitable as a temperature sensor?						
			1					
	(ii)	Which device from the list is suitable for sounding the alarm?						
	(iii)	(iii) The hospital technician adapts the system to detect someor opening the door of the freezer.Name one input device from the list which is suitable for alerting						
	()							
		that the door has been opened.						
			1					





DO NOT WRITE IN THIS MARGIN

Marks

1

1

34. (continued)

(*b*) Complete the table for component X.

Input A	Input B	Output Z
0	0	
0	1	
1	0	
1	1	

(c) Explain why the bed cannot be raised when the master switch is off.

[END OF QUESTION PAPER]

Marks

YOU MAY USE THE SPACE ON THIS PAGE TO REWRITE ANY ANSWER YOU HAVE DECIDED TO CHANGE IN THE MAIN PART OF THE ANSWER BOOKLET. TAKE CARE TO WRITE IN CAREFULLY THE APPROPRIATE QUESTION NUMBER.

Marks

YOU MAY USE THE SPACE ON THIS PAGE TO REWRITE ANY ANSWER YOU HAVE DECIDED TO CHANGE IN THE MAIN PART OF THE ANSWER BOOKLET. TAKE CARE TO WRITE IN CAREFULLY THE APPROPRIATE QUESTION NUMBER. **BLANK PAGE**