

Write your name here

Surname

Other names

**Pearson Edexcel**  
**International**  
**Advanced Level**

Centre Number

--	--	--	--	--

Candidate Number

--	--	--	--

# Psychology

**International Advanced Subsidiary**

**Paper 2: Biological Psychology,  
Learning Theories and Development**

Monday 22 May 2017 – Afternoon

**Time: 2 hours**

Paper Reference

**WPS02/01**

**You do not need any other materials.**

Total Marks

## Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided  
– *there may be more space than you need.*

## Information

- The total mark for this paper is 96.
- The marks for **each** question are shown in brackets  
– *use this as a guide as to how much time to spend on each question.*
- The list of formulae and statistical tables are printed at the start of this paper.
- Candidates may use a calculator.

## Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ►

P50590A

©2017 Pearson Education Ltd.

1/1/1/1/1



  
**Pearson**

## FORMULAE AND STATISTICAL TABLES

### Standard deviation (sample estimate)

$$\sqrt{\left(\frac{\sum(x - \bar{x})^2}{n - 1}\right)}$$

### Spearman's rank correlation coefficient

$$1 - \frac{6 \sum d^2}{n(n^2 - 1)}$$

### Critical values for Spearman's rank

N	Level of significance for a one-tailed test				
	0.05	0.025	0.01	0.005	0.0025
	Level of significance for a two-tailed test				
	0.10	0.05	0.025	0.01	0.005
5	0.900	1.000	1.000	1.000	1.000
6	0.829	0.886	0.943	1.000	1.000
7	0.714	0.786	0.893	0.929	0.964
8	0.643	0.738	0.833	0.881	0.905
9	0.600	0.700	0.783	0.833	0.867
10	0.564	0.648	0.745	0.794	0.830
11	0.536	0.618	0.709	0.755	0.800
12	0.503	0.587	0.678	0.727	0.769
13	0.484	0.560	0.648	0.703	0.747
14	0.464	0.538	0.626	0.679	0.723
15	0.446	0.521	0.604	0.654	0.700
16	0.429	0.503	0.582	0.635	0.679
17	0.414	0.485	0.566	0.615	0.662
18	0.401	0.472	0.550	0.600	0.643
19	0.391	0.460	0.535	0.584	0.628
20	0.380	0.447	0.520	0.570	0.612
21	0.370	0.435	0.508	0.556	0.599
22	0.361	0.425	0.496	0.544	0.586
23	0.353	0.415	0.486	0.532	0.573
24	0.344	0.406	0.476	0.521	0.562
25	0.337	0.398	0.466	0.511	0.551
26	0.331	0.390	0.457	0.501	0.541
27	0.324	0.382	0.448	0.491	0.531
28	0.317	0.375	0.440	0.483	0.522
29	0.312	0.368	0.433	0.475	0.513
30	0.306	0.362	0.425	0.467	0.504

The calculated value must be equal to or exceed the critical value in this table for significance to be shown.



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

**Chi-squared distribution formula**

$$X^2 = \sum \frac{(O-E)^2}{E}$$

$$df = (r - 1)(c - 1)$$

**Critical values for chi-squared distribution**

		Level of significance for a one-tailed test					
		0.10	0.05	0.025	0.01	0.005	0.0005
		Level of significance for a two-tailed test					
df	0.20	0.10	0.05	0.025	0.01	0.001	
1	1.64	2.71	3.84	5.02	6.64	10.83	
2	3.22	4.61	5.99	7.38	9.21	13.82	
3	4.64	6.25	7.82	9.35	11.35	16.27	
4	5.99	7.78	9.49	11.14	13.28	18.47	
5	7.29	9.24	11.07	12.83	15.09	20.52	
6	8.56	10.65	12.59	14.45	16.81	22.46	
7	9.80	12.02	14.07	16.01	18.48	24.32	
8	11.03	13.36	15.51	17.54	20.09	26.12	
9	12.24	14.68	16.92	19.02	21.67	27.88	
10	13.44	15.99	18.31	20.48	23.21	29.59	
11	14.63	17.28	19.68	21.92	24.73	31.26	
12	15.81	18.55	21.03	23.34	26.22	32.91	
13	16.99	19.81	22.36	24.74	27.69	34.53	
14	18.15	21.06	23.69	26.12	29.14	36.12	
15	19.31	22.31	25.00	27.49	30.58	37.70	
16	20.47	23.54	26.30	28.85	32.00	39.25	
17	21.62	24.77	27.59	30.19	33.41	40.79	
18	22.76	25.99	28.87	31.53	34.81	42.31	
19	23.90	27.20	30.14	32.85	36.19	43.82	
20	25.04	28.41	31.41	34.17	37.57	45.32	
21	26.17	29.62	32.67	35.48	38.93	46.80	
22	27.30	30.81	33.92	36.78	40.29	48.27	
23	28.43	32.01	35.17	38.08	41.64	49.73	
24	29.55	33.20	36.42	39.36	42.98	51.18	
25	30.68	34.38	37.65	40.65	44.31	52.62	
26	31.80	35.56	38.89	41.92	45.64	54.05	
27	32.91	36.74	40.11	43.20	46.96	55.48	
28	34.03	37.92	41.34	44.46	48.28	56.89	
29	35.14	39.09	42.56	45.72	49.59	58.30	
30	36.25	40.26	43.77	46.98	50.89	59.70	
40	47.27	51.81	55.76	59.34	63.69	73.40	
50	58.16	63.17	67.51	71.42	76.15	86.66	
60	68.97	74.40	79.08	83.30	88.38	99.61	
70	79.72	85.53	90.53	95.02	100.43	112.32	

The calculated value must be equal to or exceed the critical value in this table for significance to be shown.



### Wilcoxon Signed Ranks test process

- Calculate the difference between two scores by taking one from the other
- Rank the differences giving the smallest difference Rank 1

Note: do not rank any differences of 0 and when adding the number of scores, do not count those with a difference of 0, and ignore the signs when calculating the difference

- Add up the ranks for positive differences
- Add up the ranks for negative differences
- T is the figure that is the smallest when the ranks are totalled (may be positive or negative)
- N is the number of scores left, ignore those with 0 difference

### Critical values for the Wilcoxon Signed Ranks test

<i>n</i>	Level of significance for a one-tailed test		
	0.05	0.025	0.01
	Level of significance for a two-tailed test		
	0.1	0.05	0.02
N=5	0	-	-
6	2	0	-
7	3	2	0
8	5	3	1
9	8	5	3
10	11	8	5
11	13	10	7
12	17	13	9

The calculated value must be equal to or less than the critical value in this table for significance to be shown.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



SECTION A

BIOLOGICAL PSYCHOLOGY

Answer ALL questions in this section. Write your answers in the spaces provided.

1 Jayla used a PET scan to research the areas of the brain that are active when reading a poem and when completing mathematical sums.

Jayla's research used an opportunity sample of 13 students aged between 18 and 22 years from a local university. Each student had two PET scans. One whilst reading a poem and a second whilst completing mathematical sums.

(a) Explain **one** strength of Jayla using a PET scan in her research.

(2)

.....  
.....  
.....  
.....  
.....

(b) Explain **two** ways Jayla could have improved her study.

(4)

1 .....

.....  
.....  
.....  
.....

2 .....

.....  
.....  
.....  
.....  
.....



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(c) Jayla decided to check her data using a statistical test at  $p \leq 0.05$  in order to avoid a type I error.

Define the term 'type I error'.

(1)

.....  
.....

**(Total for Question 1 = 7 marks)**

**2** Lysander is undergoing light therapy for his seasonal affective disorder. He finds that in the winter he no longer wants to play football and spends more time in bed.

(a) Identify **three** symptoms of seasonal affective disorder that Lysander may have.

(3)

1 .....

2 .....

3 .....

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



(b) Describe how light therapy would be used as a treatment for Lysander's seasonal affective disorder.

(3)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

**(Total for Question 2 = 6 marks)**

**3** Arissa wanted to conduct a correlation study for her psychology coursework. She decided to research whether the number of brothers and sisters her participants have affects the number of children her participants have.

(a) State a directional (one-tailed) hypothesis for Arissa's study.

(1)

.....

.....

.....



(b) Arissa asked her teachers how many brothers, sisters and children they have. The results are shown in **Table 1**.

Calculate the standard deviation by completing **Table 1** below.

You **must** give your answer to two decimal places.

The formulae and statistical tables can be found at the front of the paper.

(4)

Teacher	Number of children teacher has	$x - \bar{x}$	$(x - \bar{x})^2$
<b>A</b>	2	-1.2	
<b>B</b>	1	-2.2	
<b>C</b>	4	0.8	
<b>D</b>	3	-0.2	
<b>E</b>	6	2.8	
Mean number of children	3.2	Sum of differences <sup>2</sup>	
Standard deviation =			

**Table 1**

**Space for calculations.**

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA





(c) Arrissa carried out a Spearman's rank test for a one-tailed test and found a calculated value of  $-0.58$ .

Explain whether Arrissa's results were significant at  $p \leq 0.05$ .

(2)

.....

.....

.....

.....

**(Total for Question 3 = 7 marks)**

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



4 (a) Identify **two** areas of the brain that are thought to influence aggression in humans.

(2)

1 .....

2 .....

(b) Explain **one** strength and **one** weakness of brain functioning as an explanation of aggression in humans.

(4)

Strength

.....  
.....  
.....  
.....  
.....

Weakness

.....  
.....  
.....  
.....  
.....

(Total for Question 4 = 6 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

**BLANK PAGE**





DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Handwriting practice area with 20 horizontal dotted lines.

**(Total for Question 5 = 8 marks)**

**TOTAL FOR SECTION A = 34 MARKS**



SECTION B

LEARNING THEORIES AND DEVELOPMENT

Answer ALL questions in this section. Write your answers in the spaces provided.

- 6 Patricio is carrying out an observation to investigate whether children aged one year or four years prefer to play together or play alone. He observes two groups of children playing.
- (a) State **one** way Patricio may have operationalised the variable of 'children playing together'.

(1)

- (b) The results of Patricio's observation are shown in **Table 2** below.

Age of the children in years	Number of children playing together	Number of children playing alone
One	2	8
Four	7	3

Table 2

Calculate the percentage of children aged one year old who play together out of the total number of children who play together.

You **must** give your answer to two decimal places.

(1)

Space for calculations

Percentage score .....

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



(c) Patricio calculated the range for his results.

Define what is meant by the term 'range'.

(1)

(d) Patricio used an overt observation for his study.

Explain **one** strength and **one** weakness of overt observations as a research method.

(4)

Strength

Weakness

(Total for Question 6 = 7 marks)



7 Katya has a fear of wasps. She was stung by a wasp as a child.

(a) Define the term 'unconditioned stimulus' (UCS) as it is used in classical conditioning. (1)

.....

.....

(b) State the neutral stimulus (NS) that had no original effect on Katya's behaviour. (1)

.....

.....

(c) Give the conditioned response (CR) that Katya shows. (1)

.....

.....

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA





(d) Compare classical conditioning and operant conditioning.

(6)

Handwriting practice area consisting of 20 horizontal dotted lines for writing the answer.

**(Total for Question 7 = 9 marks)**

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



8 In your studies of learning theories and development you will have conducted a practical investigation.

(a) Describe the sampling method you used in your learning theories and development practical investigation.

(2)

.....

.....

.....

(b) Describe the results of the quantitative data that you gathered in your learning theories and development practical investigation.

(2)

.....

.....

.....

(c) Explain **one** weakness of your learning theories and development practical investigation in terms of reliability.

(2)

.....

.....

.....

**(Total for Question 8 = 6 marks)**

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



9 Harbinder is carrying out an experiment to see if there is a difference in the amount of time it takes mice to run through a maze.

Each mouse is given 10 practice runs of the maze. Half the mice are given a food pellet each time they complete a practice run successfully, and half the mice do not get a food pellet at the end of each successful run.

Harbinder then times how long it takes each mouse to complete the maze.

(a) State the independent variable (IV) of Harbinder's experiment. (1)

.....  
.....

(b) State the dependent variable (DV) of Harbinder's experiment. (1)

.....  
.....

(c) Describe **one** ethical issue that needs to be considered when using animals in psychological research. (2)

.....  
.....  
.....  
.....

(Total for Question 9 = 4 marks)

\_\_\_\_\_

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



10 Assess the use of dream analysis as a therapy.

(8)

Handwriting practice area consisting of 20 horizontal dotted lines for writing.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Area with horizontal dotted lines for writing.

**(Total for Question 10 = 8 marks)**

**TOTAL FOR SECTION B = 34 MARKS**





DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Large writing area with horizontal dotted lines.



Lined writing area for question 11.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(Total for Question 11 = 12 marks)







Handwriting practice area with 20 sets of horizontal dotted lines.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Large writing area with horizontal dotted lines.



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(Total for Question 12 = 16 marks)

**TOTAL FOR SECTION C = 28 MARKS**  
**TOTAL FOR PAPER = 96 MARKS**

