

General Certificate of Education

AS Use of Mathematics 5351

UOM4/1 Applying Mathematics paper 1

Mark Scheme

2007 examination - June series

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this Mark Scheme are available to download from the AQA Website: www.aqa.org.uk

Copyright © 2007 AQA and its licensors. All rights reserved.

COPYRIGHT

AQA retains the copyright on all its publications. However, registered centres for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to centres to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Set and published by the Assessment and Qualifications Alliance.

Key to mark scheme and abbreviations used in marking

М	mark is for method			
m or dM	mark is dependent on one or more M marks and is for method			
А	mark is dependent on M or m marks and is for accuracy			
В	mark is independent of M or m marks and is for method and accuracy			
Е	mark is for explanation			
or ft or F	follow through from previous			
	incorrect result	MC	mis-copy	
CAO	correct answer only	MR	mis-read	
CSO	correct solution only	RA	required accuracy	
AWFW	anything which falls within	FW	further work	
AWRT	anything which rounds to	ISW	ignore subsequent work	
ACF	any correct form	FIW	from incorrect work	
AG	answer given	BOD	given benefit of doubt	
SC	special case	WR	work replaced by candidate	
OE	or equivalent	FB	formulae book	
A2,1	2 or 1 (or 0) accuracy marks	NOS	not on scheme	
-x EE	deduct <i>x</i> marks for each error	G	graph	
NMS	no method shown	с	candidate	
PI	possibly implied	sf	significant figure(s)	
SCA	substantially correct approach	dp	decimal place(s)	

No Method Shown

Where the question specifically requires a particular method to be used, we must usually see evidence of use of this method for any marks to be awarded. However, there are situations in some units where part marks would be appropriate, particularly when similar techniques are involved. Your Principal Examiner will alert you to these and details will be provided on the mark scheme.

Where the answer can be reasonably obtained without showing working and it is very unlikely that the correct answer can be obtained by using an incorrect method, we must award **full marks**. However, the obvious penalty to candidates showing no working is that incorrect answers, however close, earn **no marks**.

Where a question asks the candidate to state or write down a result, no method need be shown for full marks.

Where the permitted calculator has functions which reasonably allow the solution of the question directly, the correct answer without working earns **full marks**, unless it is given to less than the degree of accuracy accepted in the mark scheme, when it gains **no marks**.

Otherwise we require evidence of a correct method for any marks to be awarded.

June 07

AS Use of Mathematics Applying Mathematics (UOM4/1) Answers and Marking Scheme - June 2007

Question 1

(a)	10 (waves per second)	B1	
(b)	3600	B1	
(c)	Same wave translated horizontally by $t = \frac{-90}{n}$	B1	Accept "translation to the left by $\frac{90}{n}$ " Or when $t = 0 \sin nt = 0$ whereas $\cos nt = 1$ Condone translation of -90
	TOTAL	3	

Question 2

(a)	$\lambda = \frac{v}{f} = \frac{330}{1100} = \frac{3}{10} = 0.3(m)$	M1 A1	M1 for $\frac{v}{f}$ or $\frac{330}{1100}$
(b)(i)	$\lambda' = \frac{v - v_s}{f} = \frac{330 - 30}{1100} = \frac{300}{1100} = 0.273(m)$	M1 A1	330 – 30 or 300 Accept 0.27
(ii)	$f' = \frac{\text{speed of wave}}{\text{apparent wavelength}} = \frac{330}{0.2727} = 1210 (\text{Hz})$	M1 A1	M1 for 330÷(b)(i) Accept 1205 – 1222
(iii)	Difference = $1210 - 1100 = 110$ (Hz)	A1ft	Their (b)(ii) – 1100
	TOTAL	7	

(a)	$45 \text{ m.p.h.} = 45 \times 0.447 = 20.115 \approx 20.1 \text{ ms}^{-1}$	M1 A1	SC1 20 (with calculation)
(b)(i)	$\frac{f_{\text{diff}}}{f} = 2\frac{v_{\text{car}}}{c} = 2\left(\frac{20.1}{3 \times 10^8}\right) = 1.34 \times 10^{-7}$	M1 M1 A1	M1 for $\frac{f_{\text{diff}}}{f}$ M1 for inserting 20.1, 3×10^8
(ii)	$f_{\rm diff} = 1.34 \times 10^{-7} \times 2.4 \times 10^{10} = 3216 = 3220$	M1 A1ft	M1 for their (b)(i) $\times 2.4 \times 10^{10}$ FT from (b)(i) Accept 3218.4 rounding to 3220
	TOTAL	7	

Question 3

Question 4

$f_{\rm diff} = 4000 = 2\left(\frac{v_{\rm car}}{c}\right) \times f$	M1	Use of any equation equivalent to $f_{\text{diff}} = 2\left(\frac{v_{\text{car}}}{c}\right) \times f$
$= 2 \left(\frac{v_{\text{car}}}{3 \times 10^8} \right) \times 3.5 \times 10^{10} = 233.33 v_{\text{car}}$	A1	Substitution for c and f
: $v_{\rm car} = \frac{4000}{233.333} = 17.14 {\rm ms}^{-1}$		
$=\frac{17.14}{0.447}=38.4$ m.p.h	M1	Rearrange to make equation $v_{car} = \dots$
	A1	Accept 38.3 or 38
No – below speed limit	B1ft	Dependent on at least M1 above
ALTERNATIVE METHOD		
	(M1)	For 40×0.447
$f_{\rm diff} = \frac{2 \times 40 \times 0.447 \times 3.5 \times 10^{10}}{3 \times 10^8}$	(M1) (A1)	Use of 3.5×10^{10} Correct equation structure (may be implied by working)
= 4172	(A1)	Answer
No - f_{diff} needs to be greater than 4172 to be breaking the speed limit	(B1ft)	Dependent on at least M1 above
TOTAL	5	

(a)	$\frac{V_{\text{car}}}{V_{\text{actual}}} = \frac{d}{\sqrt{d^2 + x^2}} = \frac{10}{\sqrt{10^2 + 2.5^2}}$	M 1	M1 for $\frac{10}{\sqrt{10^2 + 2.5^2}}$
	= 0.970(1425)	A1	
(b)	$\theta = \cos^{-1}(0.970) = 14.1^{\circ}$	M1 A1ft	\cos^{-1} their (a) Accept 14 and 14.0
	TOTAL	4	

Question 5

Question 6

