

**GCSE**  
**ADDITIONAL SCIENCE /**  
**CHEMISTRY**

CH2FP  
Mark scheme

---

4408 / 4402  
June 2014

---

Version: 1.0 Final

---

---

Mark schemes are prepared by the Lead Assessment Writer and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation events which all associates participate in and is the scheme which was used by them in this examination. The standardisation process ensures that the mark scheme covers the students' responses to questions and that every associate understands and applies it in the same correct way. As preparation for standardisation each associate analyses a number of students' scripts: alternative answers not already covered by the mark scheme are discussed and legislated for. If, after the standardisation process, associates encounter unusual answers which have not been raised they are required to refer these to the Lead Assessment Writer.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this Mark Scheme are available from [aqa.org.uk](http://aqa.org.uk)

---

## Information to Examiners

### 1. General

The mark scheme for each question shows:

- the marks available for each part of the question
- the total marks available for the question
- the typical answer or answers which are expected
- extra information to help the Examiner make his or her judgement and help to delineate what is acceptable or not worthy of credit or, in discursive answers, to give an overview of the area in which a mark or marks may be awarded
- the Assessment Objectives and specification content that each question is intended to cover.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example: where consequential marking needs to be considered in a calculation; or the answer may be on the diagram or at a different place on the script.

In general the right-hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

### 2. Emboldening and underlining

- 2.1** In a list of acceptable answers where more than one mark is available ‘any **two** from’ is used, with the number of marks emboldened. Each of the following bullet points is a potential mark.
- 2.2** A bold **and** is used to indicate that both parts of the answer are required to award the mark.
- 2.3** Alternative answers acceptable for a mark are indicated by the use of **or**. Different terms in the mark scheme are shown by a / ; eg allow smooth / free movement.
- 2.4** Any wording that is underlined is essential for the marking point to be awarded.

### 3. Marking points

#### 3.1 Marking of lists

This applies to questions requiring a set number of responses, but for which students have provided extra responses. The general principle to be followed in such a situation is that ‘right + wrong = wrong’.

Each error / contradiction negates each correct response. So, if the number of error / contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as \* in example 1) are not penalised.

Example 1: What is the pH of an acidic solution? (1 mark)

Student	Response	Marks awarded
1	green, 5	0
2	red*, 5	1
3	red*, 8	0

Example 2: Name two planets in the solar system. (2 marks)

Student	Response	Marks awarded
1	Neptune, Mars, Moon	1
2	Neptune, Sun, Mars, Moon	0

### 3.2 Use of chemical symbols / formulae

If a student writes a chemical symbol / formula instead of a required chemical name, full credit can be given if the symbol / formula is correct and if, in the context of the question, such action is appropriate.

### 3.3 Marking procedure for calculations

Full marks can be given for a correct numerical answer, without any working shown.

However, if the answer is incorrect, mark(s) can be gained by correct substitution / working and this is shown in the 'extra information' column or by each stage of a longer calculation.

### 3.4 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

### 3.5 Errors carried forward

Any error in the answers to a structured question should be penalised once only.

Papers should be constructed in such a way that the number of times errors can be carried forward are kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation e.c.f. in the marking scheme.

### 3.6 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

### 3.7 Brackets

(.....) are used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

### 3.8 Ignore / Insufficient / Do not allow

Ignore or insufficient is used when the information given is irrelevant to the question or not enough to gain the marking point. Any further correct amplification could gain the marking point.

Do **not** allow means that this is a wrong answer which, even if the correct answer is given, will still mean that the mark is not awarded.

### **Quality of Written Communication and levels marking**

In Question 7 students are required to produce extended written material in English, and will be assessed on the quality of their written communication as well as the standard of the scientific response.

Students will be required to:

- use good English
- organise information clearly
- use specialist vocabulary where appropriate.

The following general criteria should be used to assign marks to a level:

#### **Level 1: Basic**

- Knowledge of basic information
- Simple understanding
- The answer is poorly organised, with almost no specialist terms and their use demonstrating a general lack of understanding of their meaning, little or no detail
- The spelling, punctuation and grammar are very weak.

#### **Level 2: Clear**

- Knowledge of accurate information
- Clear understanding
- The answer has some structure and organisation, use of specialist terms has been attempted but not always accurately, some detail is given
- There is reasonable accuracy in spelling, punctuation and grammar, although there may still be some errors.

#### **Level 3: Detailed**

- Knowledge of accurate information appropriately contextualised
- Detailed understanding, supported by relevant evidence and examples
- Answer is coherent and in an organised, logical sequence, containing a wide range of appropriate or relevant specialist terms used accurately.
- The answer shows almost faultless spelling, punctuation and grammar.

Question	Answers	Extra information	Mark	AO / Spec. Ref.	ID
1(a)(i)	high		1	1 / 2.2.3a	A
1(a)(ii)	hundred		1	1 / 2.2.6a	A
1(b)	hard		1	1 / 2.2.3b	A
1(c)(i)	carbon		1	1 / 2.2.3a	A
1(c)(ii)	four		1	1 / 2.2.3b	A
1(c)(iii)	covalent		1	1 / 2.2.3a/b	A
1(c)(iv)	all		1	1 / 2.2.3a	A
<b>Total</b>			<b>7</b>		



Question	Answers	Extra information	Mark	AO / Spec. Ref.	ID
3(a)(i)	oxygen, sulfur <u>tr</u> ioxide	both needed for mark	1	2 / 2.4	E
3(a)(ii)	compound		1	2 / 2.1.1a	A
3(b)	increases	<i>accept (goes) higher / (goes) up / (is) faster / (are) more frequent</i>	1	1 / 2.4.1d	G
3(c)	activation		1	1 / 2.4.1b	G
3(d)	catalyst <b>or</b> increase temperature		1	3 / 2.4.1h	E
<b>Total</b>			<b>5</b>		



Question	Answers	Extra information	Mark	AO / Spec. Ref.	ID
4(a)(i)	14		1	2 / 2.3.1c	G
4(a)(ii)	isotope		1	1 / 2.3.1d	G
4(a)(iii)	(very) small	<i>accept smaller / tiny / (very) little</i>	1	1 / 2.3.1b	G
4(b)(i)	C		1	1 / 2.1	A
4(b)(ii)	NH <sub>3</sub>		1	1 / 2.1.1g	A
4(c)(i)	nitric (acid)		1	1 / 2.6.2b	G
4(c)(ii)	indicator		1	1 / 2.6.1b	E
4(c)(iii)	crystallisation <b>or</b> evaporation	allow by heating <b>or</b> cooling <b>or</b> leave (on windowsill) <i>do not accept freezing</i>	1	1 / 2.6.1c	E
4(c)(iv)	any <b>one</b> from: <ul style="list-style-type: none"> <li>grass grows faster</li> <li>grass grows taller <b>or</b> thicker</li> </ul>	<i>allow grass grows better / greener</i>	1	3 / 2.6.2c	E
4(d)	potassium (atom) loses (an electron) chlorine (atom) gains (an electron) 1 (electron) electron	reference to incorrect bonding or particle = max <b>3</b> ignore references to full outer shells	1 1 1 1	1 + 2 / 2.1.1c/d/e	E
<b>Total</b>			<b>13</b>		

Question	Answers	Extra information	Mark	AO / Spec. Ref.	ID
5(a)(i)	ions cannot move	<i>allow only conducts as a liquid</i>	1	1 / 2.7.1a	E
5(a)(ii)	chlorine		1	2 / 2.7.1b	G
5(a)(iii)	they are positively / oppositely charged <b>or</b> they are attracted		1	1 / 2.7.1c	E
5(a)(iv)	2		1	2 / 2.7.1e	G
5(b)(i)	any <b>one</b> from: <ul style="list-style-type: none"> <li>not all the magnesium was collected</li> <li><i>used less time or lower current or different battery / power pack or different balance or lower voltage</i></li> <li>error in reading balance</li> <li>error in recording result</li> </ul>	<i>allow some magnesium was lost</i>	1	3 / 2.7.1	E
5(b)(ii)	1.11	correct answer with or without working gains <b>2</b> marks. if answer incorrect, allow <b>1</b> mark for 0.99 <b>or</b> for 1.13+1.11+1.09	2	2 + 3 / 2.7.1	E
5(c)(i)	25 – 25.3	correct answer with or without working gains <b>2</b> marks. If answer incorrect, allow <b>1</b> mark for 24/95	2	2 / 2.3.3a	E
5(c)(ii)	71		1	2 / 2.3.1f	A
5(d)(i)	reversible reaction		1	1 / 2.3.3f	A
5(d)(ii)	decreases		1	1 / 2.5.1c	A
<b>Total</b>			<b>12</b>		

Question	Answers	Extra information	Mark	AO / Spec. Ref.	ID
6(a)(i)	(phosphoric) acid	<i>allow phosphoric</i>	1	2 / 2.6.2d	G
6(a)(ii)	H <sup>+</sup> / hydrogen (ion)	<i>if ion symbol given, charge must be correct</i>	1	2 / 2.6.2d	E
6(b)(i)	pencil so it will not run / smudge / dissolve  <b>or</b> because ink would run / smudge / dissolve	<i>ignore pencil will not interfere with / affect the results</i>  <i>ignore ink will interfere with / affect the results</i>	1 1	2 / 2.3.2b	E
6(b)(ii)	any <b>three</b> from: <ul style="list-style-type: none"> <li>• 3 colours in Cola</li> <li>• 2 colours in Fruit drink</li> <li>• one of the colours is the same</li> <li>• two of the colours in Cola are different</li> <li>• one of the colours in Fruit drink is different</li> <li>• <i>one of the colours in Cola is the most soluble</i></li> </ul>	<i>reference to spots / dots = max 2</i> <i>allow colouring for colour</i>  <i>allow more colours in cola <b>or</b> fewer colours in fruit drink</i>  <i>allow some of the colours in the drinks are different</i>  <i>accept one of the colours in Cola has the highest R<sub>f</sub> value</i>	3	3 / 2.3.2b	E
6(c)	different substances travel at different speeds <b>or</b> have different retention times	<i>accept different attraction to solid</i>  <i>ignore properties of compounds</i>	1	1 / 2.3.2c	E

Question	Answers	Extra information	Mark	AO / Spec. Ref.	ID
6(d)(i)	Is there caffeine in a certain brand of drink?		1	3 / 2.3.2	A
6(d)(ii)	any <b>two</b> from: <ul style="list-style-type: none"> <li>cannot be done by experiment</li> <li>based on opinion / <i>lifestyle choice</i></li> <li>ethical, <i>social</i> or economic issue</li> </ul>	<i>accept caffeine has different effects on different people</i>	2	3 / 2.3.2	E
<b>Total</b>			<b>11</b>		

Question	Answers	Extra information	Mark	AO / Spec. Ref.	ID
<p>7 Marks awarded for this answer will be determined by the Quality of Written Communication (QWC) as well as the standard of the scientific response. Examiners should also refer to the information on page 5, and apply a 'best-fit' approach to the marking.</p>				1 + 2 / 2.1.1f/g 2.2.1a 2.2.2a	E
0 marks	Level 1 (1–2 marks)	Level 2 (3–4 marks)	Level 3 (5–6 marks)		
No relevant content	<i>There is a statement about the bonding and/or structure or melting / boiling point of chlorine or sodium chloride.</i>	<i>There are statements about the bonding and/or structure of chlorine or sodium chloride.</i>	<i>There are statements about the bonding and/or structure of chlorine and sodium chloride.</i>  <i>There is an explanation of why chlorine is a gas or sodium chloride is a solid.</i>		
<p><b>Examples of chemistry points made in response:</b></p> <p><b>Chlorine:</b>            covalent bonds between atoms            forming (simple) molecules  <i>no / weak attraction / bonds between molecules</i>            low boiling point</p> <p><b>Sodium chloride:</b>  <i>ionic bonds or electrostatic attraction</i>            strong bonds            in all directions            between oppositely charged ions            forming giant lattice  <i>large amounts of energy needed to break bonds</i>  <i>high melting point</i></p>					
<b>Total</b>			<b>6</b>		