

IGCSE DA Chemistry 4437 2F

Mark Scheme (Results)

Summer 2008

IGCSE

IGCSE DA Chemistry 4437 2F

4437-2F MARK SCHEME

Question Number	Correct Answer	Acceptable Answers	Reject	Mark
1 (a)	second box			(1)

Question Number	Correct Answer	Acceptable Answers	Reject	Mark
1 (b)(i)	top box			(1)

Question Number	Correct Answer	Acceptable Answers	Reject	Mark
1 (b)(ii)	middle box			(1)

Question Number	Correct Answer	Acceptable Answers	Reject	Mark
1 (c)(i)	made up of/contains only one type of atom or something that can not be broken down by chemical means			(1)

Question Number	Correct Answer	Acceptable Answers	Reject	Mark
1 (c)(ii)	three/3			(1)

(Total 5 marks)

Question Number	Correct Answer	Acceptable Answers	Reject	Mark
2 (a)(i)	magnesium			(1)

Question Number	Correct Answer	Acceptable Answers	Reject	Mark
2 (a)(ii)	gold			(1)

Question Number	Correct Answer	Acceptable Answers	Reject	Mark
2 (b)(i)	magnesium/zinc is more reactive than iron OR magnesium displaces iron			(1)

Question Number	Correct Answer	Acceptable Answers	Reject	Mark
2 (b)(ii)	word equation using metal in (i). Give mark for ANY equation of type: Metal + iron(II) sulphate → iron + metal sulphate do not penalise omission of (II) on left or inclusion of (II) on right			(1)

Question Number	Correct Answer	Acceptable Answers	Reject	Mark
2 (c)(i)	A has air/oxygen and water OR air/oxygen and water needed for rust B no air/oxygen C no water			(3)

Question Number	Correct Answer	Acceptable Answers	Reject	Mark
2 (c)(ii)	zinc			(1)

(Total 8 marks)

Question Number	Correct Answer	Acceptable Answers	Reject	Mark
3 (a)(i)	lighted spill pop (dependent on correct test)			1 1 (2)

Question Number	Correct Answer	Acceptable Answers	Reject	Mark
3 (a)(ii)	sodium hydroxide			(1)

Question Number	Correct Answer	Acceptable Answers	Reject	Mark
3 (a)(iii)	green blue/purple			1 1 (2)

Question Number	Correct Answer	Acceptable Answers	Reject	Mark
3 (b)	loses gains (give one mark if the first two are the wrong way round) high strong (dependent on having high correct)			1 1 1 1 (4)

(Total 9 marks)

Question Number	Correct Answer	Acceptable Answers	Reject	Mark
4 (a)(i)	bitumen			(1)

Question Number	Correct Answer	Acceptable Answers	Reject	Mark
4 (a)(ii)	refinery gases			(1)

Question Number	Correct Answer	Acceptable Answers	Reject	Mark
4 (a)(iii)	gasoline			(1)

Question Number	Correct Answer	Acceptable Answers	Reject	Mark
4 (b)	kerosene diesel/gasoline/refinery gases bitumen			1 1 1 (3)

Question Number	Correct Answer	Acceptable Answers	Reject	Mark
4 (c)(i)	oxygen on left water on right carbon dioxide on right			1 1 1 (3)

Question Number	Correct Answer	Acceptable Answers	Reject	Mark
4 (c)(ii)	carbon monoxide			(1)

Question Number	Correct Answer	Acceptable Answers	Reject	Mark
4 (c)(iii)	carbon			(1)

Question Number	Correct Answer	Acceptable Answers	Reject	Mark
4 (d)(i)	giant molecules			1 1 (2)

Question Number	Correct Answer	Acceptable Answers	Reject	Mark
4 (d)(ii)	middle box			(1)

(Total 14 marks)

Question Number	Correct Answer	Acceptable Answers	Reject	Mark
5 (a)(i)	fifth/last box			(1)

Question Number	Correct Answer	Acceptable Answers	Reject	Mark
5 (a)(ii)	A E C D - fully correct gets three marks. If not fully correct then (to a maximum of two): both A and E before C - 1 mark D directly after C - 1 mark E directly before C - 1 mark			(3)

Question Number	Correct Answer	Acceptable Answers	Reject	Mark
5 (a)(iii)	heat / warm			(1)

Question Number	Correct Answer	Acceptable Answers	Reject	Mark
5 (b)(i)	yellow			(1)

Question Number	Correct Answer	Acceptable Answers	Reject	Mark
5 (b)(ii)	red			(1)

Question Number	Correct Answer	Acceptable Answers	Reject	Mark
5 (b)(iii)	neutralisation			(1)

Question Number	Correct Answer	Acceptable Answers	Reject	Mark
5 (b)(iv)	water			(1)

(Total 9 marks)

Question Number	Correct Answer	Acceptable Answers	Reject	Mark
6 (a)(i)	electrolysis			(1)

Question Number	Correct Answer	Acceptable Answers	Reject	Mark
6 (a)(ii)	graphite / carbon			(1)

Question Number	Correct Answer	Acceptable Answers	Reject	Mark
6 (a)(iii)	- on left and + on right			(1)

Question Number	Correct Answer	Acceptable Answers	Reject	Mark
6 (a)(iv)	aluminium oxide / alumina cryolite	accept correct formulae ignore bauxite		1 1 (2)

Question Number	Correct Answer	Acceptable Answers	Reject	Mark
6 (a)(v)	electricity (ignore qualifications) / electrical energy (not energy alone)	Anode/positive electrode replacement	Cathode /electrode replacement	(1)

Question Number	Correct Answer	Acceptable Answers	Reject	Mark
6 (b)(i)	oxygen			(1)

Question Number	Correct Answer	Acceptable Answers	Reject	Mark
6 (b)(ii)	<ul style="list-style-type: none"> •carbon dioxide / carbon monoxide •graphite/carbon/electrode oxidised/burned/reacts with oxygen 	accept correct formulae (ignore lower case)	lists equation	1 1 (2)
				9

(Total 9 marks)

Question Number	Correct Answer	Acceptable Answers	Reject	Mark
7 (a)(i)	Any two from: <ul style="list-style-type: none"> •same or similar chemical properties / same functional group • gradation in physical properties •neighbouring/successive members differ by CH₂ 	gradation of specified physical property (eg: boiling point/bp(t), melting point/mp(t), viscosity)	NOT a specified chemical property different/same physical properties	(2)

Question Number	Correct Answer	Acceptable Answers	Reject	Mark
7 (a)(ii)	alkene			(1)

Question Number	Correct Answer	Acceptable Answers	Reject	Mark
7 (b)(i)	<ul style="list-style-type: none"> •(H) one electron shown •(C) two electrons in first shell and four in second shell 	Accept any symbol for electrons.	Electrons on nucleus	1 1 (2)

Question Number	Correct Answer	Acceptable Answers	Reject	Mark
7 (b)(ii)	<ul style="list-style-type: none"> •all five atoms and four shared pairs of electrons •no extra outer electrons. 	IGNORE inner electrons		1 1 (2)

Question Number	Correct Answer	Acceptable Answers	Reject	Mark
7 (c)(i)	<ul style="list-style-type: none"> •(compounds with) same molecular formula •(but) different structural formulae /displayed formula/structure / atoms arranged differently (same) elements = 0 marks 	Mark independently	same chemical formula. Reject substances	1 1 (2)

Question Number	Correct Answer	Acceptable Answers	Reject	Mark
7 (c)(ii)	Correct structures of butane and methylpropane. ALL bonds shown Penalise sticks with missing H once only			(2)

(Total 11 marks)

Question Number	Correct Answer	Acceptable Answers	Reject	Mark
8 (a)(i)	any two from <ul style="list-style-type: none"> •effervescence / fizzing / bubbles • cloudiness / white precipitate /milky / white suspension •Ca get smaller / disappears (ignore dissolves). •Ca moves up and down 	Ignore gas made ignore floats/moves	List	(2)

Question Number	Correct Answer	Acceptable Answers	Reject	Mark
8 (a)(ii)	Ca(OH) ₂			(1)

Question Number	Correct Answer	Acceptable Answers	Reject	Mark
8 (a)(iii)	<ul style="list-style-type: none"> •blue •alkali / OH⁻ / hydroxide / pH >7 (ignore base) •stated pH value in range 8-14 		purple	1 1 (2)

Question Number	Correct Answer	Acceptable Answers	Reject	Mark
8 (b)(i)	<ul style="list-style-type: none"> •grey / silver(y) •white 			1 1 (2)

Question Number	Correct Answer	Acceptable Answers	Reject	Mark
8 (b)(ii)	any two from <ul style="list-style-type: none"> •over/through water / downward displacement of water • (gas) syringe •upward delivery / downward displacement of air 	a description of this suitable diagrams	gas cylinder	(2)

Question Number	Correct Answer	Acceptable Answers	Reject	Mark
8 (b)(iii)	hydrogen + oxygen → water / steam	ignore heat	formulae	(1)

(Total 10 marks)

PAPER TOTAL 75 MARKS